


# PRODUCT PORTFOLIO



## Easy

The Kovax sanding system has a solution for every problem.



## Quick

Our solutions provide you the means to work as efficient as possible.



## Safe

You are always in control with our dry sanding system.

## INTRODUCTION

- First Japanese Manufacturer of Coated Abrasive with 90+ years experience (Since 1930), currently the No.1 player in Japan
- Export Pioneer with "Eagle" Brand (exporting to more than 90 countries, since 1956)
- No.1 Manufacturer of Coated Abrasives in Asia
- Leading Player in Japan with market share > 43% in Abrasives for Automotive Market
- Industry Leader in Finishing Solutions with Complete Dry Sanding Solution including Top Coat Sanding
- Subsidiaries Include
  - KOVAX Corporation, Tokyo, Japan
  - KOVAX (Malaysia) Sdn. Bhd., Pasir Gudang, Malaysia
  - KOVAX Europe bv., Almelo, The Netherlands
  - KOVAX Deutschland GmbH, Gronau-Epe, Germany
  - KOVAX (Shanghai) Co.,Ltd., Shanghai, China
  - KOVAX Abrasives South Asia Private Limited, Cochin, India


## COMPANY HISTORY



- 1930** : Starts production of Waterproof Abrasive Paper (1st time ever in Japan)
- 1954** : Foundation of Toda Factory
- 1956** : Starts export of Abrasive Paper
- 1965** : Foundation of Iwai Factory
- 1967** : Awarded by Japanese government for export contribution (for 3 consecutive years of 1969-1971)
- 1988** : Change of corporate name to KOVAX Corporation (from Komatsubara Abrasive Mfg. Co., Ltd.)
- 1989** : Foundation of Kutsukake Factory
- 1990** : Foundation of KOVAX (Malaysia) Sdn.,Bhd
- 1996** : Foundation of KOVAX Europe B.V., The Netherlands  
Foundation of KOVAX Deutschland GMBH., Germany
- 2002** : Certification of ISO9001
- 2008** : Foundation of KOVAX (Shanghai) Co.,Ltd., China
- 2012** : Foundation of Tsukuba Factory
- 2015** : Foundation of KOVAX Abrasives South Asia Pvt. Ltd., Cochin, India

# WORK SMARTER FINISH FASTER

The Cutting Edge Technology of Kovax  
Specialty Products – Sanding the hardest ceramic clears 100% Dry.



## Contents

SUPER TACK .....	4 - 5
FINISHING SYSTEM .....	6 - 7
ABRASIVES .....	8
WATER PROOF PAPER .....	9
MICROFINISHING FILM .....	10
FILLER & PUTTY .....	11
MASKING PRODUCTS .....	12 - 13
ACCESSORIES .....	14 - 15 - 16
PAINT FINISHING PRODUCTS .....	17
TOOLS .....	18



## MAXCUT P60 - P180

THE NUMBER 1 SOLUTION WHEN SANDING HARD PUTTY AND METAL.


### ADVANTAGES MAXCUT

The Maxcut products have specially hardened Aluminium Oxide grains, which score a 9.8 on Mohs scale of mineral hardness. Compared to the hardest mineral, which is industrially produced diamond with a score of 10, this is nearly the hardest existing mineral and thus perfectly suited for extremely hard sanding work. Thanks to its open structure clogging will be prevented.

Part No.	Code	Product Description	Size	No of Holes	Grit
563-XXXX	KNA3-ST	Maxcut Super Tack Disc	152 mm	7	60 - 180

### Application

- Paint Stripping
- Body filler Sanding
- Putty Sanding
- Wood Sanding
- Metal Sanding



## MAXFILM P80 - P600

MAXFILM STANDS FOR MAXIMUM DURABILITY FOR ALL YOUR SANDING WORK, FROM SANDING BARE METAL TO SANDING PRIMER.


### ADVANTAGES MAXFILM

The film backing of Maxfilm allows a more direct contact with the sanding surface and prevents the grains to drop into the backing. In combination with its double anti-clogging coating this results in a significantly longer lifetime. The printed P-value on top of the disc ensures maximum ease of use.

Part No.	Code	Product Description	Size	No of Holes	Grit
523-XXXX	POMMAX-ST	Max Film Super Tack Disc	152 mm	Multiholes	80 - 600
703-XXXX	POMMAX-ST	Max Film Super Tack File Sheet	70 x 198 mm	Multiholes	80 - 400
701-XXXX	POMMAX-ST	Max Film Super Tack File Sheet	70 x 126 mm	Multiholes	80 - 400

### Application

- Paint Stripping
- Body filler Sanding
- Putty Sanding
- Primer Sanding
- Wood Sanding



## PREMIUM PF P60 - P600

LEAP INTO THE FUTURE

### ADVANTAGES PREMIUM PF

Kovax Premium Super-Tack Discs utilize Special Next Generation Flexible Bonding technology that will effectively reduce scratches and increase cutting power. These high performance velour-backed discs with tough backing paper last long and produce superb finishes that will satisfy the most demanding requirements.

Part No.	Code	Product Description	Size	No of Holes	Grit
566-XXXX	GDSMM-ST GCSMM-ST GCLMM-ST	Premium Super Tack Disc	152 mm	7	60 - 600
866-XXXX	GDSMM-TDR GCSMM-TDR GCLMM-TDR	Premium Stickon Disc	125 mm	0	60 - 600
730-XXXX	GDSMM-ST GCSMM-ST GCLMM-ST	Premium Super Tack Disc	75 mm	0	80 - 2000

### Application

- Dry sanding
- Sanding and finishing of fillers, Primers, composite materials, wooden surfaces, wood coatings and drywalls.



## TRI-PRO P60 - P600

PROFESSIONAL QUALITY! INCREASES PRODUCTIVITY!  
EXCELS IN PROFITABILITY

### ADVANTAGES TRI-PRO

Tri-Pro Super Tack Disc has a beneficial effect on dry sanding with anti clogging system. In particular, TRI-PRO Super Tack Disc has powerful initial cutting power and also provides the user with gratifying result for uniform finishes.

Part No.	Code	Product Description	Size	No of Holes	Grit
526-XXXX	VCSM-ST VBSM-ST	Tri-Pro Super Tack Disc	152 mm	7	60 - 600
514-XXXX	VCSM-ST VBSM-ST	Tri-Pro Super Tack Disc	125 mm	0	60 - 600

### Application

- Dry sanding
- Sanding and finishing of fillers, Primers, composite materials, wooden surfaces, wood coatings



## SUPER ASSILEX

K600 - K1500


THE UNIQUE WAY OF DRY SANDING,  
UNIFORMITY AND FLEXIBILITY THAT AMAZE.

### ADVANTAGES SUPER ASSILEX

The innovative latex backing and the unique grain structure result in extremely uniform and shallow scratches. The products of Super Assilex are supporting you during your daily sanding jobs due to Super Assilex' outstanding cutting performance and speed. This results in more efficiency. Super Assilex prevents potential problems in the rest of the sanding process.

Part No.	Product Description	Size
191-2505	Super Assilex Sheet - Peach	130 mm x 170 mm with slit
191-1510	Super Assilex Sheet - Orange	130 mm x 170 mm with slit
191-1509	Super Assilex Sheet - Lemon	130 mm x 170 mm with slit
191-1508	Super Assilex Sheet - Sky	130 mm x 170 mm with slit
193-2525	Super Assilex Disc - Peach with 15 Holes	152 mm
193-1580	Super Assilex Disc - Orange with 15 Holes	152 mm
193-1579	Super Assilex Disc - Lemon with 15 Holes	152 mm
193-1578	Super Assilex Disc - Sky with 15 Holes	152 mm
971-0025	Super Assilex Pad M (Super Tack)	75 mm x 120 mm
971-0035	Super Assilex Pad M - Interface (Rectangle) for BA Sander	75 mm x 120 mm
971-0091	Super Assilex Pad - Interface (Disc - 15 Holes)	146 mm
971-7503	Cushion Pad set 3 inch Hard (without Hole)	73 mm





## TOLECUT K800 - K3000

THE WORLD CHAMPION WHEN IT COMES TO DRY IMPERFECTION REMOVAL.

### ADVANTAGES TOLECUT

Tolecut is a dry sanding system. Without the use of water it is always possible to see how far the imperfection has been removed. Because of the constant visible result, the risk to sand through the topcoat is reduced to a minimum. Tolecut is unique in its cutting power and due to its flexibility it is also suitable for concave and convex areas. The ease of use makes it a must have for every dent professional.

Part No.	Product Description	Size
191-1511	Tolecut Black Sheet	70 mm x 114 mm
191-1512	Tolecut Green Sheet	70 mm x 114 mm
191-1513	Tolecut Pink Sheet	70 mm x 114 mm
191-1521	Tolecut Black 8 Cut	70 mm x 114 mm
191-1522	Tolecut Green 8 Cut	70 mm x 114 mm
191-1523	Tolecut Pink 8 Cut	70 mm x 114 mm
192-1511	Tolecut Disc - Black	34 mm

Part No.	Product Description	Size
192-1512	Tolecut Disc - Green	34 mm
192-1513	Tolecut Disc - Pink	34 mm
971-1048	Tole Card	66 mm x 110 mm
971-0047	Tole Block	33 mm x 28 mm
881-1500	POMM-T Yellow Film Touch Up Disc - Grit 1500	34 mm
881-2000	POMM-T Yellow Film Touch Up Disc - Grit 2000	34 mm



## BUFLEX DRY K2000 - K3000

THE FINEST ABRASIVE FOR MAXIMUM POLISH TIME REDUCTION.

### ADVANTAGES BUFLEX DRY

The ultra flexible, innovative latex backing with a unique grain structure ensures extremely uniform scratches. The especially developed femalefemale velcro ensures process safety and prevents scratches caused by hard velcro. Buflex Dry retains the coating structure.

Part No.	Product Description	Size
191-1531	Super Buflex Sheet - Black	130 mm x 170 mm with slit
1911-532	Super Buflex Sheet - Green	130 mm x 170 mm with slit
193-1564	Super Buflex Disc - Black - with 15 Holes	152 mm
193-1565	Super Buflex Disc - Green - with 15 Holes	152 mm
730-1514	Super Buflex Disc - Black - with Pad	75 mm
730-1515	Super Buflex Disc - Green - with Pad	75 mm

Part No.	Product Description	Size
971-0068	Cushion Pad set for 3" Super Buflex	75 mm
194-1504	Super Buflex ST Black	35 mm
194-1505	Super Buflex ST Green	35 mm
971-0060	Super Buflex Hand Pad	78 mm x 123 mm
971-0061	Super Buflex Interface Pad with Velour	78 mm x 123 mm
971-0065	Super Buflex Pad with 15 Holes	147 mm



## BELTS

Kovax Coated Abrasive Belts can be used with a portable machine. High performance abrasive grain and bond systems make the belts ideal for applications from grinding, deburring and stock removal to sanding and finishing operations on a number of surfaces

Part No.	Product Description	Size
ARX-B80	Sanding Belt Grit 80	10 mm x 300 mm
ARX-B60	Sanding Belt Grit 60	10 mm x 300 mm



## Dry Sheet

THE DRY SHEET CATEGORY OF KOVAX IS PERSONIFIED BY SIMPLICITY OF CHOICE AND APTNESS OF THE PRODUCT.

### Application

- Universal applications on most substrates
- Dry hand sanding
- Sanding of Wood, Wall, primers, top coat, clear coats and composite materials

Features	Benefits
Premium SiC Dry Sheet	High Cutting Power, Very High Stock Removal
Anti-Clogging Lubricant Layer	Significantly Enhanced Life

Part No.	Code	Product Description	Size	Backing	Grit
114 - XXXX 115 - XXXX	SLCC - M SLAC - M	Premium SiC Dry Sheet	9" x 11"	C/A wt Flexible	120 - 600
121 - XXXX	KMCAM KMAAM	Premium ALO Dry Sheet	9" x 11"	C/A wt Flexible	80 - 600



## SFAC FLEXIBLE BACK - SILICON CARBIDE

Features	Benefits
Premium SiC Water proof paper	Gives best finish required for Automotive Repair Industry.
Exceptional flexible backing	Eliminates the need for "Pre Soaking"

### Application

- Sanding and finishing of fillers and primers
- Scuffing and rectifying clear coats
- Sanding and finishing of composite materials, wooden surfaces, wood coatings, metal coatings and metal surfaces

Part No.	Code	Product Description	Size	Backing	Grit
101 - XXXX 102 - XXXX	SFAC SFCC	Flexible Backing SiC Water Proof Paper	9" x 11"	C/A wt Flexible	60 - 2000
131 - XXXX	SFAC	Flexible Backing SiC Water Proof Paper	5.5" x 9"	A wt Flexible	800 - 2500



## EAGLE MAX WATER PROOF PAPER - SILICON CARBIDE

Features	Benefits
SiC Waterproof paper	Razor sharp cutting edge provides faster and cooler sanding
High Durability	Durable backing paper combined with high performance resin bonding which is designed to withstand tougher - than - usual jobs

### Application

- Wet or dry hand sanding
- Sanding and finishing of primers, top and clear coats and composite materials

Part No.	Code	Product Description	Size	Backing	Grit
119 - XXXX	SFCCMX SFACMX	Eagle Max SiC Water Proof Paper	9" x 11"	C/A wt	60-2000

## LAPIKA FILM

EXPLORE TO THE WORLD OF FINE PROCESS

As products are becoming smaller and more integrated, demand for fine process are increasing on manufacturing and the process of finishing. We, as a specialised producer have solutions to assist in creating products of greater precision.



### Applications

- Super finish of precision parts
- Finishing Polish of roller for O.A machine
- Polishing for contact face of optical fiber connector
- Making flat surface of layers on FPD
- Finishing and cleaning magnetic head and magnetic disk
- Finishing micromotor commutators and shafts
- Polishing backside of optical disk stamper

## MEIST FILM

ELECTROSTATIC COATING ABRASIVE FILM

Providing precise finishing satisfying flatness without imparting deep polishing streaks to a body to be polished due to tough flat base film

By using in a roll, a new polishing face is continuously supplied and realize uniform finish in automation work

Providing high durability and high polishing capability in both wet and dry work



### Applications

- Automotive Shafts & Parts
- OA equipment Roller
- Plane Substrate
- Analytical Sample Piece
- Paint Surface

### Product List

Product Code	Non-Slip Processing	Grain	Thickness of Base Film	Micron / P Grade							
				9μ P2000	15μ P1000	20μ P800	30μ P600	40μ P400	50μ P320	60μ P280	80μ P220
MFA3S	○	AA	3mill (75 μ)	●	●	●	●	●			
MFA5S	○	AA	5mill (125 μ)	●	●	●	●	●	●	●	●
MFA3		AA	3mill (75 μ)	●	●			●			
MFA5		AA	5mill (125 μ)	●	●	●	●	●			
MFC3S	○	CC	3mill (75 μ)	●							
MFC5S	○	CC	5mill (125 μ)		●	●	●	●		●	
MFC5		CC	5mill (125 μ)	●	●	●	●	●		●	

## LIGHT WEIGHT BODY FILLER

Kovax Bodyfiller combines Smooth application and easy sanding. This filler can be used to fill dents and imperfections on most substrates.



### Features & Benefits

- Smooth and easy to sand
- Tack Free Surface which minimises Loading
- Excellent adhesion to almost all automotive substrates

Part No.	Product Description	Size
7100002	Light Weight Body Filler	3Kg
7100003	Light Weight Body Filler	1Kg

## KOVAX POLYESTER PUTTY

Kovax Polyester Putty is a two-component finishing putty made to fill dents and imperfections in most automotive substrates. The Putty cures with tack free surface and have good sanding and handling characteristics.



### Features & Benefits

- Excellent adhesion to bare metal, FRP products
- Easy spreading and mixing
- Fast tack free surface
- Easy and soft sanding


Part No.	Product Description	Size
7100004	Kovax Polyester Putty	1Kg



## PREMIUM AUTOMOTIVE MASKING TAPE

Kovax Premium Automotive Masking Tape sticks fast and hold tight. It conforms easily to contours and irregular surfaces.

Part No.	Product Description	Size
7100023	Premium Masking Tape	24 mm X 30 M
7100024	Premium Masking Tape	24 mm X 40 M
7100014	Premium Masking Tape	48 mm X 25 M
7100018	Premium Masking Tape	24 mm X 25 M



## PERFORATED TRIM MASKING TAPE

Perforated Trim Masking Tape uses a high temperature crepe masking tape with a rubber pressure sensitive adhesive. It is designed to protect rubber trims and body side mouldings during the automotive refinish process. The product is perforated which makes it simple, easy to use and flexible to follow contours and tight curves

Part No.	Product Description	Size
7100020	Perforated Trim Masking Tape	50 mm x 10 M



## BLUE FINE LINE TAPE

Blue Fine Line Tape uses a thermally stabilised PVC backing with a rubber based pressure sensitive adhesive. It has medium flexibility, adheres to a wide variety of surfaces and will hold and cleanly remove from surfaces up to 138 degree centigrade. After demasking, it will leave no residue and a sharp, clean separation line.

Part No.	Product Description	Size
7100022	Blue Fine Line Tape	9 mm x 55 M



## SMOOTH EDGE FOAM MASKING TAPE

Smooth Edge Foam Masking Tape is designed for masking door apertures to reduce the ingress of paint during the automotive refinish process

Part No.	Product Description	Size
7100021	Smooth Edge Foam Masking Tape	13 mm x 50 M



## PLASTIC MASKING FILM

Plastic Masking Film ensures that paint will adhere to the outside layer of plastic, eliminating flake-off. The cling ensures material adheres to the area that is to be protected. The sheeting can be cut along the critical edge.

Part No.	Product Description	Size
7100050	Plastic Masking Film	5 M x 120 M
7100016	Plastic Masking Film	4 M x 150 M



## BROWN MASKING PAPER

Kovax Masking paper is custom treated so paint won't flake off and protect against bleed - through

Part No.	Product Description	Size
7100051	Brown Masking Paper Roll	450 mm x 200 M
7100052	Brown Masking Paper Roll	900 mm x 200 M



## DOUBLE SIDED ACRYLIC TAPE

Kovax Double Sided Acrylic Tape is a reinforced acrylic foam tape with high tack and shear strength performance acrylic adhesive. The product has excellent adhesion to a wide range of substrates including plastics & metals. Ideal for bonding emblems, nameplates, plastic panels and metals.

Part No.	Product Description	Size
7100053	Double Sided Tape	12 mm x 10 M



## DRY GUIDE COAT WITH APPLICATOR

Provides the technician a visual aid to ensure primed surfaces are totally smooth and even. A quick and efficient method to find uneven and low spots on body filler, primer, putties and other repair components. Apply guide coat over the area to be sanded, and continue sanding until the coating is no longer visible on the surface.

### Features & Benefits

- Non Solvent Based
- Easy to apply
- No drying time required
- Instant defect detection
- Full coverage to the repaired area

Part No.	Product Description	Size
7100015	Dry Guide Coat with Applicator	100 gm



## WOOL PADS

Wool Pads are designed for use with a polisher and is made with 100% Natural Wool fibres to produce a high gloss on paint surfaces. It can be used on combination with Rubbing Compound on refinished paint finishes, Refining Micro fine Scratches, Scratch Removal, Swirl mark Removal etc

Part No.	Product Description	Size
7100031	Single Sided Wool Pad	7.5"
7100034	Double Sided Wool Pad	8"
7100035	Premium Single Sided Wool Pad	7.5"
7100038	Wool Pad	3"



## FOAM PAD

The waffle face Foam Pad offers wave shapes on the face of the foam pad, speed up the air flow between the paint and the foam pad to cool the pad against over heating which also helps to reduce holograms.

Part No.	Product Description	Size
7100054	Form Pad Black Waffle	8"



## TACK CLOTH

Tack Cloth is a synthetic fabric based wipe impregnated with non-drying varnish. Tack Cloth is the only safe way and economical method to ensure completely dust free surface before painting. Tack Cloth is indispensable in modern day paint shop

Part No.	Product Description	Size
7100011	Tack Cloth	320mm X 950mm



## PAINT STRAINER

Paint Strainer is a filter used to clean paint as it is poured into the spray gun cup.

Part No.	Product Description	Size
7100013	Paint Strainer	190 Microns



## MICROFIBRE CLOTH

High-performance microfibre cloths is ideal for all kind of surfaces. It is highly absorbing and resistant to high wear resistance without strains. Microfibre cloths are ultra-absorbent and quickly can absorb fluids to deliver efficient result. Made of high-quality material, the fiber is strong durable but soft and won't scratch possession.

Part No.	Product Description	Size
K9007100076	Microfiber Towel 500gsm	40 x 40 cm

## KOVAX PAINT SYSTEM

A innovative system for the mixing and preparation of refinish material for spraying .  
Kovax paint system consists of

- 1.Spray Gun Adaptor
- 2.Hard cup with collar
- 3.Paint Liner
- 4.Lid
- 5.Plug



Part No.	Product Description
K9007100061	Paint Liner + Lid + Plug - 50 Nos each for 200ml Cup
K9007100063	Paint Liner + Lid + Plug - 50 Nos each for 200ml Cup
K9007100066	Hard Cup 200 ml - 1 No
K9007100068	Hard Cup 600 ml - 1 No
K9007100071	Adapter - Devilbiss - 1 No
K9007100072	Adapter - SATA - 1 No
K9007100073	Adapter - Iwata - 1 No
K9007100074	Adapter - Versatile - 1 No





## ONE STEP RUBBING COMPOUND ADVANCED

Highly effective polishing compound for Automobile clear coats. It will swiftly eliminate overspray and grit 1000 scratches in one step.

Part No.	Product Description	Size
7100044	One Step Rubbing Compound- Advanced	1 L



## XTREME CUT RUBBING COMPOUND

Highly effective polishing compound for Automobile clear coats. It will swiftly eliminate overspray and grit 1000 scratches in one step.

PART NO.	Product Description	Size
7100058	Xtreme Cut Rubbing Compound	1 Kg
7100059	Xtreme Cut Rubbing Compound	100 gm



## ONE STEP RUBBING COMPOUND

Highly effective polishing compound for Automobile clear coats. It will swiftly eliminate overspray and grit 1500 scratches in one step.

PART NO.	Product Description	Size
7100075	One Step Rubbing Compound	1 Kg
7100074	One Step Rubbing Compound	100 gm



## POLISHING GLAZE

Remove fine swirls and provide durable protection in one step. Recommended for use by machine or by hand to increase surface gloss after compounding for all types of refinish or OEM applied automotive paints.

Part No.	Product Description	Size
7100048	Polishing Glaze	1 L


## KOVAX TOOLS

Kovax offers a wide range of tools and accessories that provide a complete sanding solution that is optimized to perform best with Kovax Abrasive Products. The range is constantly being updated to ensure that the customer gets the latest versions on technology updation.

Kovax Sanding Machines are effective and durable tools for professional sanding. These ergonomically designed sanding machines are built for maximum dust extraction even at low suction power. Light Weight Hi-Tech Materials are used in the production, in order to combine optimal strength and user comfort.



Part No.	Product Description	Size
9100125C	Dust Extraction Trolley with Two 5 M Hoses and Dust Bag	38 L
9100102D	Dual Action Sander with Hose and Dust Bag	6"
9107002	Lex Sander Non Vacuum	5"
9107014	Lex Sander Central Vacuum	6"
9107018	Lex Sander with Hose and Bag	6"
9100504	Mini Belt Sander	10 mm x 330 mm
9100202	Buflex and Assilex Sander	72 mm x 116 mm
9107501	Mini DA Sander	3"
9111007	Hand Block - Medium Dust Free	70 mm x 198 mm
8870220	Hand Block - Small Dust Free	70 mm x 125 mm
9100450	Mini Polisher	3"
9103501	Touch up Sander	34mm
9720003	Velcro - 7 Holes	5"
9720005	Stickon Pad No Hole	5"
9720007	Stickon Pad 7 Holes	5"
9720104	New Clean Pad with 15 Holes	6"
9724008	Multihole Backup Pad	6"







**KOVAX**<sup>®</sup>  
Japan's No.1. Since 1930

Kovax Abrasives South Asia Pvt. Ltd.  
Cochin, India

Tel: +91-484-2535678  
Email: [enquiry@kovaxsa.com](mailto:enquiry@kovaxsa.com)

Kovax Corporation  
Tokyo, Japan

Tel: (81)-3-5960-1621  
Email: [intl@kovax.com](mailto:intl@kovax.com), [www.kovax.com/en](http://www.kovax.com/en)