

Safeflex

Protecting you at work ...



PRODUCT CATALOGUE - 13th Edition



Our Brand Philosophy

A safe and secure work environment is what enhances the efficacy of every employee. Knowing that one is well shielded from physical hazards, shields the mind from a sense of insecurity and fear which subsequently enhances one's productivity. Shielding people from the untoward is what we stand for. SAFEWELL as a brand strives to leave a firm footprints of its high quality & innovative product standards on the industrial safety industry.

Contents

3

Company Overview

A brief history of the company and the brand

6

Product Guide

Quality Standards, Material Options & Types

11

Hand Protection

Range of various types of Hand Gloves

Seamless Knitted	12
Heat Resistant	16
Cut Resistant	22
Cut & Sewn	24
Rubber	26
Disposable	28
Leather	30
Coated	36
Impact Resistant	55

59

Arm Protection

Range of various types of protective arm sleeves

66

Body Protection

Range of various types of protective work wear



82

Ear Protection

Range of various types of Ear Plugs & Ear Muffs

85

Eye Protection

Range of various types of Goggles, & Face Shields

89

Fall Protection

Range of various types of Harness & Fall Arrestors

102

Foot Protection

Range of various types of Shoes, Covers & Guards

116

Head Protection

Range of various types of Helmets & Covers

125

Respiratory Protection

Range of various types of Nose Masks & Covers

128

Others Information

Sales Network, Contact Details & Reach-outs

Protection you
at work ...

TO OUR VALUED CUSTOMERS,

Safer the work environment, better the efficiency and superior the productivity is what I uphold and my strong belief in this doctrine led to the birth of Acme Safety Wears (Brand Safewell)

Our team has been on a dedicated mission to render a safe and secure work environment since 1995 and I'm proud to state that we've been one of the leading contributors in this direction. With our vision, mission, expertise, and experience, we are a one-stop solution for reliable, innovative, top-of-the line personal protective equipments; thus, preserving the smiles of millions of workers and contributing to their well-being.

We invite you to take a tour into our brand-new catalogue that has a full range of newly updated protective products to perfectly match diverse needs of our valued customer base. Furthermore, our team will be more than glad to share technical expertise and assist you in selecting products aligning to your specific needs.

I also take this opportunity to thank our esteemed clients who have helped us grow, innovate and be inspired to bring world standard safety products within our product manufacturing portfolio. We will always be grateful to you for having the confidence in us.

Best regards. Stay Safe.



S.K.Saraf
Group President



About Us

Since its modest inception in 1995, Acme Safety Wears Limited, an ISO 9001: 2005 certified and NSIC registered company, has strived and evolved as one of India's leading PPE company offering high-quality, customized and durable products.

Acme Safety Wears is a group company of Acknit Industries which holds a prestigious reputation as a Public Listed, 100% Export Oriented company in the global market.

Head-quartered in Kolkata with manufacturing units in Kolkata, Chennai & Kanpur, Acme Safety Wears has a capacity and the resources for a monthly production of over a million pairs of gloves and garments. In addition to these, we also manufacture safety shoes, safety garments, safety helmets, safety goggles, ear-plugs & nose masks in large volumes.

The company has a wide network of sales points across India precisely in 16 states and has major ware-housing hubs in Kolkata, Chennai, Ahmedabad, Gurgaon and Chakan.

Our team has the best of both worlds - legendary experience as well as innovative ideas and dynamism of young minds. Thus, equipped with a well-established infrastructure, superior manufacturing capabilities, a highly innovative R & D team and extensive experience, we take pride in catering to industrial, construction and service sectors across India.

With more than 25 years in the industry, the company has set standards in manufacturing the entire gamut of PPE products. You name it, and we assure you get it - all under the roof of "SAFEWELL" - a PPE brand of Acme Safety Wears Ltd.

WHY SAFEWELL?

- Customer-Centric Approach.
- Global standard quality.
- Durable & Cost effective.
- Personalised technical assistance to select the right product for the right job.
- Customization of products to meet specialized needs.
- Pioneer of a range of 100% Made in India, new and innovative PPE.

These services help our clients to use adequate and suitable PPE at workplace which subsequently, reduces the incidence of occupational injuries.



Aditya Saraf (Director): Addressing guests at the company's annual seminar 2022 held at Kolkata



Our Esteemed Clients

Success of any company lies in the popularity of its brand. However, when it comes to a PPE Safety Company, a client's persistent confidence on the reliability of the products is a testimonial of its success. The growing list of our esteemed client speaks of their trust and confidence in our unflinching and continual commitment in building enduring culture of safety in their work arenas.



Disclaimer: Logos are used under the fair usage policy and remains the property of the respective owners. Use of logos are not authorised by, sponsored by, or associated with the trademark owner.



Quality Standards

The performance of Safewell products are assessed according to the Bureau of Indian Standards & the European Standards directives. They are marked by pictogram as per the certification, sometimes with figures representing their level of performance.



EN388
MECHANICAL PROTECTION



EN347
MICRO ORGANISM PROTECTION



EN374
CHEMICAL PROTECTION



EN407
HEAT PROTECTION



This Pictogram Indicates That The Product is Approved For Contact With Food



This Pictogram Indicates That The User Has To Consult The Instructions For Use



CATEGORY I SIMPLE DESIGN - FOR MINIMAL RISK ONLY
CATEGORY II INTERMEDIATE DESIGN - FOR INTERMEDIATE RISK
CATEGORY III COMPLEX DESIGN - FOR IRREVERSIBLE OR MORTAL RISK



This Pictogram Indicates That The Product Has Been Certified By the BUREAU of INDIAN STANDARDS & Confers To The Safety Standards As Per Their Directive. The Figures Mentioned Besides Represents The Level Of Their Performance.

Quality is an intent and at Acme Safety Wear this intent manifests optimally in the name of our brand-SAFEWELL. At Safewell we not only follow the global safety standard, but we also implement a rigorous self-disciplined and stringent quality assessment in our in-house testing labs equipped with latest equipments. A team of quality-check officers are part of the entire manufacturing process right from raw-material to the final packaging of the product, thereby setting exemplary product standards.

To maintain its unbeatable commitment of highest standards of quality, SAFEWELL has further introduced sub-brands that offer a specialised range of cut-resistant, heat-resistant and disposable safety products.



SUB BRAND'S UNDER OUR PARENT BRAND



"Productivity and efficiency can be achieved only step by step with sustained hard work, relentless attention to details and insistence on the highest standards of quality and performance" ~ J.R.D.Tata

Know Your Products

To ensure optimum balance between safety & performance in a given application, each Safewell product is designed with unique characteristics. A wide range of yarns, fabrics, leather, liners, coating rubber, cuff styles, textures & sizes ensure that you get the right product for the job. Here you can quickly acquaint yourself with these characteristics in order to choose the right PPE.

FIBERS, YARNS & FABRIC MATERIALS

COTTON & POLY-COTTON	Natural fiber or when mixed with some portion of synthetic fiber is high absorbent and comfortable.
NYLON	A synthetic fiber characterised by strength, elasticity, resistance to abrasion and chemicals, low moisture absorbency and quick dry.
POLYESTER	A synthetic fiber that gives low absorbency, resists shrinking and is an effective non-allergenic insulator. When woven well can be almost lint free.
ARAMID	It is strong synthetic fiber with good cut resistance properties and excellent fire and heat resistance.
HPPE	High performance Polyethylene is a light weight fiber with high resistance to cut & abrasion. Flexibility and comfort make it a versatile material.
ELASTANE	A synthetic fiber known for its exceptional elasticity where it is able to revert to its original shape after being stretched.
FIRE RETARDANT	A highly specialized fabric woven of either flame resistant fiber or a cotton fabric coated with chemicals to achieve the fire retardant properties.
GLASS FIBER	Known for its high resistance to heat & fire. This fiber is used in woven fabric or yarn form as liner to enhance the resistance of a product.
NATURAL LEATHER	The natural characteristic make it highly cut, heat & weather resistant. Marginal variation in its texture & thickness is accepted as industry standard.
ALUMINISED FABRIC	A layer of Aluminium alloy on the base fabric of Glass fiber or Aramid. It enhances the heat resistance by deflecting heat when well compounded.
HI-VISIBILITY	A fiber treated with highly reflective compound is used in form of yarn or woven fabric. Its reflective properties make it noticeable from afar.

GLOVES EXTERIORS FINISHES & TEXTURES



KNITTED FINISH

TERRY FINISH

PVC DOTTED GRIP

WRINKLE FINISH

LIGHTLY COATED

FOAM FINISH

SANDY FINISH

DIAMOND GRIP



Know Your Products

COATING / DIPPING MATERIALS

NATURAL RUBBER	Excellent flexibility, resistant to wear & tear, to numerous acids. Avoid contact with, oils, greases. Latex protein may cause allergies.
NITRILE	Very good resistance to abrasion, cut & puncture. Avoid contact with solvents containing oxidising acids and nitrogen organic compounds.
PVC	Good resistance to acids and bases. Avoid contact with solvents containing ketones and aromatic solvents.
POLYURETHANE	Good resistance to abrasion, highly flexible and elastic. Good grip in dry conditions. Low chemical resistance.

COATING STYLES



FULLY COATED



HALF COATED



PALM COATED



DOUBLE COATED



FINGER TIP COATED

TYPES OF ARM / HAND PROTECTION

KNITTED	Gloves fitting ensures good dexterity and improved productivity. Seamless construction avoids hand irritations due to seams.
CUT & SEWN	Available with several types of designs, mainly fabric cut & sewn. Sewing process allows manufacturing of thin gloves, enabling flexibility.
COATED/LINED/UNSUPPORTED	Made by dipping a knitted or woven cloth liner into the compound. The base or liner supports the compound & adds strength, durability & comfort.
UNLINED/UNSUPPORTED	A hand form dipped directly in the compound with no supporting knitted or woven liner. Some instances flocked with cotton pile in the inner layer
AMBIDEXTROUS	A glove that can be worn on either hand without any difference in fit and comfort.
SIDE SPECIFIC	A pair of gloves custom designed to fit specific side of the hand left and right comfortably.

SPECIALISED RANGE OF GLOVES



HEAT RESISTANT PRODUCTS



CUT RESISTANT PRODUCTS



DISPOSABLE PRODUCTS

Chemical Resistant Chart

ACIDS	NR	CR	NBR	PVC
ACRYLIC ACID	N	F	F	N
AMMONIUM NITRATE	E	E	E	E
CARBON DISULFIDE	N	N	F	N
CITRIC ACID	E	E	E	E
CONCENTRATED SULPURI ACID	F	G	G	G
HYDROCHLORIC ACID 30%	E	E	E	E
LACTIC ACID 85%	G	E	E	E
NITRIC ACID 20%	E	E	G	E
OCTANE	F	G	E	F
PHOSPHORIC ACID 75%	E	E	E	E
POTASSIUM CHLORIDE	E	E	E	E
SHAMPOO	E	E	E	E

OIL/GREASES	NR	CR	NBR	PVC
ANILINE	N	E	N	F
CASTOR OIL	N	E	E	F
CUTTING OIL	N	E	E	E
ETHYLANILINE	F	E	E	F
GLYCERINE	E	E	E	E
LARD OIL	N	E	E	F
LINSEED OIL	N	E	E	F
LUBRICATING OIL	N	F	E	F
MINERALS FATS	N	F	E	F
OIL FOR TURBINES	N	F	E	F
OLIVE OIL	F	E	E	F
PARAFIN OIL	N	F	E	F
PEANUT OIL	N	E	E	F
SOYA BEAN OIL	N	E	E	F

SOLVENTS	NR	CR	NBR	PVC
ACETONE	F	F	N	N
AMMONIUM ACETATE	E	E	E	E
BENZENE	N	N	F	N
BENZOIC ALDEHYDE	N	F	F	N
BUTYL ACETATE	N	G	G	N
CARBON TETRACHLORIDE	N	F	G	F
CHLOROFORM	N	N	F	N
CRESOL	G	E	E	G
HEPTANE	F	G	E	F
HEXANE	N	F	E	F
ISOPROPANOL	G	G	E	G
KEROSENE	N	G	E	G
METHYLANILINE	F	F	E	E
METHYLENE CHLORIDE	N	F	F	N
NAPHTHA	N	G	E	G
TOLUENE	N	F	G	F
TRICHLOROETHYLENE	N	F	F	N
VINYL ACETATE	N	F	F	N

HYDROCARBONS	NR	CR	NBR	PVC
ACETALDEHYDE	G	G	N	N
DIESEL OIL	N	G	E	F
FUELS	N	F	E	G
GAS OIL	N	G	E	G
HYDRAULIC FLUID (PETROL)	N	F	E	F
HYDRAULIC FLUID (ESTERS)	E	E	E	F
NAPHTHALENE	N	F	G	N
PETROL	N	G	E	F
STYRENE	N	F	F	N

ALCOHOLS	NR	CR	NBR	PVC
2-ETHOXYETHANOL	G	E	E	G
2-METHOXYETHANOL	G	E	E	G
BENZOIC ALCOHOL	F	G	F	G
CYCLOHEXANOL	E	E	E	E
DIACETONE ALCOHOL	E	E	G	N
ETHANOL	F	E	E	E
ETHYLENE GLYCOL	E	E	E	E
GLYCOL	E	E	E	E
METHANOL	F	G	G	G

BASES	NR	CR	NBR	PVC
AMMONIUM CARBONATE	E	E	E	E
AMMONIUM CHLORIDE	E	E	E	E
BLEACH	G	E	E	G
CALCIUM CHLORIDE	E	E	E	E
CALCIUM HYDROXIDE	E	E	E	E
CALCIUM HYPOCHLORIDE	E	E	E	E
CALCIUM NITRATE	E	E	E	E
CALCIUM PHOSPHATE	E	E	E	E
CONCENTRATED AMMONIA	E	E	G	E
HOUSEHOLD DETERGENT	E	E	G	E
HYDROGEN PEROXIDE	F	E	E	E
METHYLAMINE	G	E	E	E
POTASSIUM BICARBONATE	E	E	E	E
POTASSIUM CARBONATE	E	E	E	E
POTASSIUM CYANIDE	E	E	E	E
POTASSIUM HYDROXIDE	E	E	E	E
POTASSIUM NITRATE	E	E	E	E
POTASSIUM PHOSPHANE	E	E	E	E
POTASSIUM SULFATE	E	E	E	E
SODIUM BICARBONATE	E	E	E	E
SODIUM CARBONATE	E	E	E	E
SODIUM CHLORIDE	E	E	E	E
SODIUM HYDROCHLORIDE	E	E	E	E
SODIUM NITRATE	E	E	E	E
SODIUM PHOSPHATE	E	E	E	E
SODIUM SULPHATE	E	E	E	E

Excellent	E
Good	G
Fair	F
Not Recommended	N







Natural Rubber	NR
Chlorophene Rubber	CR
Nitrile Rubber	NBR
Vinyl	PVC

Remarks: The Above data serves as a guide only. This does not consider every working condition, chemical combinations, temperature, length of time in use and thickness of the gloves, for the specific job. The suitability of any glove for a specific job depends in the actual condition. On-the-job testing of the gloves is recommended.



Know Your Products






















PRODUCT STATUS

 Popular Product	 New Product	 Classic Product
 Heavy Duty Cycle	 Medium Duty Cycle	 Light Duty Cycle

PRODUCT OPTIONS & FEATURES

 Low Cut Option Available	 Double Density Sole	 Available Shoe Sizes
 High Cut Option Available	 Single Density Sole	 Available Glove Sizes
 Cut Resistance Level 5	 Cut Resistance Level 3	 Customisation Option

RECOMMENDED INDUSTRY USAGE ICONS

 Agriculture & Viticulture	 Automotive & Services	 Building & Construction
 Chemical Processing	 Engineering & Robotics	 Electronic Assembly
 Fire & Rescue Services	 Food Processing	 Garment Manufacturing
 Glass & Ceramics	 General Manufacturing	 Janitorial & Public Service
 Logistics & Warehousing	 Maintenance Services	 Metal Fabrication
 Mining & Excavation	 Oil Processing & Refining	 Pharmaceutical & Medical
 Printing & Packaging	 Recycling & Sorting	 Ship Building

ANATOMY OF A SAFETY SHOE

1. Toe Cap	7. Fastener/Lace
2. Toe Cap Liner	8. Tongue
3. Vamp Lining	9. Upper Material
4. Inner Lining	10. Collar
5. In Sole	11. In Sock
6. Out Sole	



Choose the Right Size

GARMENT SIZING GUIDE

	S	M	L	XL
NECK	37	39	42	44
CHEST	91-98	99-106	107-113	114-121
SLEEVE	84	86.5	89	91.5
WAIST	73-80	81-88	89-96	97-103
HIP	86-93	94-101	102-108	109-116
INSEAM	77.5	79	81	82.5

All in centimetres



How to measure:

- Neck:** Around the fullest part of the neck, at the base.
- Chest:** Around the chest, just under the arms and across the shoulder blade.
- Sleeve:** From the neck center to shoulder and down the arm to the wrist.
- Waist:** Around the narrowest part of the waist.
- Hip:** Around the widest point of the hips.
- Inseam:** From the crotch to the ankle bone on the inside of the leg.


FOOTWEAR SIZING GUIDE

If you are unsure which shoe size to purchase, please follow the following steps:

- Draw a straight line, longer than your foot on a piece of paper.
- Place the paper on a flat surface. Stand on the line with your heel the longest toe centred in the line.
- Place a mark on the line at the tip of the longest toe and at the back of the heel.
- Repeat steps 1 to 3 for the other foot. Then measure the distance between the marks.
- Take the larger of the two measurements. Use the conversion chart to find your correct shoe size.

SIZE	FOOTLENGTH	SIZE	FOOTLENGTH
6	24.6 - 9.70	9	27.2 - 10.65
7	25.4 - 10.00	10	27.9 - 11.00
8	26.2 - 10.30	11	28.8 - 11.35

Foot Length in cms-inches



GLOVE SIZING GUIDE

Ordering the right size is the best way to ensure that gloves are comfortable. One way to determine the size needed is to use a dressmaker's cloth tape to measure around the hand. Measure above the thumb and below the fingers. The circumference of the hand is numerically equal to the user's average glove size.

Measuring the hands in this way will not account for all possible variations in hand size. Some users, for example, may have long fingers, while others will have short fingers. Users may find gloves that are one-half or even a full size larger of smaller than the measured hand size fit more comfortably.

XL	L	M	S	XS
11	10	9	8	7
279	254	229	203	178
215	204	192	182	171

in mm



Safewell

MANUFACTURED

@ KOLKATA & FALTA. WB. INDIA



HAND PROTECTION



Hand Protection

Seamless Knitted Gloves

SGC 101



Basic Seamless Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Poly-Cotton yarn of various counts depending on the density.
- **KNITTING** - Knitted on a 7 gauge knitting machine. Over-locked & elasticised cuff.
- **DENSITY** - Available in various thickness from 30 to 110 grams a pair.
- **COLOR** - Natural Cotton, Grey, Navy Blue.
- **LENGTH** - 23 cms. Can be customised.



SGC 102



Flexible Seamless Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Poly-Cotton yarn of various counts depending on the density.
- **KNITTING** - Knitted on a 10 gauge knitting machine. Over-locked & elasticised cuff.
- **DENSITY** - Available in various thickness from 30 to 60 grams a pair.
- **COLOR** - Natural Cotton, Grey, Navy Blue.
- **LENGTH** - 23 cms. Can be customised.



SGT 101



Special Terry Finish Knitted Industrial Safety Gloves

SPECIFICATIONS

- **MATERIAL** - Poly-Cotton yarn of various counts depending on the density.
- **KNITTING** - Knitted on a 7 gauge SPG (Terry) knitting machine, giving it a distinct loop finish. Over-locked & elasticised cuff.
- **DENSITY** - 90 to 120 grams a pair.
- **COLOR** - Natural Cotton, Grey, Blue.
- **LENGTH** - 23 cms. Can be customised.
- **HEAT RESISTANCE** - From 50° to 100°C.



Hand Protection

Seamless Knitted Gloves

SGN 101



Premium Lint Free Seamless Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% Nylon yarn of various counts depending on the density.
- **KNITTING** - Knitted on a 10 or 13 gauge knitting machine. Over locked & elasticised cuff.
- **DENSITY** - 30 grams a pair.
- **COLOR** - White.
- **LENGTH** - 23 cms. Can be customised.



SGP 101



Basic Lint Free Seamless Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% Polyester yarn of various counts depending on the density.
- **KNITTING** - Knitted on a 10 or 13 gauge knitting machine. Over locked & elasticised cuff.
- **DENSITY** - 30 grams a pair.
- **COLOR** - White or Navy Blue.
- **LENGTH** - 23 cms. Can be customised.



SGPC 101



Flexible & Economical Synthetic Seamless Knitted Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Outer surface of 100% Polyester/Nylon. Inner surface of Cotton.
- **KNITTING** - Knitted on a 10 gauge machine. Over-locked & elasticised cuff.
- **DENSITY** - 40 to 60 grams.
- **COLOR** - Navy Blue or White.
- **LENGTH** - 23 cms. Can be customised.



Hand Protection

Seamless Knitted Gloves

SGPL 101



Super Light & Flexible General Purpose Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% Polyester Seamless Knitted light and skin fit gloves.
- **KNITTING** - Knitted on a 13 or 15 gauge knitting machine. Over-locked cuff.
- **DENSITY** - 15 grams a pair.
- **COLOR** - Grey, Black, White.
- **LENGTH** - 23 cms. Can be customised.



SGCD 101



Knitted Gloves With Palm Side PVC Dotting Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Liner made of Poly Cotton yarn.
- **KNITTING** - Knitted on a 7 or 10 gauge machine. Over-locked, elasticised cuff.
- **FEATURES** - PVC-Dotting on the palm side for grip and protection.
- **DENSITY** - 45 to 125 grams a pair.
- **COLOR** - White, Grey or Blue Liner with Blue or Black PVC Dots.
- **LENGTH** - 23 cms. Can be customised.



SGCD 102



Knitted Gloves With Both Side PVC Dotting Industrial Safety Gloves

SPECIFICATIONS

- **MATERIAL** - Liner made of Poly Cotton yarn.
- **KNITTING** - Knitted on a 7 or 10 gauge machine. Over-locked, elasticised cuff.
- **FEATURES** - PVC-Dotting on both Palm & Back side for grip and protection.
- **DENSITY** - 60 to 120 grams a pair.
- **COLOR** - White, Grey or Blue Liner with Blue or Black PVC Dots.
- **LENGTH** - 23 cms. Can be customised.



Hand Protection

Seamless Knitted Gloves

SGPCD 101



Heavy Duty & Durable Single Sided PVC Dotted Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Outer Surface of 100% Polyester/Nylon. Inner surface of Cotton.
- **KNITTING** - Knitted on a 10 gauge machine. Over-locked & elasticised cuff.
- **FEATURES** - PVC-Dotting on the Palm side for grip and protection.
- **DENSITY** - 50 to 100 grams a pair.
- **COLOR** - White or Blue Liner with Blue or, Black PVC Dots.
- **LENGTH** - 23 cms. Can be customised.



SGPD 101



High Visibility Single Sided PVC Dotted Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% Polyester Hi-Viz yarn.
- **KNITTING** - Knitted on a 10 gauge machine. Over-locked & elasticised cuff.
- **FEATURES** - PVC-Dotting on the Palm.
- **DENSITY** - 50 to 80 grams a pair.
- **COLOR** - Orange liner with Black PVC Dots
- **LENGTH** - 23 cms. Can be customised



SGP101/TS/1



Synthetic Gloves With Touch Enabled Index & Thumb Finger Tips.

SPECIFICATIONS

- **MATERIAL** - 100% Polyester yarn.
- **KNITTING** - Knitted on a 13 or 15 gauge machine. Over-locked & elasticised cuff.
- **FEATURES** - Carbonised Index & Thumb Tips enabled to work with touch screens.
- **COLOR** - White.
- **LENGTH** - 23 cms. Can be customised



Hand Protection

Heat Resistant Gloves


SGK 201




Durable, Heat & Cut Resistant Aramid Seamless Knitted Industrial Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% Aramid Yarn.
- **KNITTING** - Knitted on a 7 gauge machine. Over-locked & elasticised cuff.
- **DENSITY** - Available in various thickness from 50 to 100 grams a pair.
- **LENGTH** - 23 cms. Can be customised.
- **HEAT RESISTANCE** - 100°C - 200°C



Arama X™



SGK 202



Flexible, Durable, Heat & Cut Resistant Aramid Seamless Knitted Industrial Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% Aramid Yarn.
- **KNITTING** - Knitted on a 10 gauge machine. Over-locked & elasticised cuff.
- **DENSITY** - Available in various thickness from 40 to 60 grams/pair.
- **LENGTH** - 23 cms. Can be customised as per requirements.
- **HEAT RESISTANCE** - 100°C - 200°C



Arama X™




SGKD 201



PVC-Dotted Aramid Knitted Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% Aramid Yarn.
- **KNITTING** - Knitted on a 7 gauge machine. Over-locked & elasticised cuff.
- **DENSITY** - Available in liner thickness from 60 to 120 grams/pair.
- **FEATURES** - Single or both sides PVC-Dotting for good grip & durability.
- **LENGTH** - 13 cms. Can be customised.
- **HEAT RESISTANCE** - 100°C - 200°C.



Arama X™



Hand Protection

Heat Resistant Gloves

SGKT 201



Special Terry Knitted Dual Layered Aramid Heat Resistant Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% Aramid yarn.
- **KNITTING** - Knitted on a 7 gauge SPG (Terry) knitting machine, giving it a distinct loop finish. Over-locked & elasticised cuff.
- **FEATURES** - Inner layer of Cotton Liner glove for extra heat resistance & comfort.
- **LENGTH** - 23 cms. Can be customised.
- **HEAT RESISTANCE** - 250°C - 400°C.



Arama X™



SGKC 201



Premium, Dual Layered Heat Resistant Aramid Seamless Knitted Industrial Gloves.

SPECIFICATIONS

- **MATERIAL** - Outer Shell 100% Aramid Yarn of various counts depending on density.
- **KNITTING** - Knitted on a 7 Gauge machine. Over-locked & elasticised cuff.
- **FEATURES** - Inner layer of Cotton Liner glove for extra heat resistance & comfort.
- **DENSITY** - 140 to 250 grams a pair.
- **LENGTH** - 23 cms. Can be customised.
- **HEAT RESISTANCE** - 100°C - 250°C.



INSIDE VIEW

Arama X™



SGKP 201



Premium Pannox® & Aramid Blended Knitted Heat Resistant Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% Pannox® with Aramid blended yarn.
- **KNITTING** - Knitted on a 7 gauge machine. Over-locked & elasticised cuff.
- **LENGTH** - 23 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 300°C - 500°C.



MAGNIFIED VIEW



Arama X™



Hand Protection

Heat Resistant Gloves

SGKL 201



Leather Reinforced Aramid Seamless Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% Aramid Yarn.
- **KNITTING** - Knitted on a 7 gauge machine. Over-locked & elasticised cuff.
- **FEATURES** - Split Leather Patch on full palm and grip point.
- **LENGTH** - 23 cms. Can be customised as per requirements.
- **HEAT RESISTANCE** - 100°C - 200°C.



SGKL 202



Leather Reinforced Aramid Seamless Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% Aramid Yarn.
- **KNITTING** - Knitted on a 7 gauge machine. Over-locked & elasticised cuff.
- **FEATURES** - Split Leather Patch at grip point stitched with Aramid yarn.
- **LENGTH** - 23 cms. Can be customised as per requirements.
- **HEAT RESISTANCE** - 100°C -200°C.



Heat Resistant Gloves with Split Leather Patch - SGKL 202



Hand Protection

Heat Resistant Gloves

HRG 401



Aramid & Chrome Leather Combination Heat Resistant Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Palm & back made of 100% Aramid fabric
- **FEATURES** - Chrome leather cuff supported with inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 250°C - 400°C.



Arama X™



HRG 402



Aramid & Chrome Leather Combination Heat Resistant Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Palm made of 100% Aramid fabric.
- **FEATURES** - Chrome leather back & cuff supported with inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 250°C - 400°C.



Arama X™



HRG 403



Aramid With Heat Resistant Leather Combination Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Palm & back made of 100% Aramid fabric.
- **FEATURES** - Specially treated heat resistant Leather cuff supported with inside full woollen lining.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 250°C - 400°C.



Arama X™



Hand Protection

Heat Resistant Gloves

HRG 404



Aramid With Heat Resistant Leather Combination Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Palm made of 100% Aramid fabric.
- **FEATURES** - Specially treated heat resistant Leather cuff & back supported with inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 250°C - 400°C.



Arama X™



HRG 405



Full Aramid Heat Resistant Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Full glove made of 480/650 GSM Aramid fabric.
- **FEATURES** - Inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 300°C - 500°C.



Arama X™



HRG 406



Full PBI® Heat Resistant Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Full glove made of PBI®, Aramid & Glass-core fabric.
- **FEATURES** - Inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 500°C - 900°C.



Arama X™



Hand Protection

Heat Resistant Gloves

HRG 407

M NEW ITEM

Heat Resistant Leather with Aluminised Aramid Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Full back made of Aluminised Aramid fabric.
- **FEATURES** - Full palm & front cuff of treated heat resistant leather. Inside woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 200°C - 400°C.



Arama™



HRG 409

H ☆

Full Heat Resistant Leather Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Full glove made of specially treated heat resistant leather.
- **FEATURES** - Inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 200°C - 250°C.



Arama™



ALU 704

H 👑

Full Aluminised Aramid or Glass Fiber Heat Resistant Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Full glove made of Aluminised Aramid or Glass Fiber fabric.
- **FEATURES** - Inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 200°C - 400°C.



Arama™

Hand Protection

Cut Resistant Gloves


SPL/L/1



Knitted Cut Resistant With Leather Palm Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - A blend of HPPE, Polyester, Glass-Fiber & Steel yarn.
- **KNITTING** - Knitted on 10 gauge Machine.
- **FEATURES** - Split leather palm & grip point reinforcement. Stitched with Aramid thread.
- **COLOR** - Blended Black/Grey with natural leather color palm.
- **LENGTH** - 25 cms. Can be customised.



SPL/L/4



Knitted Cut Resistant With Leather Palm & Canvas Cuff Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - A blend of HPPE, Polyester, Glass-Fiber & Steel yarn.
- **KNITTING** - Knitted on 10 gauge machine.
- **FEATURES** - Split leather full palm & grip point reinforcement. Extended Canvas cuff. Stitched with Aramid thread.
- **COLOR** - Blended Black/Grey with natural leather color palm.
- **LENGTH** - 35 cms. Can be customised.




SYN/CUT 5



Seamless Knitted Cut Resistant Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - A blend of HPPE, Polyester, Glass-Fiber & Steel yarn.
- **KNITTING** - Knitted on 10 gauge machine, with over-locked & elasticised cuff.
- **COLOR** - Blended Black/Grey.
- **LENGTH** - 23 cms. Can be customised.



Hand Protection

Cut Resistant Gloves

SYN/CUT 5/1 M NEW ITEM

Seamless Knitted Cut Resistant Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - A blend of HPPE, Polyester, Glass-Fiber & Steel yarn.
- **KNITTING** - Knitted on 13 gauge machine, with over-locked & elasticised cuff.
- **FEATURES** - Cut finger tips of index finger & thumb for precise handling.
- **COLOR** - Blended White/Black.
- **LENGTH** - 25 cms. Can be customised.

EN388
454X

EN420
i



CRG 01 H CROWN

Cut Resistant Safety Gloves Made of Seamless Stainless Steel Rings.

SPECIFICATIONS

- **MATERIAL** - Stainless Steel rings knitted in a seamless form with welded corners.
- **FEATURES** - Ambidextrous Design. User adjustable buttoned cuff.
- **LENGTH** - 25 cms.
- **COLOR** - Stainless Steel Silver.
- **SIZE** - Small, Medium, Large, & Extra-Large.

CE



Cut Resistant Gloves with Chrome Leather Patch - SPL/L/3



Hand Protection

Cut & Sewn Gloves

CHG 301



Basic Cotton Hosiery Fabric Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% cotton knitted hosiery fabric. Choice of various thickness, in single or double layered.
- **DESIGN** - Ambidextrous design, with or without Folio in the finger seems.
- **COLOR** - Bleached white or natural cotton white color.
- **LENGTH** - 23 cms. Can be customised.



CHG 302



Basic Cotton Fabric Industrial Safety Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% cotton knitted hosiery fabric. Choice of various thickness.
- **DESIGN** - Ambidextrous design, with or without Folio in the finger seems.
- **FEATURES** - Attached knitted cuff.
- **COLOR** - Bleached white or natural cotton white color.
- **LENGTH** - 23 cms. Can be customised.



AST 301



Anti-Static Lint Free Synthetic Fabric Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Synthetic knitted fabric with stripes of carbon for Anti-Static feature.
- **DESIGN** - Ambidextrous design, with or without Folio in the finger seems.
- **FEATURES** - 99.9% lint free design with folded cuff.
- **COLOR** - White with grey stripes.
- **LENGTH** - 23 cms. Can be customised.

MAGNIFIED VIEW



Hand Protection

Cut & Sewn Gloves

AST 302



PVC Micro Dotted Synthetic Anti-Static Fabric Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Synthetic knitted fabric with stripes of carbon for Anti-Static feature.
- **DESIGN** - With or without Folio in the finger seams.
- **FEATURES** - Micro PVC-Dotting on the palm for precise handling.
- **COLOR** - White with grey stripes.
- **LENGTH** - 23 cms. Can be customised.



PHG 301



Lint Free Polyester Fabric Industrial Safety Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - 100% Polyester knitted fabric of 90 - 100 GSM thickness.
- **DESIGN** - Ambidextrous design, with or without Folio in the finger seams.
- **FEATURES** - 99.9% lint free design with double folded cuff.
- **COLOR** - Bleached white or Navy Blue.
- **LENGTH** - 23 cms. Can be customised.



CCG 301



Cotton Drill Fabric Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Superior cotton drill cloth of 315 + OR - 19G/M2.
- **DESIGN** - Wide cuff opening for quick wear-ability and removal.
- **FEATURES** - Stitched with high quality yarn for extended wear & tear.
- **COLOR** - Unbleached cotton.
- **LENGTH** - 200 mm. Can be customised.



Hand Protection

Rubber Gloves



GT-F-09C



Unsupported Flocklined Industrial Safety Nitrile Gloves.

SPECIFICATIONS

- **MATERIAL** - Made of Nitrile rubber.
- **FEATURES** - Moisture absorbent flocklined inner surface for enhanced comfort. Diamond shaped palm & finger texture for superior grip.
- **LENGTH** - 330 mm.
- **THICKNESS** - 0.38 mm or 15 MIL.
- **COLOR** - Dark Green.
- **SIZE** - 7, 8, 9, 10 & 11.



NP-F-07N1



Unsupported Flocklined Industrial Safety Neoprene Gloves.


SPECIFICATIONS

- **MATERIAL** - Made of Chloroprene rubber (Neoprene).
- **FEATURES** - Moisture absorbent Flocklined inner surface, for extra comfort. Pebble textured palm & finger for non-slip grip.
- **LENGTH** - 330 mm.
- **THICKNESS** - 0.75 mm.
- **COLOR** - Dark Blue.
- **SIZE** - 7, 8, 9, 10 & 11.



Sumirubber Malaysia Sdn. Bhd. is a subsidiary of Sumitomo Rubber Industries, Japan which is well-known for its technological advances in the rubber field since 1909.

Acme Safety Wears is associated with the company for over 15 years and has been the authorised distributor for their Summitech Professional Brand of industrial rubber gloves in India.



Hand Protection

Rubber Gloves


GT-R-01



Unsupported Flocklined Industrial Safety Nitrile Gloves.

SPECIFICATIONS

- **MATERIAL** - Made of Nitrile rubber.
- **FEATURES** - Fully Flocklined from inside for comfort. Diamond shaped palm & finger texture for extra grip.
- **LENGTH** - 330 mm to 440 mm.
- **THICKNESS** - 15/18 MIL.
- **COLOR** - Dark Green.
- **SIZE** - 8, 9, 10 & 11.




PVC 501



Supported & Fully Dipped PVC Rubber Industrial Gloves.

SPECIFICATIONS

- **MATERIAL** - Outer shell made of PVC rubber supported by a cotton liner gloves.
- **FEATURES** - Dual coated textured palm & back for superior grip and non slip handling.
- **LENGTH** - 12 & 14 inches.
- **COLOR** - Blue.
- **SIZE** - 9 & 10.



LTX 501



Latex Rubber Industrial Safety Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Synthetic rubber fully dipper without support liner.
- **FEATURES** - Textured palm & fingers for grip and non-slip handling.
- **WEIGHT** - 40 to 120 grams a pair.
- **LENGTH** - 300 - 330 mm.
- **COLOR** - Blue, Orange, Yellow.
- **SIZE** - S, M, L & XL.



Hand Protection

Disposable Gloves

LTX 502



Disposable Powder-free Latex Rubber Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Natural Latex rubber disposable single-use gloves. Lightly powdered or powder-free available.
- **FEATURES** - Beaded cuff. With or without textured palm.
- **THICKNESS** - 5 Mil.
- **COLOR** - Natural Latex color.
- **SIZE** - S, M, L & XL.



SUPER TOUCH™



LTX 503



Disposable Medical Surgical Latex Rubber Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Natural Latex rubber surgical single-use gloves. Lightly powdered or powder-free available.
- **FEATURES** - Beaded cuff. Powder-free.
- **OPTIONAL** - Sterilised or Non-Sterilised.
- **THICKNESS** - 5 Mil.
- **COLOR** - Natural Latex color.
- **SIZE** - S, M, L & XL.

SUPER TOUCH™



PGS 501



Single-use Disposable Polypropylene (PP) Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Made of Polypropylene (PP).
- **BINDING** - Manufactured by Die-Punched process with heat sealed edges.
- **FEATURES** - Ambidextrous design. Option of with or without textured surface.
- **COLOR** - Translucent.
- **ALTERNATE OPTION** - Also available in Ethylene-vinyl acetate (EVA) material. (Ref: EVA 501)



SUPER TOUCH™



Hand Protection

Disposable Gloves

NTR 501



Disposable Powder-free Nitrile Rubber Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Nitrile rubber disposable single-use powder-free gloves.
- **FEATURES** - Ambidextrous design. Beaded cuff with textured palm.
- **THICKNESS** - 3 Mil.
- **COLOR** - Blue or Black.
- **SIZE** - S, M, L & XL.



SUPER TOUCH™



VIN 501



Disposable Powder-free Vinyl Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Vinyl. Disposable single-use powder-free gloves.
- **FEATURES** - Ambidextrous design. Beaded cuff.
- **COLOR** - Translucent.
- **SIZE** - S, M, L & XL.

SUPER TOUCH™



LTX 504



Electrical Use Industrial Safety Rubber Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Made of natural Latex rubber.
- **FEATURES** - Electrical use. Available for 5kv, 11kv, 33kv.
- **COLOR** - Natural Latex or Orange.
- **LENGTH** - 14 & 16 inches.
- **SIZE** - Medium, Large & Extra Large.



Hand Protection

Leather Gloves

LG 601

FORMAL REF: L 001

Split Leather Canadian Styled Industrial Safety Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Palm, index finger & thumb of split leather. Back of cotton canvas cloth.
- **FEATURES** - Rubberised safety cuff for ease of use. Elasticised back for snug fit.
- **COLOR** - Red, Yellow, Blue.
- **SIZE** - 9 or 10.




LG 602

FORMAL REF: L 005

Dual Palm Split Leather Canadian Styled Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Palm, index finger & thumb of split leather. Back of cotton canvas cloth.
- **FEATURES** - Reinforced Dual Layered Palm & index finger. Rubberised safety cuff for ease of use. Elasticised back for snug fit.
- **COLOR** - Natural Cotton, Red, Yellow.
- **SIZE** - 9 or 10.



LG 603

FORMAL REF: L 007

Chrome Leather Canadian Styled Industrial Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Palm, index finger & thumb of Chrome leather. Back of cotton canvas.
- **FEATURES** - Canvas safety cuff for ease of use. Elasticised back for snug fit.
- **COLOR** - Natural Cotton, Red, Yellow, Green & Blue
- **SIZE** - 9 or 10.



Hand Protection

Leather Gloves

LG 604

FORMAL REF: L 012

Full Split Leather Welders Industrial Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Fully made of Split Leather of 1.0 - 1.2 mm thickness.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Natural leather color.
- **LENGTH** - 12, 14, 16 & 18 inches.



413X4X

4133X



LG 604/R

Dual Palm & Fingers Industrial Split Leather Gloves.

SPECIFICATIONS

- **MATERIAL** - Fully made of split leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Additional layer of leather on palm & fingers. Weltd joints. As per IS 2753 Type1.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Natural leather.
- **LENGTH** - 12, 14, 16 & 18 inches.



LG 605

Full Split Leather Driving Styled Safety Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Fully made of 1.0 - 1.2 mm thickness split leather.
- **FEATURES** - Elasticised back for snug fit. Flared over-locked cuff for ease of use.
- **COLOR** - Tan Brown. Natural leather.
- **SIZE** - 9 or 10.



Hand Protection

Leather Gloves

LG 606C

FORMAL REF: NL 034

Chrome Leather Driving Styled Safety Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Fully made of Chrome leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Elasticised back for snug fit. Flared over-locked cuff for ease of use.
- **COLOR** - Natural leather.
- **SIZE** - 9 or 10.




LG 606

FORMAL REF: NL 032

Split & Chrome Combination Leather Driving Styled Safety Gloves.

SPECIFICATIONS

- **MATERIAL** - Palm & index finger of Chrome with back of split leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Elasticised back for snug fit. Flared over-locked cuff for ease of use.
- **COLOR** - Natural leather.
- **SIZE** - 9 or 10.



LG 607

FORMAL REF: NL 025

Full Split Leather Welders Industrial Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Fully made of Split Leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Inside full cotton lining for durability & added safety.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Yellow with Grey.
- **LENGTH** - 12, 14, 16 & 18 inches.



Hand Protection

Leather Gloves

LG 608

FORMAL REF: NL 025

Full Split Leather Welders Industrial Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Fully made of Split Leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Inside full cotton lining for durability & added safety.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Red or Yellow.
- **LENGTH** - 12, 14, 16 & 18 inches.



LG 608/BLK

Dual Palm Split Leather Welder Style Industrial Gloves.

SPECIFICATIONS

- **MATERIAL** - Fully made of split leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Inside full cotton fabric lining. Dual-layered split leather palm.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Black with Yellow.
- **LENGTH** - 12, 14, 16 & 18 inches.



Leather Gloves Pattern Cutting

Hand Protection

Leather Gloves






LG 609

FORMAL REF: L 015

Chrome & Split Combination Leather Welders Industrial Hand Gloves.

SPECIFICATIONS

-  **MATERIAL** - Palm & index finger of Chrome with back of split leather of 1.0 - 1.2 mm thickness.
-  **STITCHING** - Stitched with high endurance thread for durability.
-  **COLOR** - Natural leather color.
- LENGTH** - 12, 14, 16 & 18 inches.



LG 610

Special Split Leather Welder Style Industrial Hand Gloves.

SPECIFICATIONS

- MATERIAL** - Fully made of split leather of 1.0 - 1.2 mm thickness.
- FEATURES** - Inside Aramid fabric lining on the palm and back for added safety.
- STITCHING** - Stitched with high endurance thread for durability.
- COLOR** - Blue with Natural leather.
- LENGTH** - 12, 14, 16 & 18 inches.



INSIDE VIEW



Anti-Static Fabric Gloves - AST 301
Product details on page 24



Hand Protection

Leather Gloves

LG 611

Dual Palm Split Leather Welder Style Industrial Gloves.

SPECIFICATIONS

- **MATERIAL** - Fully made of split leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Inside full cotton fabric lining. Split leather palm band reinforcement.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Black with Yellow.
- **LENGTH** - 14, 16 & 18 inches.



LG 611 DL

Dual Palm Split Leather Welder Style Industrial Gloves.

SPECIFICATIONS

- **MATERIAL** - Fully made of split leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Inside full cotton fabric lining. Dual-layered split leather palm & thumb.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Black with Yellow.
- **LENGTH** - 14, 16 & 18 inches.



LG 612

Split Leather With Canvas-General Use Industrial Hand Gloves.

SPECIFICATIONS

- **MATERIAL** - Palm & back strap of split leather of 1.0 - 1.2 mm thickness. Back & cuff made of cotton Canvas.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Natural cotton & leather.
- **LENGTH** - 12, 14, 16 & 18 inches.



Hand Protection

Coated Gloves - Latex

LT/700 GR-P M ☆

Premium Quality Latex Coating on Cotton Knitted Gloves.

SPECIFICATIONS

- **LINER** - 5 ply cotton yarn knitted on 7 or 10 gauge machine with over-locked cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **SIZE** - Medium, Large, Extra-Large.
- **COLOR** - Grey, Yellow or Black Liner with Blue, Orange, Green or Black Coating.



EN ISO
21420
EN388
3143X



LT/700 GB-P-FT NEW ITEM

Premium Quality Latex Coating on Cotton Knitted Gloves.

SPECIFICATIONS

- **LINER** - 5 ply cotton yarn knitted on 7 or 10 gauge machine with over-locked cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **FEATURES** - Double dipped finger tips.
- **SIZE** - Medium, Large, Extra-Large.
- **COLOR** - Yellow Liner with Green/Orange/Blue Coating. OR Grey Liner with Blue/Black Coating



EN388
3143X



LT/700 GB-HD H NEW ITEM

Economical Quality Latex Coated Cotton Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 2 ply cotton yarn knitted on 7 or 10 gauge machine with over-locked cuff.
- **COATING** - Half dipped Latex coating with wrinkled texture finish for extra grip.
- **SIZE** - Medium, Large, Extra-Large.
- **COLOR** - Grey liner with Blue/Black coating. OR Yellow liner with Green/Blue/Orange Coating



EN388
2143X



Hand Protection

Coated Gloves - Latex

LT/700 GB-E

Economical Quality Latex Coating on Cotton Knitted Gloves.

SPECIFICATIONS

- **LINER** - 2 ply cotton yarn knitted on 7 or 10 gauge machine with over locked cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **SIZE** - Medium, Large, Extra-Large.
- **COLOR** - Yellow liner with Green/Blue/Orange coating. OR Grey liner with Blue/Black coating.



EN ISO
21420

EN388
2143X



EN388
2143X

LT/700 YO-E-FT

Economical Quality Latex Coated Gloves.

SPECIFICATIONS

- **LINER** - 2 ply cotton yarn knitted on 7 or 10 gauge machine with over locked cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **FEATURES** - Double dipped finger tips.
- **SIZE** - Medium, Large, Extra-Large.
- **COLOR** - Yellow liner with Orange/Green coating. OR Grey liner with Blue/Black coating.



LT/713 BB

Latex Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black/Red liner with Black coating or Grey liner with Black coating.



EN ISO
21420

EN388
3241X



Hand Protection

Coated Gloves - Latex

LT/713 RB FT M NEW ITEM

Latex Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **FEATURES** - Double dipped finger tips.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Red/Black/Grey liner with Black coating.



LT/713 BB-F M NEW ITEM

Latex Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Latex coating on the palm with Foam finish for absorption & grip
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black liner with Black coating. OR Red liner with Black coating. OR Grey liner with Blue coating.



LTS/713 GB-HD NEW ITEM

Latex Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Half dipped Latex coating with sandy finish for superior grip.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with Black coating. OR Black/Red liner with Black coating.
- **OPTIONAL** - Palm Dipped only version.



Hand Protection

Coated Gloves - Latex

LTS/714-BLBK/1

Double Dipped Sandy Finish Latex Palm Coated on Synthetic Knitted Liner Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Double Latex coating - Half dipped plus palm dipped with sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with Blue & Black coating OR Red & Black coating.



LTS/714-BLBK/2

Double Dipped Sandy Finish Latex Coating on Synthetic Knitted Liner Industrial Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Double Latex coating - Full dipped plus palm dipped with Sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with Blue & Black coating OR Red & Black coating.

NEW ITEM

M



LTS/714-BLBK/3

Double Dipped Sandy Finish Latex Coating on Synthetic Knitted Liner Industrial Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Double Latex coating - Full dipped plus half dipped with sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with Blue & Black coating OR Red & Black coating.



Hand Protection

Coated Gloves - Nitrile

NBRS/720RB/1

Double Dipped Sandy Finish Nitrile Coating on Synthetic Knitted Liner Industrial Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Double Nitrile coating - Half dipped plus palm dipped with sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey/White liner with Red & Black coating.



NEW
ITEM

M



NEW
ITEM

M



NBRS/720RB/2

Double Dipped Sandy Finish Nitrile Coating on Synthetic Knitted Liner Industrial Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Double Nitrile coating - Full dipped plus palm dipped with sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey/White liner with Red & Black coating.



NBRS/720RB/3

Double Dipped Sandy Finish Nitrile Coating on Synthetic Knitted Liner Industrial Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Double Nitrile coating - Full dipped plus half dipped with sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey/White liner with Red & Black coating.



MAGNIFIED
VIEW

NEW
ITEM

H



Hand Protection

Coated Gloves - Nitrile

NBR/721 BB

Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Nitrile coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black liner with Black coating.
OR Grey liner with Black coating.



NBR/721 WG

Palm Dipped Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Nitrile coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with Grey coating.



NBR/721 WG-HD

Half Dipped Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Half dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with Grey/Yellow coating.



Hand Protection

Coated Gloves - Nitrile

NBR/721 WY-FD

Full Dipped Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Full dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with Yellow coating.



EN420



EN388



4131X



M

NEW ITEM



EN420



EN388



4121X

M

NEW ITEM



NBR/721 BB-F

Foam Finish Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Nitrile coating on the palm with foam finish for absorption & grip.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black liner with Black coating. OR Grey liner with Black coating.

NBR/721 WG-F

Foam Finish Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with elasticised and over-locked cuff.
- **COATING** - Nitrile coating on the palm with foam finish for absorption & grip.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with Grey coating.



EN420



EN388



4121X



M

NEW ITEM



Hand Protection

Coated Gloves - Nitrile

NBR/721 WG-FT

Double Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine in with over locked & elasticised cuff.
- **COATING** - Nitrile coating on palm & dual coated finger tips with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with Grey & Black coating.



EN388
4121X



EN388
4121X



NBR/721 GB-HD

Nitrile Coating on Synthetic Knitted Liner Industrial Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked & elasticised cuff.
- **COATING** - Half dipped with sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey/Red/Black liner with Black coating.



NBR/721 RB

Sandy Finish Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff.
- **COATING** - Nitrile coating on the palm with Sandy finish for extra grip.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Red liner with Black coating OR Grey liner with Black coating OR White liner with Black coating.



NBR/721 GB

EN420
EN388
4121X



Safewell at Safety Weeks



Hand Protection

Coated Gloves - Nitrile

NBR/721/F3 BLBK-HD

Half Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine in F3 ribbed style with over-locked & elasticised cuff.
- **COATING** - Half Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Blue liner with Black coating.



NBR/721/F3 BLBK-FD

Full Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine in F3 ribbed style with over-locked & elasticised cuff.
- **COATING** - Full Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with Black coating.



NTR/701 HHCB

Nitrile Coating on Cotton Jersey Fabric Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with rubberised safety cuff.
- **COATING** - Half dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



Hand Protection

Coated Gloves - Nitrile

NTR/702 HFKB

Nitrile Coating on Cotton Jersey Fabric Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with knitted cuff.
- **COATING** - Full dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



4121X



4121X



NTR/704 LHKY

Nitrile Coating on Cotton Interlock Fabric Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Cotton interlocked fabric liner with knitted cuff.
- **COATING** - Half dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Yellow coating.



NTR/705 LFKY

Nitrile Coating on Cotton Interlock Fabric Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Cotton interlocked fabric liner with knitted cuff.
- **COATING** - Full dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Yellow coating.



4121X



Hand Protection

Coated Gloves - Nitrile

NTR/706 LHKB

Nitrile Coating on Cotton Interlock Fabric Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Cotton interlocked fabric liner with knitted cuff.
- **COATING** - Half dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



NTR/707 LFKB-P

Premium Quality Nitrile Coating on Cotton Interlock Fabric Liner Safety Gloves.

SPECIFICATIONS

- **LINER** - Cotton interlocked fabric liner with knitted cuff.
- **COATING** - Full dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



NTR/710 HHKB

Nitrile Coating on Cotton Jersey Fabric Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with knitted cuff.
- **COATING** - Half dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



Hand Protection

Coated Gloves - Nitrile

NTR/711 HFCEB-R

Nitrile Coating on Cotton Jersey Fabric Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with rubberised safety cuff.
- **COATING** - Full dipped Nitrile coating on the palm & back with Rough finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



EN420
EN388
4121X

NEW ITEM



EN420
EN388
4121X

NTR/711 HFCEB

Premium Quality Nitrile Coating on Cotton Jersey Fabric Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with rubberised safety cuff.
- **COATING** - Full dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



NTR/712 GLT

Nitrile Coating on Cotton Interlocked Fabric Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Cotton interlocked fabric liner with gauntlet cuff.
- **COATING** - Fully dipped Nitrile coating on with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Yellow, Green or Blue.
- **LENGTH** - 14 inches. 12, 16 inches length also available.



EN388
4121X



Hand Protection

Coated Gloves - PU

PU/700 WW

PU Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked & elasticised cuff.
- **COATING** - Palm dipped PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with White coating.



PU/700 GG

PU Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked & elasticised cuff.
- **COATING** - Palm dipped PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with Grey coating.



PU/700 BB

PU Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked & elasticised cuff.
- **COATING** - Palm dipped PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black liner with Black coating.



Hand Protection

Coated Gloves - PU

PU/700 WW-F3

PU Coating on Synthetic Knitted Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine in F3 ribbed style with over-locked & elasticised cuff.
- **COATING** - Palm dipped PU coating on the palm with liner texture finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with White coating.



PU/700 ESD

PU Coating on ESD Synthetic Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester blended with carbon fiber yarn knitted on 13 gauge machine with over-locked & elasticised cuff.
- **COATING** - Palm dipped PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with White coating.



PU/700 ESD-FT

PU Coating on ESD Synthetic Liner Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - 100% Polyester blended with carbon fiber yarn knitted on 13 gauge machine with over-locked & elasticised cuff.
- **COATING** - Finger-Tip dipped PU coating with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with White coating.



Hand Protection

Coated Gloves - Cut Resistant

LT/700-5-BB

Latex Coating on Cut Resistant Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked & elasticised cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **SIZE** - Medium, Large, Extra Large.
- **COLOR** - Black liner with Black Coating.



EN388
4544



EN388
4544



NBR/722-5-BB-F

Nitrile Coating on Cut Resistant Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked & elasticised cuff.
- **COATING** - Half dipped Foam Nitrile coating with smooth finish.
- **SIZE** - Medium, Large, Extra Large.
- **COLOR** - Black liner with Black Coating.



NBR/722-5-BB

Nitrile Coating on Cut Resistant Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked & elasticised cuff.
- **COATING** - Three/Fourth dipped Nitrile coating with smooth finish.
- **SIZE** - Medium, Large, Extra Large.
- **COLOR** - Black liner with Black Coating.



EN388
4544



Hand Protection

Coated Gloves - Cut Resistant

NBRS/722-5-BLBK

Double Dipped Nitrile Coating on Cut Resistant Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - Double dipped Full plus three/ fourth Nitrile coating with sandy finish.
- **SIZE** - Medium, Large, Extra Large.
- **COLOR** - Black liner with Blue/Black coating.



GRIP POINT
REINFORCEMENT



NBRS/723-5-BB

Nitrile Coating on Cut Resistant Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over locked cuff.
- **COATING** - Nitrile coating in the palm with sandy finish.
- **SIZE** - Medium, Large, Extra Large.
- **COLOR** - Black liner with Black coating.
- **FEATURES** - Reinforced Grip point.



NBR/723-5-BB

Nitrile Coating on Cut Resistant Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - Nitrile coating in the palm with smooth finish.
- **SIZE** - Medium, Large, Extra Large.
- **COLOR** - Black liner with Black coating.
- **FEATURES** - Reinforced Grip point.



GRIP POINT
REINFORCEMENT

MAGNIFIED VIEW



Hand Protection

Coated Gloves - Cut Resistant

NBR/723-5-BLBK

Double Dipped Nitrile Coating on Cut Resistant Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - Double dipped Full plus Palm Nitrile coating with sandy finish.
- **SIZE** - Medium, Large, Extra Large.
- **COLOR** - White/Grey, liner with Blue/Black coating.



EN388
4544



EN388
3542

MAGNIFIED VIEW

KY/LT/700 YB

Latex Coating on Aramid Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Knitted Aramid yarn on 10 gauge machine with over-locked cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **SIZE** - Medium, Large, Extra Large.
- **COLOR** - Yellow liner with Blue coating.



Cut Resistant Coated Gloves - PU/700-5-GG

Hand Protection

Coated Gloves - Cut Resistant

PU/700-5-GG **M** NEW ITEM

PU Coating on Cut Resistant Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black liner with Grey coating.
- **FEATURES** - Reinforced Grip point.



PU/700-3-BB **M** ☆

PU Coating on Cut Resistant Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black liner with Black coating.



PU/700-3-GG **M** NEW ITEM

PU Coating on Cut Resistant Knitted Industrial Safety Gloves.

SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black liner with Grey coating.
- **FEATURES** - Reinforced Grip point.



Hand Protection

Impact Resistant Gloves

NBR/723-5-GB-F-TPR


CUT-5 Yarn Coated Gloves with Thermo-Plastic Rubber (TPR) Pads.

SPECIFICATIONS


- **LINER** - Blended HPPE Yarn Knitted on 13 gauge Machine.
- **COATING** - Nitrile Coated Palm in foam finish for absorption with reinforced Grip Point.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Green Liner / Black coating..



GRIP POINT REINFORCEMENT



MAGNIFIED VIEW



SPL-L-1-TPR

CUT-5 Yarn Coated Gloves with Thermo-Plastic Rubber (TPR) Pads.

SPECIFICATIONS

- **LINER** - Blended HPPE Yarn Knitted on 13 gauge Machine.
- **PALM** - Split leather palm with reinforced Grip Point. Stitched with Aramid yarn for durability.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Grey liner.



NBRS/723-5-GR-TPR


CUT-5 Yarn Coated Gloves with Thermo-Plastic Rubber (TPR) Pads.

SPECIFICATIONS

- **LINER** - Blended HPPE Yarn Knitted on 13 gauge Machine.
- **COATING** - Nitrile coated palm with in sandy finish for grip with reinforced Grip Point.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on Palm.
- **COLOR** - Grey Liner / Red coating.



GRIP POINT REINFORCEMENT



Hand Protection

Impact Resistant Gloves

NBRS/723-RB-TPR

CUT-5 Yarn Coated Gloves with Thermo-Plastic Rubber (TPR) Pads.

SPECIFICATIONS

- **LINER** - Blended HPPE yarn knitted on 13 gauge machine.
- **COATING** - Nitrile coated palm in sandy finish for grip with reinforced Grip Point.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Red Liner / Black coating.

NEW ITEM

H



4543



4542D

GRIP POINT REINFORCEMENT

NEW ITEM

M

PU/700-5-GW-TPR

CUT-5 Yarn Coated Gloves with Thermo-Plastic Rubber (TPR) Pads.

SPECIFICATIONS

- **LINER** - Blended HPPE yarn knitted on 13 gauge machine.
- **COATING** - PU coated palm with Reinforced Grip Point.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Green Liner / White coating.



NBRS/723-5-BB-TPR

CUT-5 Yarn Coated Gloves with Thermo-Plastic Rubber (TPR) Pads.

SPECIFICATIONS

- **LINER** - Blended HPPE Yarn Knitted on 13 gauge machine.
- **COATING** - Nitrile coated palm in sandy finish for grip with Reinforced Grip Point.
- **FEATURES** - TPR Pads on the Back & Anti-Vibration Pads on palm.
- **COLOR** - Grey/Black Liner with Black coating.

NEW ITEM

H



GRIP POINT REINFORCEMENT



4543



Hand Protection

Impact Resistant Gloves

NTR/702-P-TPR

Nitrile Coated Gloves with Thermo-Plastic Rubber (TPR) Pads.

SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with knitted cuff.
- **COATING** - Full dipped Nitrile coating.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Blue coating.
- **SIZE** - 9 or 10.



NTR/711-P-TPR

Nitrile Coated Gloves with Thermo-Plastic Rubber (TPR) Pads.

SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with rubberised safety cuff.
- **COATING** - Fully dipped Nitrile coating.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Blue coating.
- **SIZE** - 9 or 10.



LG/606C-TPR

Chrome Leather Driving Styled Glove with Thermo-Plastic Rubber (TPR) Pads.

SPECIFICATIONS

- **MATERIAL** - Fully made of chrome leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Natural leather.
- **SIZE** - 9 or 10.



Hand Protection

Cut Resistant Finger Cots



F-5

Seamless Knitted Cut Resistant Finger Cots with Elastic Grip End.

SPECIFICATIONS

- **YARN** - Blended HPPE, Polyester, Glass Fiber & Steel yarn
- **KNITTING** - Knitted on a 13 gauge machine.
- **COLOR** - White & Grey blended.
- **LENGTH** - 6 cms. Can be customized.



F-NBRS-5

Nitrile Coated, Cut Resistant Finger Cots with Elastic Grip End.

SPECIFICATIONS

- **YARN** - A blend of HPPE, Polyester, Glass Fiber & Steel Yarn.
- **KNITTING** - Knitted on a 10 Gauge machine.
- **COATING** - Nitrile dipped coating with a smooth finish.
- **COLOR** - Black coating.
- **LENGTH** - 6 cms. Can be customized.




Safewell

MANUFACTURED

@ KOLKATA & FALTA. WB. INDIA

**ARM
PROTECTION**



Arm Protection

Arm Sleeve

ASL 1301 M

Fire Retardant Industrial Safety Arm Sleeve.

SPECIFICATION

- **MATERIAL** - Fire Resistant fabric of 430 GSM. Stitched with high endurance yarn.
- **FASTENER** - Heavy duty elastic on both ends.
- **COLOR** - Navy Blue.
- **LENGTH** - 18 inches standard. Can be customised.



ASL 1302 M

Classic Design Industrial Safety Arm Sleeve.

SPECIFICATION

- **MATERIAL** - Cotton Denim Fabric of 300 GSM. Stitched with high quality synthetic yarn.
- **FASTENER** - Heavy duty elastic on both ends.
- **COLOR** - Standard Blue.
- **LENGTH** - 18 inches standard. Can be customised.



ASL 1303 L

Basic & Economical Industrial Safety Arm Sleeve.

SPECIFICATION

- **MATERIAL** - Cotton yarn of various counts.
- **CONSTRUCTION** - Knitted on knitting machine for flexibility, elasticity and dual layer construction.
- **FEATURES** - Over edged ends. Optional Thumb Cut.
- **COLOR** - Natural Cotton. Also available in Blue or Grey.
- **LENGTH** - 14 inches standard. Can be customised.



Arm Protection

Arm Sleeve

ASL 1303B

Dual Layered Industrial Safety Arm Sleeve.



SPECIFICATION

- **MATERIAL** - Cotton yarn of various counts.
- **CONSTRUCTION** - Knitted on knitting machine for flexibility, elasticity and dual layer construction.
- **FEATURES** - Thumb Cut for grip and over locked ends.
- **COLOR** - Standard Blue. Natural Cotton or Grey also available.
- **LENGTH** - 14 inches standard. Can be customised.



ASL 1304

Classic Design & Economical Safety Arm Sleeve.

SPECIFICATION

- **MATERIAL** - Cotton Drill fabric of 210 GSM.
- **FASTENER** - Box stitched heavy duty Velcro at shoulder end.
- **FEATURES** - Elastic wrist with thumb loop for ease of use.
- **COLOR** - Navy Blue. Also available in Orange.
- **LENGTH** - 18 inches standard. Can be customised.



ASL 1305

Dual Layered Industrial Safety Arm Sleeve.

SPECIFICATION

- **MATERIAL** - Outer surface Polyester yarn. Inner surface Cotton yarn.
- **CONSTRUCTION** - Knitted on 10 gauge knitting machine.
- **FEATURES** - Elasticized cuff with over edged ends.
- **COLOR** - Option of Blue, White, Black.
- **LENGTH** - 18 inches standard. Can be customised.



Arm Protection


Arm Sleeve

ASL 1306 H ☆

Dual Layered Knitted Cut Resistant Safety Arm Sleeve.

SPECIFICATION

- **MATERIAL** - Outer 100% Polyester with inner layer of Cotton. Blended with Lycra® for fit and durability.
- **KNITTING** - Knitted on 7 Gauge knitting machine.
- **FEATURES** - Thumb Cut for grip and over locked ends.
- **COLOR** - White. Also available in Blue & Grey.
- **LENGTH** - 18 inches standard. Can be customised.




ASL 1307 H NEW ITEM

Heat Resistant Industrial Safety Arm Sleeve.

SPECIFICATION

- **MATERIAL** - Cotton yarn of various counts.
- **KNITTING** - Knitted on Special SPG knitting machine, giving a unique terry loops finish for heat resistance.
- **FEATURES** - Elasticized cuff with over edged ends.
- **COLOR** - Natural cotton color. Grey or Blue also available.
- **LENGTH** - 18 inches standard. Can be customised.



ASL 1308 M 👑

Quilted Demin Industrial Safety Arm Sleeve.

SPECIFICATION

- **MATERIAL** - Dual layered outer Denim, inner Cotton fabric.
- **STITCHING** - Foam lining between the two layers with quilted cricc-cross stitching for durability.
- **FEATURES** - Elasticized cuff with Elbow Cut for flexibility.
- **COLOR** - Dark Blue or Black.
- **LENGTH** - 18 inches standard. Can be customised.



Arm Protection

Arm Sleeve

ASL 1309

Demin Industrial Safety Arm Band.

SPECIFICATION

- **MATERIAL** - Cotton Denim fabric of 300 GSM.
- **STITCHING** - Criss-Cross stitched for durability.
- **FEATURES** - Full length horizontal Velcro for ease of wearing.
- **COLOR** - Dark Blue or Black.
- **LENGTH** - 9 inches standard.



ASL 1310

Hi-Visibility Safety Arm Sleeve with Reflective Tape.

SPECIFICATION

- **MATERIAL** - Synthetic High Visibility fabric.
- **FEATURES** - Standard Dual Horizontal Line of Reflective Tape. Can also be designed vertically.
- **COLOR** - Yellow or Orange.
- **LENGTH** - 14 inches standard. Can be customised.



KSL 201

Dual Layered Cut & Heat Resistant Safety Arm Sleeve.

SPECIFICATION

- **MATERIAL** - Cut & Heat Resistant 100% Aramid yarn.
- **CONSTRUCTION** - Knitted on knitting machine for flexibility, elasticity and dual layer construction.
- **FEATURES** - Thumb Cut for grip. Without thumb cut also available.
- **COLOR** - Standard Aramid yellow.
- **LENGTH** - 14 inches standard. Can be customised.



Arm Protection


Arm Sleeve

KSL 201L

Cut Resistant Industrial Safety Arm Sleeve.

SPECIFICATION

- **MATERIAL** - 100% Aramid yarn of various counts.
- **KNITTING** - Knitted on 13 or 10 gauge knitting machine.
- **FEATURES** - Split Leather Patch & Thumb Cut with Over Edged Ends. Without thumb cut also available.
- **COLOR** - Standard Yellow Sleeve with Natural Color Leather.
- **LENGTH** - 14 inches standard. Can be customised.



SYN/ST/CUT-5

Cut Resistant Industrial Safety Arm Sleeve.

SPECIFICATION

- **MATERIAL** - Blended HPPE, Polyester & Glass fiber yarn.
- **CONSTRUCTION** - Knitted on knitting machine.
- **FEATURES** - Thumb Cut or without Thumb Cut.
- **COLOR** - Grey with White blended color.
- **LENGTH** - 14 inches standard. Can be customised.



EN388
3542D

CE EN 420:2003
A1:2009

SYN/STV/CUT-5

Cut Resistance Industrial Safety Arm Sleeve.

SPECIFICATION

- **MATERIAL** - Blended HPPE, Polyester & Glass fiber yarn.
- **CONSTRUCTION** - Knitted on knitting machine.
- **FEATURES** - Upper end Velcro with/without Thumb Cut and Over Edged ends.
- **COLOR** - Grey with White blended color.
- **LENGTH** - 18 inches standard. Can be customised.



CE EN 420:2003
A1:2009

Arm Protection

Arm Sleeve

LG 615



Industrial Safety Split Leather Arm Sleeve.



SPECIFICATION

- **MATERIAL** - Natural Split Leather of 1.0 - 1.2 mm thickness.
- **STITCHING** - Made of single piece leather with high quality yarn double stitching.
- **FEATURES** - Buckled straps fasteners on the upper end.
- **COLOR** - Natural Leather Grey.
- **LENGTH** - 18 inches standard. Can be customised.



LG 615R




Industrial Leather Arm Sleeve with Hi-Visibility Tape for added safety.



SPECIFICATION

- **MATERIAL** - Natural Split Leather of 1.0 - 1.2 mm thickness.
- **STITCHING** - Made of single piece leather with high quality yarn double stitching.
- **FEATURES** - Hi-Visibility Tape & Buckled straps fasteners.
- **COLOR** - Natural Leather Grey.
- **LENGTH** - 18 inches standard. Can be customised.



AST 1110



Industrial Arm Sleeve with Anti-Static Properties.

SPECIFICATION

- **MATERIAL** - Synthetic fabric with Chequered Anti-Static Weaving.
- **FEATURES** - Folded elasticised ends for grip and fit.
- **COLOR** - Option of Blue, White, Pink.
- **LENGTH** - 14 inches standard. Can be customised.



Safewell

MANUFACTURED

@ GANGANAGAR, WB. INDIA



BODY PROTECTION



Body Protection

Aprons

APR 1301

Premium Cotton Fabric Industrial Apron With or Without Leather Patch.

SPECIFICATIONS

- **MATERIAL** - Cotton drill fabric of 210 GSM.
- **STITCHING** - Stitched with high endurance yarn with box stitching at high stress points. Dual Utility pockets at waist height.
- **FASTENERS** - Dual adjustable buckles around the neck and waist with straps.
- **SIZE** - Width 24 inches. Length 36 inches. Can be customised.
- **COLOR** - Navy Blue, Orange.
- **OPTIONAL** - Split leather patch in the front for extra protection (**Model APR 1303**).



APR 1303



APR 1302

Fire Retardant Fabric Industrial Safety Apron.

SPECIFICATIONS

- **MATERIAL** - Fire Retardant fabric of 350/430/470 GSM available.
- **STITCHING** - Stitched with high endurance yarn with box stitching at high stress points.
- **FASTENERS** - Dual adjustable buckles around the neck and waist with straps.
- **SIZE** - Width 24 inches. Length 36 inches. Can be customised.
- **COLOR** - Navy Blue or Orange.
- **WASH CYCLE** - Upto 50 wash cycle.
- **EN ISO** - 11612.



Body Protection

Aprons

APR 1303P

Cotton With Leather Utility Pocket Industrial Apron.

SPECIFICATIONS

- **MATERIAL** - Cotton drill fabric of 210 GSM as standard.
- **STITCHING** - Stitched with high endurance yarn with box stitching at high stress points.
- **FASTENERS** - Dual adjustable buckles around the neck and waist with straps.
- **FEATURES** - Split leather front utility pocket for tools.
- **SIZE** - Width 24 inches. Length 36 inches. Can be customised.
- **COLOR** - Orange, Navy Blue.



APR 1304

Heat Resistant Aramid Industrial Safety Apron.

SPECIFICATIONS

- **MATERIAL** - Aramid heat resistant fabric of 480 GSM. With or without woollen back lining.
- **STITCHING** - Stitched with Aramid yarn with box stitching at high stress points.
- **FASTENERS** - Dual adjustable buckles around the neck and waist with straps.
- **SIZE** - Width 24 inches. Length 36 inches. Can be customised.
- **COLOR** - Yellow Aramid color.
- **OPTIONAL** - 700 GSM fabric also available.



Body Protection

Aprons

APR 1305



Fire Retardant Fabric Industrial Apron with Sleeve.

SPECIFICATIONS

- **MATERIAL** - Fire Retardant Fabric of 350/430/470 GSM available.
- **STITCHING** - Stitched with high endurance yarn for durability.
- **STYLE** - Open back front slip-on type. With elasticised cuff.
- **FASTENERS** - Dual adjustable tie type straps at the back.
- **SIZE** - Length 50 inches. Can be customised.
- **COLOR** - Navy Blue or Orange.
- **WASH CYCLE** - Upto 50 wash cycle.
- **EN ISO** - 11612.



APR 1306



Chemical Protection PVC Industrial Safety Apron.

SPECIFICATIONS

- **MATERIAL** - PVC Non-Toxic cloth material.
- **STITCHING** - Double folded heat sealed ends.
- **FASTENERS** - Dual adjustable PVC straps around the neck and around the waist with buckles.
- **SIZE** - Width 24, Length 36 inches OR Width 24, Length 48 inches.
- **COLOR** - Yellow.



Body Protection

Aprons

ALU 703



Aluminised Heat Resistant Industrial Apron.

SPECIFICATIONS

- **MATERIAL** - Aluminised Aramid or Glass Fiber woven fabric with or without woollen back lining.
- **STITCHING** - Stitched with Aramid yarn with box stitching at high stress points.
- **FASTENERS** - Dual adjustable straps around the neck and around the waist with buckles.
- **SIZE** - Width 24 inches. Length 36 inches. Can be customised.
- **COLOR** - Aluminium finish.



AramaX™



LG 613



Premium Split Leather Industrial Safety Apron.

SPECIFICATIONS

- **MATERIAL** - Single piece split leather of 1.0 to 1.2 mm thickness.
- **STITCHING** - Stitched with high endurance yarn. With box stitching at high stress points.
- **FASTENERS** - Dual tie type cotton straps around the neck and around the waist.
- **SIZE** - Width 24 inches. Length 36 inches standard. Can be customised.
- **COLOR** - Natural leather Grey.
- **OPTIONAL** - Utility pockets.



Body Protection

Aprons

AP PV 1301

Economical & Durable Industrial Safety Apron.

SPECIFICATIONS

- **MATERIAL** - Poly Viscos fabric of 150/170/200 GSM available.
- **STITCHING** - Stitched with spun polyester thread.
- **STYLE** - BIB type back open without sleeve apron.
- **FASTENERS** - Dual adjustable strap around the Neck & Chest.
- **SIZE** - 24 x 36 or 24x 40. Can be customised.
- **COLOR** - Navy Blue or White.



Workwear Pattern Cutting

Body Protection

Reflective Vests

SCB 02



High Visibility Safety Cross Belt.

SPECIFICATIONS

- **MATERIAL** - Made of synthetic/elastic fabric in highly reflective colors.
- **FEATURES** - High-Visibility prismatic tapes stitched over the fabric.
- **FASTENERS** - Adjustable chest straps & Buckle at the waist.
- **COLOR** - Green, Orange.



SRV 02



High Visibility 3 Side Open, Safety Vest.

SPECIFICATIONS

- **MATERIAL** - Made of synthetic net fabric in highly reflective colors.
- **FEATURES** - Reflective 2 inches width prismatic tapes stitched over the fabric.
- **FASTENERS** - Velcro at waist level.
- **COLOR** - Green or Orange.
- **SIZE** - S, M, L, XL, XXL.
- **OPTION** - Reflective Tape of 1 inches width also available (**SRV 01**).



SRJ 02



High Visibility Sleeveless Safety Vest.

SPECIFICATIONS

- **MATERIAL** - Made of synthetic fabric in highly reflective colors.
- **FEATURES** - Reflective 2 inches width Prismatic tapes stitched over the fabric.
- **FASTENERS** - Velcro at front opening.
- **COLOR** - Green or Orange.
- **SIZE** - S, M, L, XL, XXL.
- **OPTION** - Net Fabric or Zipped front style also available. With 1 inches tape (**SRJ 01**).



Body Protection

Heat Resistant & Leather Garment

ALU 702



Aluminised Fire & Heat Resistant Industrial Jacket & Pant Set.

SPECIFICATIONS

- **MATERIAL** - Aluminised Aramid or Glass Fiber fabric.
- **STITCHING** - Multi layered woollen & cotton lining. Stitched with Aramid yarn for durability. Adjustable cuffs. Flapped front buttoned opening.
- **ALTERNATE DESIGN** - Single suit cover-all style also available.
- **OPTIONAL** - inner pouch for carrying breathing apparatus.
- **SIZE** - Medium, Large, Extra Large.
- **HEAT RESISTANCE** - can withstand radiant heat of over 1000°C.



AramaX™



LG 616 & LG 617



Full Split Leather Industrial Safety Jacket & Pant Set.

SPECIFICATIONS

- **MATERIAL** - Made of high grade split leather for heat and spatter resistance, ideal for welding purposes. Leather thickness of 1.2 mm.
- **STITCHING** - Front open style with flapped metal buttons. Stitched with Aramid yarn for durability.
- **ALTERNATE DESIGN** - Also available in long coat style.
- **SIZE** - Medium, Large, Extra Large.
- **COLOR** - Natural Leather Red, Yellow.



Body Protection

Fire Retardant Garment

FR 902



Industrial Jacket and Pant Made of Fire Retardant Cotton Fabric.

SPECIFICATIONS

- **MATERIAL** - Fire Retardant fabric of 350/430/470 GSM available.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **STYLE** - Jacket & Pant style with flapped front pockets. Buttoned or Zipped opening optional. Can be customised as required.
- **ALTERNATE DESIGN** - Full single piece cover-all style also available.
- **FEATURES** - 2 inches High visibility reflective tape for added safety.
- **COLOR** - Navy Blue or Orange.
- **SIZE** - S, M, L, XL, XXL.
- **WASH CYCLE** - Upto 50 wash cycle.
- **EN STANDARD** - ISO 11612.



FR 903D



Industrial Jacket and Pant Made of Fire Retardant Cotton Fabric.

SPECIFICATIONS

- **MATERIAL** - 100% Cotton Fire Retardant fabric of 470 GSM.
- **STITCHING** - Stitched with F.R thread.
- **FRONT CLOSURE** - Front flap with non-metallic button and velcrow adjustment.
- **POCKETS** - 2 chest pocket flap with non metallic press button adjustment.
- **SLEEVE** - Full sleeve cuff with non-metallic snap button adjustment.
- **VENTILATION** - Back side with extra air ventilation for extra comfort.
- **REFLECTIVE TAPE** - FR Reflective trip on front & back sleeve.
- **COLOR** - Navy Blue or Orange.
- **SIZE** - S - 3XL.
- **WASH CYCLE** - Laundering at 60 C.
- **CERTIFICATION** - E3 Certified.



Body Protection

Cotton & Fire Retardant Lab Coat

FR 905



Long Coat Made Of Fire Retardant Cotton Fabric.

SPECIFICATIONS

- **MATERIAL** - Fire Retardant fabric of 350/430/470 GSM available.
- **STYLE** - Coat collar style with front open pockets. Front buttoned opening. Closed collar style optional. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **COLOR** - Navy Blue.
- **SIZE** - S, M, L, XL, XXL.
- **WASH CYCLE** - Upto 50 wash cycle.
- **EN STANDARD** - ISO 11612.



CT 805



Lab Coat Made Of Cotton Fabric.

SPECIFICATIONS

- **MATERIAL** - Made of 210 GSM cotton drill fabric.
- **STYLE** - Coat collar style with front open pockets. Front buttoned opening.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **OPTIONAL DESIGN** - Closed collar style. Pen & Tool Pockets. Ventilated back slits. Can be fully customised as required.
- **COLOR** - Navy Blue. White.
- **SIZE** - S, M, L, XL, XXL.



Body Protection

Fire Retardant & Synthetic Garment

FR 909/DNM

Industrial Safety Garment Made of Fire Retardant Denim.

SPECIFICATIONS

- **MATERIAL** - Made of 100% cotton with Denim FR fabric.
- **STYLE** - Jacket & Pant.
- **FABRIC WEIGHT** - 450 GSM.
- **COLOR** - Navy Blue only.
- **FRONT CLOSURE** - Front with Metal Zipper flap with Metal Press button.
- **SLEEVES** - Full sleeves cuff with Metal press button adjustment.
- **STITCHING** - All stitches shall be lock-stitched with F.R. thread.
- **REFLECTIVE TAPE** - With / Without.
- **ALTERNATE DESIGN** - Coverall Style is also available.
- **SIZE** - S - 4XL



PV 801



Industrial Safety Coverall Made of Poly-Viscose Fabric.

SPECIFICATIONS

- **MATERIAL** - Made of Poly Viscose fabric.
- **STYLE** - Coverall (Boiler Suit).
- **FABRIC WEIGHT** - 150 / 170 200 GSM Available.
- **CLOSURE** - Front with non metallic DP zipper flap with metal press button.
- **SLEEVE** - Full sleeve cuff with metal press button adjustment.
- **REFLECTIVE TAPE** - 1 inch reflective tape. 2 shoulder vertical, 2 hands & 2 legs.
- **COLOR** - Navy Blue.
- **SIZE** - S, M, L, XL, XXL, XXXL.



Body Protection

Cotton & Synthetic Garment

CT 803 & CT 804

Industrial Jacket and Pant Made of Cotton Fabric.

SPECIFICATIONS

- **MATERIAL** - Made of 210 GSM cotton drill fabric.
- **STYLE** - Jacket & Pant style with flapped front pockets. Buttoned or Zipped opening optional. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **ALTERNATE DESIGN** - Full single piece cover-all style also available.
- **COLOR** - Navy Blue, Orange.
- **SIZE** - S, M, L, XL, XXL.



G 1204



Industrial Jacket and Pant Made of Synthetic Lint Free Fabric.

SPECIFICATIONS

- **MATERIAL** - Made of Polyester lint free fabric.
- **STYLE** - Jacket & Pant style with flapped front pockets. Buttoned or Zipped opening optional. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points. Double folded ends for 100% lint free use.
- **ALTERNATE DESIGN** - Full single piece cover-all style also available.
- **OPTIONAL** - With ventilated back slits.
- **COLOR** - Sky Blue, White.
- **SIZE** - S, M, L, XL, XXL.



Body Protection

Cotton Garment

CT 801



Industrial Single Piece Cover-All Made of Cotton Fabric.

SPECIFICATIONS

- **MATERIAL** - Made of 210 GSM cotton drill fabric.
- **STYLE** - Jacket & Pant style with flapped front pockets. Buttoned or Zipped opening optional. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **FEATURES** - 2 inches High visibility reflective tape for added safety.
- **COLOR** - Navy Blue.
- **SIZE** - S, M, L, XL, XXL.



CT 802



Industrial Jacket and Pant Made of Cotton Fabric.

SPECIFICATIONS

- **MATERIAL** - Made of 210 GSM cotton drill fabric.
- **STYLE** - Jacket & Pant style with flapped front pockets. Buttoned or Zipped opening optional. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **ALTERNATE DESIGN** - Full single piece cover-all style also available.
- **FEATURES** - 2 inches High visibility reflective tape for added safety.
- **COLOR** - Navy Blue, Orange or in combination.
- **SIZE** - S, M, L, XL, XXL.



Body Protection

Anti-Static Garment

AST 1101



Industrial Single Piece Cover-All Made of Synthetic Anti-Static Lint Free Fabric.

SPECIFICATIONS

- **MATERIAL** - Made of Synthetic fabric with carbon checks lines for anti-static feature.
- **STYLE** - Single piece cover-all with flapped pockets. built-in attached hood & zipped front opening. Elasticised waist band. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points. Double folded ends for 100% lint free use.
- **OPTIONAL** - With ventilated back slits.
- **COLOR** - Sky Blue, Pink, White.
- **SIZE** - S, M, L, XL, XXL.



AST 1102



Industrial Jacket and Pant Made of Synthetic Anti-Static Lint Free Fabric.

SPECIFICATIONS

- **MATERIAL** - Made of Synthetic fabric with carbon checks lines for anti-static feature.
- **STYLE** - Jacket & Pant style with open pockets. Buttoned or Zipped opening optional. Elasticised waist band & trouser ends. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points. Double folded ends for 100% lint free use.
- **OPTIONAL** - With ventilated back slits.
- **COLOR** - Sky Blue, Pink, White.
- **SIZE** - S, M, L, XL, XXL.



Body Protection

Arc Flash Garment



ARC SUIT - 8 CAL

Lightweight Arc Flash Suit Made of Modacrylic fabric.

SPECIFICATIONS

- **MATERIAL** - Suit made of Modacrylic with multi blend with Anti-Static fibre.
- **TYPE OF FABRIC** - Inherent fabric.
- **WASH CYCLE** - Permanent (Inherent)
- **FABRIC WEIGHT** - 240 GSM.
- **COLOR** - Navy Blue.
- **STYLE** - Jacket & Pant.
- **SIZE** - S - XXXL.
- **CATEGORY** - HRC - 2, ATPV: 8cal/cm2.
- **KIT** - Includes: Jacket & Trouser, Arc Glove (same fabric), Arc Face Shield with bracket, Helmet & Balaclava.



ARC SUIT - 12 CAL

Lightweight Arc Flash Suit Made of Modacrylic fabric.

SPECIFICATIONS

- **MATERIAL** - Suit made of Modacrylic / Meta Aramid / Para Aramid / Nylon / Anti-Static fibre blended.
- **TYPE OF FABRIC** - Inherent fabric.
- **WASH CYCLE** - Permanent (Inherent)
- **FABRIC WEIGHT** - 240 GSM.
- **COLOR** - Navy Blue.
- **STYLE** - Jacket & Pant / Coverall.
- **SIZE** - S - XXXL.
- **CATEGORY** - HRC - 2, ATPV: 12cal/cm2.
- **KIT** - Includes: Jacket & Trouser, Arc Glove (same fabric), Arc Face Shield with bracket, Helmet & Balaclava.



Body Protection

Arc Flash Garment

ARC SUIT - 25 CAL

Lightweight Arc Flash Suit Made of Modacrylic fabric.

SPECIFICATIONS

- **MATERIAL** - Suit made of Modacrylic / Meta Aramid / Para Aramid / Nylon / Anti-Static fibre blended.
- **TYPE OF FABRIC** - Inherent fabric.
- **WASH CYCLE** - Permanent (Inherent)
- **FABRIC WEIGHT** - 480 GSM.
- **COLOR** - Navy Blue.
- **STYLE** - Jacket & Pant.
- **SIZE** - S - XXXL.
- **CATEGORY** - HRC - 3, ATPV: 25cal/cm².
- **KIT** - Includes: Jacket & Trouser, Arc Glove (same fabric), Arc Face Shield with bracket, Helmet & Balaclava.



ARC SUIT - 40 CAL

Lightweight Arc Flash Suit Made of Modacrylic fabric.

SPECIFICATIONS

- **MATERIAL** - Suit made of Modacrylic / Meta Aramid / Para Aramid / Nylon / Anti-Static fibre blended.
- **TYPE OF FABRIC** - Inherent fabric.
- **WASH CYCLE** - Permanent (Inherent)
- **FABRIC WEIGHT** - 480 GSM.
- **COLOR** - Navy Blue.
- **STYLE** - Jacket & BIB Coverall.
- **SIZE** - S - XXXL.
- **CATEGORY** - HRC - 4, ATPV: 40cal/cm².
- **KIT** - Includes: Jacket & BIB Overall, 40 CAL Arc Glove (same fabric), Arc Face Shield with bracket, Helmet & Balaclava.



Safewell

MANUFACTURED

@ GANGANAGAR, WB. INDIA

EAR PROTECTION



Ear Protection

Ear Plugs

SEP 102C



Disposable Corded Foam Type Safety Ear Plugs.

SPECIFICATIONS

- **MATERIAL** - PU-Foam based. With optimum density for quick release and sound isolation.
- **ATTENUATION RATING (SNR)** - 32 decibel.
- **STYLE** - Machine corded, around the neck style.
- **COLOR** - Orange with Orange cord.
- **PACKING** - Individual pouch packing in a carton of 250 Pairs.



SEP 102



Disposable Non-Corded Foam Type Safety Ear Plugs.

SPECIFICATIONS

- **MATERIAL** - PU-Foam based. With optimum density for quick release and sound isolation.
- **ATTENUATION RATING (SNR)** - 32 decibel.
- **STYLE** - Non-Corded, individual pieces.
- **COLOR** - Orange.
- **PACKING** - Individual pouch packing in a carton of 250 Pairs.



Safewell disposable ear plugs come packed in a dispenser carton with pre-cut opening for easy access to individual ear plug packs.



Ear Protection

Ear Plugs & Muffs

SEP 103RC M ☆

Reusable Corded Safety Ear Plugs.

SPECIFICATIONS

- **MATERIAL** - TPR based.
- **STYLE** - Machine corded, around the neck style.
- **FEATURES** - Ribbed style for perfect fit in the ear canal for noise isolation.
- **COLOR** - Orange with Blue cord.
- **PACKING** - Individual box packed.



SEM 100 H ☆

Head Mounted Style Industrial Safety Ear Muffs.

SPECIFICATIONS

- **MATERIAL** - ABS Headband & Cups. PVC Cushions. PU Foam Inserts.
- **FEATURES** - Light weight head mountable design.
- **ATTENUATION RATING (SNR)** - 27 decibels.
- **WEIGHT** - 210 grams.
- **COLOR** - Yellow, Red, Blue, Green.



SEM 200 M ☆

Helmet Mounted Style Industrial Safety Ear Muffs.

SPECIFICATIONS

- **MATERIAL** - ABS Headband & Cups. PVC Cushions. PU Foam Inserts.
- **FEATURES** - Clip for attaching to the helmets universal slots.
- **ATTENUATION RATING (SNR)** - 27 decibels.
- **WEIGHT** - 220 grams.
- **COLOR** - Red, Yellow, Blue, Green.



Safewell

MANUFACTURED

AS OEM • IMPORTED & INDIA

EYE PROTECTION



Eye Protection

Safety Goggles

ASP 101



Frame-less Stylish Safety Goggles with wrap around Design.

SPECIFICATIONS

- **MATERIAL** - Dual Hard Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I.
- **IMPACT RESISTANCE** - Level F.
- Anti Scratch / Anti Fog Coating.

CE 0194
EN 166:2001



CLEAR LENS

SMOKED LENS

UV 99.9%

ASP 102



Frame-less Stylish Safety Goggles with wrap around Design.

SPECIFICATIONS

- **MATERIAL** - Dual Hard Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I.
- **IMPACT RESISTANCE** - Level F.
- Anti Scratch / Anti Fog Coating.

CE 0194
EN 166:2001



CLEAR LENS

SMOKED LENS

UV 99.9%

ASP 103



Half Frame Stylish Safety Goggles with wrap around Design.

SPECIFICATIONS

- **MATERIAL** - Dual Hard Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I.
- **IMPACT RESISTANCE** - Level F.
- Anti Scratch / Anti Fog Coating.

CE 0194
EN 166:2001



CLEAR LENS

SMOKED LENS

UV 99.9%



Eye Protection

Safety Goggles


ASP 104



Half Frame Stylish Safety Goggles with Wrap around Design.

SPECIFICATIONS

- **MATERIAL** - Dual Hard Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I.
- **IMPACT RESISTANCE** - Level F.
- Anti Scratch / Anti Fog Coating.




ASP 105



Frame-less Stylish Safety Goggles with Wrap around Design.

SPECIFICATIONS

- **MATERIAL** - Dual Hard Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I.
- **IMPACT RESISTANCE** - Level F.
- Anti Scratch / Anti Fog Coating.




ASP 106



Frame-less Stylish Safety Goggles with Wrap around Design.

SPECIFICATIONS

- **MATERIAL** - Dual Hard Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I.
- **IMPACT RESISTANCE** -Level F.
- Elastic adjustable tie band.
- Anti Scratch / Anti Fog Coating.



Eye Protection


Safety Goggles & Shields

AFS-96C

Half Frame Face Shield with Wrap Around Design.

SPECIFICATIONS

- **MATERIAL** - Dual Hard Coated Acrylic Transparent Shield.
- **OPTICAL** - CLASS I.
- **IMPACT RESISTANCE** - Level F.
- Anti Scratch / Anti Fog Coating.




PFS-96C

Half Frame Face Shield with Wrap Around Design.

SPECIFICATIONS

- **MATERIAL** - Dual Hard Coated Polycarbonate Transparent Shield.
- **OPTICAL** - CLASS I.
- **IMPACT RESISTANCE** - Level F.
- Anti Scratch / Anti Fog Coating.




PFS-96B

Half Frame Face Shield with Wrap Around Design.

SPECIFICATIONS

- **MATERIAL** - Dual Hard Coated Polycarbonate Colored Shield.
- **OPTICAL** - CLASS I.
- **IMPACT RESISTANCE** - Level F.
- Anti Scratch / Anti Fog Coating.



Safewell

MANUFACTURED

@ MADHYAMGRAM. WB. INDIA



FALL PROTECTION



Fall Protection

Body Harness


SFH-01



Basic range of Full Body Harness Perfect for Suspension Work with Light & Medium Risk Use. Light Weight Economical & Certified.

FEATURES

- Dorsal D-Rings for Attachments
- Adjustable Thigh & Chest Straps
- Ideally Positioned Pelvic Strap for Extended use Comfort
- **COLOR** - Orange/Black

 IS 3521:2021. CLASS A.
BIS LIC NO. CM/L 5100090478

 EN 361:2002



FRONT VIEW

REAR VIEW

WEBBING	D-RINGS	BUCKLES	STITCHING	LOOPS & PLATES
Synthetic Fiber. 44mm Width.	8mm Forged Zinc Plated	Set of Big & Small. 4mm. Zinc Plated.	High Tenacity Nylon Thread.	Made of LDPE Material.
Webbing, D-Rings & Buckles - Breaking Strength >25KN			For Flexibility, Strength & Durability.	

Common Specifications For The Series

PRODUCT SERIES OPTIONS

MODEL NO	OPTION	FEATURE DIFFERENCES	APPROVALS
SFH-02		D-Rings at Abdominal Point. Recommended over SFH-01 for Controlled Descend.	IS 3521:1999. CLASS D.
SFH-03		Two D-Rings at Shoulder Strap. Ideal for Entry & Exit Control into Confined Spaces & Rescue.	IS 3521:1999. CLASS E.
SFH-04		Adjustable Shoulder Straps with Dual Webbing Loops at the Chest Level. Webbing Loops are connected with a Carabiner. The Carabiner connects the D-Ring fitted with Double Lanyard along with Scaffold Hooks.	IS 3521:1999. CLASS L.
SFH-05		Two D-Rings at Waist/Hip. Ideal for Work Positioning.	IS 3521:1999. CLASS P.



Fall Protection


Body Harness

SFH-103 M

Premium Range of Full Body Harness Perfect For Suspension Work of Light & Medium Risk Use. Light Weight & Certified.

FEATURES

- Dorsal D-Rings for Attachments
- Dual D-Rings at Chest Level
- Ideally Positioned Pelvic Strap for Extended use Comfort
- **COLOR** - Black/Orange

 IS 3521:2021. CLASS L.
BIS LIC NO. CM/L 5100090478

 EN 361:2002





NEW EDGE
STITCHING
DESIGN &
QUALITY



WEBBING	D-RINGS	BUCKLES	STITCHING	LOOPS & PLATES
Synthetic Fiber. 44mm Width.	8mm Forged Zinc Plated	Set of Big & Small. 4mm. Zinc Plated.	High Tenacity Nylon Thread.	Made of LDPE Material.
Webbing, D-Rings & Buckles - Breaking Strength >25KN			For Flexibility, Strength & Durability.	

Common Specifications For The Series

PRODUCT SERIES OPTIONS

MODEL NO	OPTION	FEATURE DIFFERENCES	APPROVALS
SFH-101		Dorsal D-Rings for Fall Arrester Compatibility. Fully Adjustable Chest & Shoulder Straps for Perfect Fit.	IS 3521:1999. CLASS A.
SFH-102		Dual D-Rings at Chest Point For Optimal Control During Descend. Compatible with Fall Arrester System.	IS 3521:1999. CLASS L.
SFH-104		Dorsal D-Rings for Fall Arrester Compatibility. Dual Webbing Loops at Chest Point for Attachment.	IS 3521:1999. CLASS L.
SFH-106		Integrated with Positioning Waist Belt When With 2 Lateral D-Rings. Ideal for Tower & Pole Jobs with Fall Arrester.	IS 3521:1999. CLASS E.

Fall Protection

Body Harness

SFH-105 M

Premium Range of Full Body Harness Perfect For Suspension Work of Light & Medium Risk Use. Light Weight & Certified.

FEATURES


- Dorsal D-Rings for Attachments
- One D-Ring At Sternal Point
- Ideally Positioned Pelvic Strap for Extended use Comfort
- **COLOR** - Hi-Vis Yellow/Black



IS 3521:2021. CLASS D.
BIS LIC NO. CM/L 5100090478



EN 361:2002



WEBBING	D-RINGS	BUCKLES	STITCHING	LOOPS & PLATES
Synthetic Fiber. 44mm Width.	8mm Forged Zinc Plated	Set of Big & Small. 4mm. Zinc Plated.	High Tenacity Nylon Thread.	Made of LDPE Material.
Webbing, D-Rings & Buckles - Breaking Strength >25KN			For Flexibility, Strength & Durability.	
Common Specifications For Both Products				

SFH-107 M

Premium Specialised Full Body Harness.

FEATURES

- Dorsal D-Ring & Dual D-Rings at Waist Band for Fall Arresters
- Adjustable Thigh & Chest Strap.
- Dual Color Straps for Rapid Identification of Upper & Lower
- Premium quality & Comfortable back rest & waist pad
- **COLOR** - Black/Orange



IS 3521:2021. CLASS P.
BIS LIC NO. CM/L 5100090478



EN 361:2002
EN 358:1999



Fall Protection

Body Harness

SFH-108



Premium Anatomically Designed Full Body Harness. Light Weight & Certified.

FEATURES

- Dorsal D-Ring For Attachments.
- Adjustable Thigh & Chest Straps.
- Waist Pad With Two Lateral D-Rings & Tool Loops.
- D-Rings At Front & Ventral Point for Fall Arrester & Rope Access.
- **COLOR** - Hi-Viz Yellow/Black

IS 3521:2021. CLASS L.
BIS LIC NO. CM/L 5100090478

EN 361:2002
EN 358:1999 & EN 813:2008



FRONT VIEW

REAR VIEW

WEBBING	D-RINGS	BUCKLES	STITCHING	LOOPS & PLATES
Synthetic Fiber. 44mm Width.	8mm Forged Zinc Plated	Set of Big & Small. 4mm. Zinc Plated.	High Tenacity Nylon Thread.	Made of LDPE Material.
Webbing, D-Rings & Buckles - Breaking Strength >25KN			For Flexibility, Strength & Durability.	
Waist/Thigh/Shoulder Pads Made of Air Mesh Fabric & EVA . Comfort & Support During Extended Use				

Common Specifications For Both Products

SFH-109




Premium Light Weight & Versatile Full Body Harness.

FEATURES

- Dorsal D-Ring & Dual D-Rings at Waist Band for Fall Arresters.
- Adjustable Thigh & Chest Strap.
- Dual Color Straps for Rapid Identification of Upper & Lower.
- Fray Proof Polyester Webbing.
- **COLOR** - Hi-Vis Yellow/Black

IS 3521:2021.
BIS LIC NO. CM/L 5100090478

EN 361:2002
EN 358:1999



FRONT VIEW

REAR VIEW

Fall Protection

Work Positioning Belts

SWP-01



Premium Work Positioning Belt With Thigh Support.

FEATURES

- Anchor Point Dual Lateral D-Rings for Positioning.
- D-Ring At Ventral Point For Rope Access Work..
- Soft Padded Waist & Thigh Pads, With Adjustable Straps.
- **COLOR** - Hi-Viz Yellow/Black

IS 3521:2021.
BIS LIC NO. CM/L 5100090478

CE EN 813:2008
EN 358:1999



FRONT VIEW

REAR VIEW



WEBBING	D-RINGS	BUCKLES	STITCHING	LOOPS & PLATES
Synthetic Fiber. 44mm Width.	8mm Forged Zinc Plated	Set of Big & Small. 4mm. Zinc Plated.	High Tenacity Nylon Thread.	Made of LDPE Material.
Webbing, D-Rings & Buckles - Breaking Strength >25KN			For Flexibility, Strength & Durability.	

Common Specifications For Both Products

SWP-02



Basic Work Positioning Waist Belt. Economical Yet Certified.

FEATURES

- Superior Strength Fray Proof Webbing With Tool Loops.
- D-Ring At Waist Points For Precise Positioning.
- Soft Padded Waist Pads, With Adjustable Straps.
- **COLOR** - Hi-Vis Yellow/Black

IS 3521:2021.
BIS LIC NO. CM/L 5100090478

CE EN 813:2008
EN 358:1999



FRONT VIEW

D-RINGS

ADJUSTABLE STRAPS

D-RINGS

TOOL HOLDER LOOP

BACK VIEW



Fall Protection

Hooks & Connectors


SKH-50



Premium Quality Steel Alloy Scaffolding Hook.

SPECIFICATIONS

- **MATERIAL** - Steel Alloy.
- **GATE OPENING** - 55 mm.
- **MIN BREAKAGE STRENGTH** - 25kN
- **PLATING** - Chrome / Zinc.
- **WEIGHT** - 500 grams.
- **COLOR** - Silver / Golden Yellow.




SKH-31



Premium Quality Steel Alloy Snap Hook.

SPECIFICATIONS

- **MATERIAL** - Steel Alloy.
- **GATE OPENING** - 16 mm.
- **MIN BREAKAGE STRENGTH** - 22kN.
- **PLATING** - Chrome / Zinc.
- **WEIGHT** - 190 grams.
- **COLOR** - Silver / Golden Yellow.



SKH-20



Premium Quality Steel Alloy Karabiner.

SPECIFICATIONS

- **MATERIAL** - Steel Alloy.
- **GATE OPENING** - 25 mm.
- **MIN BREAKAGE STRENGTH** - 25kN.
- **PLATING** - Chrome / Zinc.
- **WEIGHT** - 245 grams.
- **COLOR** - Silver / Golden Yellow.



The Hooks & Connectors are an essential link in any vertical safety equipment kit. It is designed to be loaded in its major axis, with the gates closed and the sleeve locked. The rating of its breaking strength is determined when loaded at its major axis and closed properly. Understanding the strength & weaknesses of this essential link allows the user to choose the most appropriate type to use for a particular usage, thus avoiding any misuse that could be dangerous.

Fall Protection

Hooks & Connectors


SKH-21



Premium Quality Steel Alloy Karabiner.

SPECIFICATIONS

- **MATERIAL** - Steel Alloy.
- **GATE OPENING** - 16 mm.
- **MIN BREAKAGE STRENGTH** - 23kN.
- **PLATING** - Chrome / Zinc.
- **WEIGHT** - 160 grams.
- **COLOR** - Silver / Golden Yellow.




SKH-21A

Superior Quality Aluminium Alloy Karabiner.

SPECIFICATIONS

- **MATERIAL** - Aluminium Alloy.
- **GATE OPENING** - 18 mm.
- **MIN BREAKAGE STRENGTH** - 23kN.
- **PLATING** - Anodised Aluminium.
- **WEIGHT** - 80 grams.
- **COLOR** - Silver.



SKH-22A



Superior Quality Aluminium Alloy Karabiner.

SPECIFICATIONS

- **MATERIAL** - Aluminium Alloy.
- **GATE OPENING** - 25 mm.
- **MIN BREAKAGE STRENGTH** - 22kN.
- **PLATING** - Anodised Aluminium.
- **WEIGHT** - 90 grams.
- **COLOR** - Silver.



Fall Protection


Rope Grab & Fall Arrester

SF-RGFA-B20

Premium Guided type Rope Grab Fall Arrester.

FEATURES & SPECIFICATIONS

- Designed for use with 2/14 mm diameter flexible twisted rope.
- **MATERIAL** - Made of Alloy Steel.
- Double locking security system design, prevents accidental opening.
- Built in gravity locking mechanism, which prevent incorrect usage.
- Includes SKH21 Karabiner.



CE EN 353-2:2002

SF-RGFA-B20S

Premium Guided type Rope Grab Fall Arrester with Spacing Strap.

FEATURES & SPECIFICATIONS

- Designed for use with 2/14 mm diameter flexible twisted rope.
- **MATERIAL** - Made of Alloy Steel.
- Double locking security system design, prevents accidental opening.
- In-built gravity locking mechanism, prevents misuse.
- Includes SKH21 Karabiner.
- Spacing Strap for manoeuvring easily during ladder work.



CE EN 353-2:2002

SF-RGFA-B20E

Guided type Rope Grab Fall Arrester with Energy Absorber.

FEATURES & SPECIFICATIONS

- Designed for use with 2/14 mm diameter flexible twisted rope.
- **MATERIAL** - Made of Alloy Steel.
- Dual safety locking system design, prevents accidental opening.
- In-built gravity locking mechanism, prevents misuse.
- Attached Energy Absorber with SKH21 karabiner.



In the unlikely event of a fall the energy absorber reduces the energy exerted on the user in order to keep impact forces around 900 lb



CE EN 353-2:2002

Fall Protection

Retractable Fall Arrester

SRFA-060W



Steel Cable Type Retractable Fall Arrester.

FEATURES & SPECIFICATIONS

- Compact & Light Weight.
- Durable & Corrosion Resistant PP Housing & Drum.
- **ANCHORAGE** - Swivel Type Steel Snap Hook, Includes Conduit Rope.
- **CABLE** - Length 6 mtrs / Width 4 mm.
- **MAXIMUM LOAD CAPACITY** - 100 Kgs.
- **MINIMUM BREAKING STRENGTH** - 20 kN.



CE EN 360:2002

SRFA-10



Steel Cable Type Retractable Fall Arrester.

FEATURES & SPECIFICATIONS

- Compact Design For Ease Of Use.
- ABS Housing For Durability, Sturdiness & Rough Usage.
- **ANCHORAGE** - Swivel Type Steel Snap Hook, Includes Conduit Rope.
- **CABLE** - Length 10 mtrs / Thickness 4 mm
- **MAXIMUM LOAD CAPACITY** - 100 Kgs.
- **MINIMUM BREAKING STRENGTH** - 20 kN.



CE EN 360:2002

SRFA-15



Steel Cable Type Retractable Fall Arrester.

FEATURES & SPECIFICATIONS

- Compact Design For Ease Of Use.
- ABS Housing For Durability, Sturdiness & Rough Usage.
- **ANCHORAGE** - Swivel Type Steel Snap Hook, Includes Conduit Rope.
- **CABLE** - Length 15 mtrs / Thickness 4 mm.
- **MAXIMUM LOAD CAPACITY** - 100 Kgs.
- **MINIMUM BREAKING STRENGTH** - 25 kN.



CE EN 360:2002



Fall Protection

Lanyards

SRL 50DW



Harness Attachment. Webbing Type Lanyard with Dual Hooks. Without Shock Absorber.

SPECIFICATIONS

- **LIFELINE** - Dual 44 mm Webbing Type.
- **LIFELINE LENGTH** - 1.8 Meters.
- **HOOKS** - Dual Scaffolding Hooks.

AVAILABLE LIFELINE OPTION

SRL 50D - 12 mm Polyamide Rope.

SRL 50D/P - 12 mm Poly Propylene Rope.

SRL 50D/B - 10.5 mm Braided Rope.



SFL D2150



Harness Attachment. Rope Type Lanyard with Dual Hooks. With Shock Absorber.

SPECIFICATIONS



- **LIFELINE** - Dual 12 mm Polyamide Rope.
- **LIFELINE LENGTH** - 1.8 Meters.
- **HOOKS** - Dual Scaffolding Hooks.

AVAILABLE LIFELINE OPTION

SFL D2150P - 12 mm Poly Propylene Rope.



SFL D2150W - 44 mm Webbing.

SFL D2150B - 10.5 mm Braided Rope.



Fall Protection

Painting & Maintenance Kit



The kit consists of selection of products deemed fit for carrying out painting and maintenance jobs in an elevated area.

Everything comes packed in a KIT BAG.

- | | |
|------------------------------|---------------------------|
| 1. Harness | 6. Parapet Anchor (2 nos) |
| 2. Kernmantel Rope (50 mtrs) | 7. Karabiner (3 nos) |
| 3. Webbing Sling (2 nos) | 8. Descender |
| 4. Polyaide Rope (50 mtrs) | 9. Rock Chair |
| 5. Fall Arrestor | |



Fall Protection

Rescue Kit



The kit consists of selection of products deemed fit for rescue operations in common scenarios. Everything comes packed in a KIT BAG.

- | | |
|----------------------------|------------------------------|
| 1. Harness | 6. Karabiner (3 nos) |
| 2. Cows Tail Lanyard | 7. Double Lanyard (Braided) |
| 3. Fall Arrestor | 8. Blade-less Cutter |
| 4. Descender | 9. Kernmantel Rope (50 mtrs) |
| 5. Polyaide Rope (50 mtrs) | 10. Webbing Sling (2 nos) |

Safewell

MANUFACTURED

@ KOLKATA & KANPUR. INDIA

FOOT PROTECTION



Foot Protection

Safety Shoes

SCORPIO

Stylish & Elegant Industrial Shoes.

SPECIFICATIONS

- **UPPER** - Chrome Grey Swede Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Fiber/Composite Toe Cap.
- **LININGS** - Mesh Laminated with PU Foam InSock. Anti-Static InSole.
- **FASTENERS** - Nylon Lace with Gun Metal D-Ring Lace Anchor.

DOUBLE
DENSITY
OPTION

5
12



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011



SINGLE
DENSITY
OPTION

5
12

ASTRA-DD

Premium & Classic Safety Shoes.

SPECIFICATIONS

- **UPPER** - Barton Printed Grain Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Double Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole
- **FASTENERS** - Nylon Lace with D-Ring & Leather Loop Lace Anchor.



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011



STARK

Sporty & Stylish Industrial Shoes.

SPECIFICATIONS

- **UPPER** - Fine Grain Waterproof Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Air Mesh Laminated with PU Foam InSock. Anti-Static InSole
- **FASTENERS** - Nylon Lace with Gun Metal Camel Hook Lace Anchors.

DOUBLE
DENSITY
OPTION

5
12



Foot Protection

Safety Shoes

CONQUER-DD

Stylish & Easy Wear Safety Shoes.



SPECIFICATIONS

- **UPPER** - Tanned Apollo Printed Grain Leather. Thickness 1.8 - 2 mm
- **SOLE** - Moulded Double Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets as Lace Anchors.



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011



CONQUER OXFORD

Stylish & Easy Wear Safety Shoes.

SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Leather. Thickness 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal D-Ring as Lace Anchors.



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011



CONQUER NITRILE

Durable Nitrile Sole Safety Shoes.



SPECIFICATIONS

- **UPPER** - Printed Grain Leather. Thickness 1.8 - 2.0 mm.
- **SOLE** - Nitrile Rubber Sole with upto 300°C Heat Resistance.
- **TOE CAP** - 200 joules EN Certified Steel Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal D-Rings as Lace Anchors.



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011



Foot Protection

Safety Shoes

GRANITE



Classic & Elegant Industrial Shoes.

SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Leather. Thickness 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Inner Elastic Band Supported Slip-On Style.

DOUBLE DENSITY OPTION



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011



DOUBLE DENSITY OPTION



MARBLE



Premium & Classic Safety Shoes.

SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Brown Leather. Thickness 1.8 - 2 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Inner Elastic Band Supported Slip-On Style.



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011



ROCK LADY



Stylish & Easy Wear Safety Shoes.

SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Leather. Thickness 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Slip-On Style with Velcro Supported Leather Strap.

DOUBLE DENSITY OPTION



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011

Foot Protection

Safety Shoes

KANE



Classic Industrial Safety Shoes.

SPECIFICATIONS

- **UPPER** - Printed Grain Leather. Thickness 1.8 - 2.0 mm.
- **SOLE** - Moulded Nitrile Rubber Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with D-Ring & Buckled Leather cover.



IS 15298 : PART 2 : 2016
CM/L 9300051510



SLING



Economical & Classic Safety Shoes.

SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Leather. Thickness 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets as Lace Anchors.

IS 15298 : PART 2 : 2016
CM/L 9300051510

EN ISO 20345:2011



HULK



Premium & Classic Safety Shoes.

SPECIFICATIONS

- **UPPER** - Chrome Barton Printed Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Nitrile Rubber Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole
- **FASTENERS** - Nylon Lace with D-Ring & Leather Cover protector.



IS 15298 : PART 2 : 2016
CM/L 9300051510



Foot Protection

Safety Shoes

ZUHA-DD



Classic & Elegant Industrial Shoes.

SPECIFICATIONS

- **UPPER** - Tanned Alabama Printed Grain Leather. Thickness 1.8 - 2 mm.
- **SOLE** - Moulded Double Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with PU Foam InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal D-Rings Lace Anchors.

SINGLE DENSITY OPTION



IS 15298 : PART 2 : 2016
CM/L 9300051510

EN ISO 20345:2011



SPARTA



Premium & Stylish Industrial Shoes.

SPECIFICATIONS

- **UPPER** - Tanned Nubuck Fine Grain Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh Laminated with PU Foam InSock. Anti-Static InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Camel Hook Lace Anchor.

DOUBLE DENSITY OPTION



IS 15298 : PART 2 : 2016
CM/L 9300051510

EN ISO 20345:2011



LANCE



Classic & Elegant Industrial Shoes.

SPECIFICATIONS

- **UPPER** - Chrome Barton Grain Leather. Thickness of 1.8-2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets as Lace Anchors.

DOUBLE DENSITY OPTION



IS 15298 : PART 2 : 2016
CM/L 9300051510

EN ISO 20345:2011



Foot Protection

Safety Shoes

KURT



Stylish & Rugged Industrial Shoes.

SPECIFICATIONS

- **UPPER** - Printed Grain Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Nitrile Rubber & PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh Laminated with PU Foam InSock. Anti-Static InSole.
- **FASTENERS** - Nylon Lace with Gun Metal D-Ring as Lace Anchor.



IS 15298 : PART 2 : 2016
CM/L 9300051510



ORTON



Classic & Elegant Industrial Shoes.

SPECIFICATIONS

- **UPPER** - Printed Grain Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Nitrile Rubber & PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal D-Ring as Lace Anchors.



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011



ROCK



Economical & Tough Safety Shoes

SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Directly Injected PVC Sole with Shock Absorbers.
- **TOE CAP** - 100 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Mesh with Laminated EVA InSock. Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets Lace Anchors.



PVC



Foot Protection

Safety Shoes

LAVA



Economical PVC Sole Safety Shoes.

SPECIFICATIONS

- **UPPER** - Synthetic Artificial Printed Leather. Thickness 1.8 - 2.0 mm.
- **SOLE** - Directly Injected PVC Should with Shock Absorbers.
- **TOE CAP** - 100 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets as Lace Anchors.



PVC



STONE



Economical Industrial Safety Shoe

SPECIFICATIONS

- **UPPER** - Synthetic Artificially Printed Leather. Thickness 1.8-2 mm
- **SOLE** - Directly Injected PVC Sole with Shock Absorber.
- **TOE CAP** - 100 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets as Lace Anchors.



PVC



GRAVEL



Economical & Stylish Safety Shoes

SPECIFICATIONS

- **UPPER** - Synthetic Artificially Printed Leather. Thickness 1.8-2 mm
- **SOLE** - Directly Injected PVC Sole with Shock Absorber.
- **TOE CAP** - 100 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole
- **FASTENERS** - Nylon Lace with Gun Metal D-Rings Lace Anchors.



PVC

Foot Protection

Safety Shoes


CIRRUS



Stylish & Breathable Industrial Shoes.


SPECIFICATIONS

- **UPPER** - Made with Flyknit Fabric of 1.8 - 2.0 mm thickness.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets as Lace Anchors.



IS 15298 : PART 2 : 2016
CM/L 9300051510

EN ISO 20345:2011



STRATUS



Breathable & Stylish Safety Shoes.

SPECIFICATIONS

- **UPPER** - Made with Flyknit Fabric of 1.8 - 2.0 mm thickness.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Mesh with Laminated EVA InSock. Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal D-Ring Lace Anchors.

IS 15298 : PART 2 : 2016
CM/L 9300051510

EN ISO 20345:2011




NIMBUS



Sporty & Stylish Industrial Shoes.

SPECIFICATIONS

- **UPPER** - Made with Flyknit Fabric of 1.8 - 2.0 mm thickness.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Fiber/Composite Toe Cap.
- **LININGS** - Mesh Laminated with PU Foam InSock. Anti-Static InSole.
- **FASTENERS** - Nylon Lace with Gun Metal D-Ring as Lace Anchors.



IS 15298 : PART 2 : 2016
CM/L 9300051510

EN ISO 20345:2011



Foot Protection

Safety Shoes

TOXA



Stylish & Premium Industrial Shoes

SPECIFICATIONS

- **UPPER** - Fine Grain Waterproof Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Air Mesh Laminated with PU Foam InSock. Anti-Static InSole.
- **FASTENERS** - Nylon Lace in D-Ring & Leather Loop Lace Anchors.



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011



GLADIUS



Stylish & Sporty Industrial Shoes.

SPECIFICATIONS

- **UPPER** - Tanned Crazy Horse Grain Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel Toe Cap.
- **LININGS** - Air Mesh Laminated with PU Foam InSock. Anti-Static InSole
- **FASTENERS** - Nylon Lace with Gun Metal Camel Hook Lace Anchors.



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011



CORSET



Stylish & Premium Industrial Shoes

SPECIFICATIONS

- **UPPER** - Barton Printed Grain Leather. Thickness of 1.8-2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Air Mesh Laminated with PU Foam InSock. Laminated Canvas InSole.
- **FASTENERS** - Dual Velcrow Straps.



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011

Foot Protection

Safety Shoes & Boot

BALLISTA

Classic & Elegant Industrial Shoes.

SPECIFICATIONS

- **UPPER** - Chrome Barton Brown Leather. Thickness 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal D-Ring as Lace Anchors.

 5/12



IS 15298 : PART 2 : 2016
CM/L 9300051510



EN ISO 20345:2011



ANKLE BOOT

Split Leather Industrial Leg Guard

SPECIFICATIONS

- **UPPER** - Soft Ploy-Vinyl Chloride with Heavy Duty Cotton Lining.
- **SOLE** - Directly Injected PVC Sole with Shock Absorber.
- **TOE CAP** - 100 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Heavy Duty Cotton Fully Lined Inner.
- **LENGTH** - 15 cm or 6 in total height.



GUM BOOT

Classic Industrial Safety Boot

SPECIFICATIONS

- **UPPER** - Soft Ploy-Vinyl Chloride with Heavy Duty Cotton Lining.
- **SOLE** - Directly Injected PVC Sole with Shock Absorber.
- **TOE CAP** - 100 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Heavy Duty Cotton Fully Lined Inner.
- **LENGTH** - Available in 11, 13 & 15 Inches Total Height.

PVC

 5/11



IS 15298 : PART 2 : 2016
CM/L 9300051510



Foot Protection

Safety Leg & Toe Guard

STP-01



Backless Steel Toe Cap

SPECIFICATIONS

- **MATERIAL** - Synthetic Artificially Printed Leather. Thickness 1.8-2 mm.
- **SOLE** - PVC sole with cleated design for grip and anti-slip.
- **TOE CAP** - 100 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Full inside fabric lining for comfort.
- **FASTENERS** - Elastic with synthetic leather patch for easy of use.

PVC



LG-614



Split Leather Industrial Leg Guard

SPECIFICATIONS

- **MATERIAL** - Split leather of 1.0 to 1.2 mm thickness.
- **STITCHING** - Stitched with high endurance yarn for durability. Dual or box stitched in high stress points
- **FASTENER** - Leather strap across the foot bed. Vertical Velcro for the leg fitting.
- **COLOR** - Natural leather color. Can be customised.



ALU 706



Aluminised Heat Resistant Industrial Safety Leg Guard

SPECIFICATIONS

- **MATERIAL** - Aluminised Aramid with woollen lining on the inside.
- **STITCHING** - Stitched with Aramid yarn for durability and strength.
- **FASTENERS** - Aramid straps across the foot bed. Straps with Velcro around the leg.
- **OPTIONAL** - Customer specific design customisable.



AramaX™



Foot Protection

Safety Shoes Covers

SC-01



Disposable Non Woven Fabric Safety Shoe Cover

SPECIFICATIONS

- **MATERIAL** - Made of single layer non-woven fabric.
- **STYLE** - Individual shoes covers with elasticised mouth, stitched construction for durability.
- **COLOR** - Blue, Green or White.
- **PACKING** - Box of 100 pieces packed in a mother carton of 10 boxes.



SUPER TOUCH™



SUPER TOUCH™

SC-02



Disposable Plastic Safety Shoe Cover for Domestic & Industrial use

SPECIFICATIONS

- **MATERIAL** - Made of Poly Propylene (PP) material.
- **STYLE** - Individual shoes covers with elasticised mouth, heat pressed construction.
- **COLOR** - Blue, Green or White.
- **PACKING** - Box of 100 pieces packed in a mother carton of 10 boxes.



SC-03



Re-usable Anti-Static Industrial Safety Shoe Cover

SPECIFICATIONS

- **MATERIAL** - Synthetic 110 GMS fabric woven with chequered or striped Carbon Fiber for Anti-Static properties.
- **STYLE** - Individual shoe covers with elasticised mouth.
- **COLOR** - Blue, White, Pink & Dark Blue.
- **OPTIONAL** - Design customisable.



Foot Protection

Socks & Slippers

SC-04



Re-useable Anti-Static Boot Style Industrial Shoe Cover.

SPECIFICATIONS

- **MATERIAL** - Synthetic 110 GMS fabric woven with chequered or chequered Carbon Fiber for Anti-Static properties.
- **STYLE** - Slip on type, individual shoe covers with elasticised mouth and padded foot bed.
- **COLOR** - Blue, White, & Dark Blue.
- **OPTIONAL** - Design customisable.



AST-1106



Anti-Static Slipper

SPECIFICATIONS

- **UPPER** - Synthetic foam with mesh fabric lining.
- **SOLE** - Flat Anti-Static rubber sole with cleated design for anti-slipping grip.
- **OTHERS** - Over edged corners for extended product life.
- **SIZE** - Available in M, L sizes.



SC-05



100% Fine Cotton Blended Multi Purpose Socks.

SPECIFICATIONS

- **MATERIAL** - 100% Cotton yarn blended with Lycra® for exceptional comfort, fit and durability.
- **STYLE** - Knitted socks with ribbed design and fully elasticised upper.
- **COLOR** - Black, Blue, Brown, White & Grey
- **SIZE** - Universal size, fits men & women due to Lycra® based knitting.



Safewell

MANUFACTURED

@ MADHYAMGRAM. WB. INDIA



HEAD PROTECTION



Head Protection

Safety Helmet

6000 SERIES **M** ☆

Executive Safety Helmets. Tough & Durable. Stylish & Comfortable.

SPECIFICATIONS

- **SHELL** - Made of Virgin HDPE or ABS for Superior Impact Resistance.
- **CRADLE** - 6 Points Height Adjustable Suspension Cradle System.
- **LOCKING** - Ratchet / Pin-Lock Suspension adjustable Between 52-60 cms.
- **WEIGHT** - 350 gms (6000) & 380 gms (6000VR).

CE EN 397:2012
EN A1:2012

IS 2925:1984
BIS LIC NO. CM/L 5100097088



MODEL# 6000



MODEL# 6000VR



SPECIAL FEATURES

- Reduced Peak Design for Improved Upwards Visibility.
- Extended Nape Enables Added Neck Protection.
- Brushed Fabric High Absorbent Sweatband.
- Unique Crown & Rear Ventilation Design for Extra Air Circulation. (For 6000V Model)
- Universal Slots for Fitting Face & Hearing Safety Equipments.
- Compatible with Electrical ARC System.
- Chin Strap Included.

OPTIONAL / REPLACEABLE

- **USER REPLACEABLE** - Inner Cradle, Sweatband, Chin Strap
- **ABS SHELL** - Model Available.
- **OPTIONAL** - High-Viz Tape.

AVAILABLE COLORS



Head Protection


Safety Helmet


7000 SERIES

Premium Executive Safety Helmet with High-Visibility Tape.

SPECIFICATIONS

- **SHELL** - Made of Virgin HDPE for Superior Impact Resistance.
- **CRADLE** - 6 Points Height Adjustable Suspension Cradle System.
- **LOCKING** - Ratchet / Pin-Lock Slider Adjustable Between 52-60 cms.
- **WEIGHT** - 370 gms (7000VR) & 390 gms (7000R).
- **OTHERS** - Optional High-Visibility Tape Integrated in the Design for Added Safety & Visibility

 EN 397:2012
EN A1:2012

 IS 2925:1984
BIS LIC NO. CM/L 5100097088



MODEL# 7000V



MODEL# 7000R



SPECIAL FEATURES

- Reduced Peak Design for Improved Upwards Visibility.
- Extended Nape Enables Added Neck Protection.
- Brushed Fabric with High Absorbent Sweatband.
- Unique Crown & Rear Ventilation Design for Extra Air Circulation. (For 7000VR Model)
- Universal Slots for Fitting Face & Hearing Safety Equipments.
- Compatible with Electrical ARC System.
- Supplied with standard Chin Strap.

OPTIONAL / REPLACEABLE

- **USER REPLACEABLE** - Inner Cradle, Sweatband, Chin Strap
- **ABS SHELL** - Model Available.

AVAILABLE COLORS



Head Protection

Safety Helmet

8000R



Premium Safety Helmets. Stylish & Robust.

SPECIFICATIONS

- **SHELL** - made of Virgin HDPE for Superior Impact Resistance.
- **CRADLE** - 8 Points Height Adjustable Suspension Cradle System.
- **LOCKING** - Ratchet Slider Adjustable Between 52-60 cms.
- **WEIGHT** - 470 gms.
- **SPECIAL** - Added Corrugation on the Crown for Extra Impact Resistance.



EN 397:2012
 EN A1:2012
 IS 2925:1984
 BIS LIC NO. CM/L 5100097088



9000R



Premium Safety Helmets. Robust & Unique Design.

SPECIFICATIONS

- **SHELL** - made of Virgin HDPE for Superior Impact Resistance.
- **CRADLE** - 8 Points Height Adjustable Suspension Cradle System.
- **LOCKING** - Ratchet Slider Adjustable Between 52-60 cms.
- **WEIGHT** - 360 gms
- **SPECIAL** - Added Corrugation on the Crown for Extra Impact Resistance.
- **OTHERS** - Enlarged All Around Peak for Extra Safety.

EN 397:2012
 EN A1:2012
 IS 2925:1984
 BIS LIC NO. CM/L 5100097088

COMMON FEATURES

- Brushed Fabric Sweatband for High Absorption & Comfort.
- Universal Slots for Fitting Face and Hearing Safety Equipments.
- Chin Strap Included as Standard Fitments.

OPTIONAL / REPLACEABLE

- **USER REPLACEABLE** - Inner Cradle, Sweatband, Chin Strap.
- **ABS SHELL** - Model Available.

AVAILABLE COLORS



Head Protection


Safety Helmet

ECOSAFE

Economical Range of Safety Helmet for General Use.

SPECIFICATIONS

- **SHELL** - made of Virgin HDPE for Optimal Impact Resistance.
- **CRADLE** - 6 Points LDPE Height Adjustable Suspension Cradle System.
- **LOCKING** - Pin Lock Slider Adjustable Between 52-60 cms.
- **OTHERS** - Light Weight for Extended Use.
- **FEATURES** - Brushed Fabric Sweatband for High Absorption & Comfort.
- User Replaceable Inner Cradle.
- **WEIGHT** - 290 gms.

 IS 2925:1984
BIS LIC NO. CM/L 5100097088

AVAILABLE COLORS



LOADER

Load Carrying Helmet with Unique Crown Ring.

SPECIFICATIONS

- **SHELL** - made of Virgin HDPE for Impact Resistance.
- **CRADLE** - 6 Points Textile Inner Cradle System.
- **SPECIAL** - Added Ring on the Crown for Easy & Stable Load Carrying.
- **WEIGHT** - 240 gms.
- Included Standard Chin Strap.

AVAILABLE COLORS



Head Protection

Safety Helmet

FR 3001

NEW ITEM

Heat & Electrical Resistant Industrial Safety Helmet.

SPECIFICATIONS

- **SHELL** - made of FRP (Fiber Reinforced Plastic) high radiant heat resistance.
- **PEAK** - FRP (Fiber Reinforced Plastic) < 50mm.
- **BRIM** - FRP (Fiber Reinforced Plastic).
- **CRADLE** - Nylon 6 / Textile / Cotton. 8-Points Adjustable.
- **HEADBAND** - PolyPropylene/HDPE. 52 - 60 cm head circumference.
- **SWEAT BAND** - Brushed Nylon cloth on PU Foam 2 mm.
- **CHIN STRAP** - PP (Polypropylene tape).
- **RATCHET** - Nylon.
- **WEIGHT** - 490 gms.

AVAILABLE COLORS



Tooling Gloves for Every Need.

Product details on page 30

Head Protection

Safety Cap & Hood

SBC 01



Perfect Blend of Style & Safety for Protection Against Head Bumps.

SPECIFICATIONS

- **INNER SHELL** - Made of Virgin HDPE for Optimal Impact Resistance.
- **OUTER COVER** - User Replaceable made of Cotton / Poly-Cotton.
- Light Weight for Extended Use.
- **OPTIONAL** - Customisable Logo Design on the Outer Cover.



AVAILABLE COLORS



ALU 709



Aluminised Fire & Heat Resistant Safety Hood.

SPECIFICATIONS

- **FABRIC** - Outer layer of Aluminised Aramid or Glass Fiber with inner layers of Wool & Cotton.
- **STYLE** - Full head cover upto shoulders with anchor straps for fastening to the body suit.
- **STITCHING** - Double line stitching with high endurance Aramid yarn. Box stitched at high stress points.
- **FEATURES** - Dual layered visor made of inner Polycarbonate and outer Mica for superior heat deflection. User replaceable design.
- **OTHERS** - Anchored Helmet inside for optimum fit and long usage comfort.



Head Protection

Safety Cap & Hood

AST 1104



Safety Head Cap with Anti-Static Properties.

SPECIFICATIONS

- **FABRIC** - Synthetic 110 GMS fabric woven with chequered Carbon Fiber for Anti-Static properties.
- **STYLE** - Short visor for optimal visibility. Ventilated Sides for breathability & comfort.
- **STITCHING** - Stitched with high endurance yarn and elasticized grip band for perfect fit.
- **COLORS** - Blue, Pink, White.



DC 01



Disposable Non-Woven Fabric Surgeons Head Cap.

SPECIFICATIONS

- **FABRIC** - 10 to 12 GSM Non-Woven Disposable Fabric.
- **BINDING** - Fully machine made heat sealed binding.
- **FEATURES** - Wrap around elastic for firm fit. Fold flat design.
- **COLORS** - Blue, Green, White.



DC 02



Disposable Non-Woven Fabric Bouffant Head Cap.

SPECIFICATIONS

- **FABRIC** - 10 - 12 GSM Non-Woven Disposable Fabric.
- **BINDING** - Fully machine made heat sealed binding.
- **FEATURES** - Wrap around elastic for firm fit. Shrunk tubular packing.
- **COLORS** - Green, Blue, White.



Head Protection

Safety Cap & Hood

AST 1107



Anti-Static Industrial Safety Hood.

SPECIFICATIONS

- **FABRIC** - Synthetic 110 GSM fabric woven with chequered Carbon Fiber for Anti-Static properties.
- **STYLE** - Full head, forehead cover & shoulder cover, front open able.
- **STITCHING** - Stitched with high endurance yarn, with Velcro fastener.
- **COLORS** - Blue, Pink, White.



AST 1108



Anti-Static Industrial Safety Hood.

SPECIFICATIONS

- **FABRIC** - Synthetic 110 GSM fabric woven with chequered Carbon Fiber for Anti-Static properties.
- **STYLE** - Head cover & shoulder cover, front open-able.
- **STITCHING** - Stitched with high endurance yarn, with Velcro fastener.
- **COLORS** - Blue, Pink, White.



FR 907



Fire Retardant Industrial Safety Full Face Hood.

SPECIFICATIONS

- **FABRIC** - Fire retardant fabric of 240 GSM.
- **STYLE** - Full face & neck covering with eye opening. Slide over the head style.
- **STITCHING** - Stitched with high endurance yarn.
- **COLORS** - Blue or Orange.



Safewell

MANUFACTURED

AS OEM. INDIA & IMPORTED

RESPIRATORY PROTECTION



Respiratory Protection

Nose Masks

8801



Reusable Triple Layered Nose Mask.

SPECIFICATIONS

- **MATERIAL** - Triple layered, Class FFP1 certified.
- **BINDING** - Die-punched hot pressed.
- **TYPE** - Reusable fold flat design.
- **FEATURES** - Nose clip enables adjustable snug fit.
- **FASTENERS** - Dual around the head elastic band with adjustable loops.
- **COLOR** - Yellow.



8801V



Reusable Valved Nose Mask.

SPECIFICATIONS

- **MATERIAL** - Triple layered, Class FFP1 certified.
- **BINDING** - Die-punched hot pressed.
- **TYPE** - Reusable fold flat design.
- **FEATURES** - Exhalation valve reduces heat build-up. Nose clip enables adjustable snug fit.
- **FASTENERS** - Dual around the head elastic band with adjustable loops.
- **COLOR** - Yellow.



M02



Disposable Single-use. 2 Layer Nose Mask.

SPECIFICATIONS

- **MATERIAL** - Non woven dual layered.
- **BINDING** - Die-punched hot pressed.
- **FEATURES** - Embedded nose clip enables adjustable snug fit.
- **FASTENERS** - Elasticised ear loops.
- **COLOR** - Blue.



SUPER TOUCH™



Respiratory Protection

Nose Masks

M03



Disposable Single-use. 3 Layer Nose Mask.

SPECIFICATIONS

- **MATERIAL** - Non woven triple layered for superior protection against dust particles.
- **BINDING** - Die-punched hot pressed.
- **FEATURES** - Embedded nose clip enables adjustable snug fit.
- **FASTENERS** - Elasticised ear loops.
- **COLOR** - Green.



N95V



Reusable Valved N95 Nose Mask.

SPECIFICATIONS

- **MATERIAL** - Triple layered, N95, Class FFP2 approved.
- **BINDING** - Die-punched hot pressed.
- **TYPE** - Reusable fold flat design.
- **FEATURES** - Exhalation valve reduces heat build-up. Nose clip enables adjustable snug fit.
- **FASTENERS** - Dual around the head elastic band with adjustable loops.
- **COLOR** - White.



N95



Reusable N95 Nose Mask

SPECIFICATIONS

- **MATERIAL** - Triple layered, N95, Class FFP2 approved.
- **BINDING** - Die-punched hot pressed.
- **TYPE** - Reusable fold flat design.
- **FEATURES** - Nose clip enables adjustable snug fit.
- **FASTENERS** - Dual around the head elastic band with adjustable loops.
- **COLOR** - White.



Our Contacts

KOLKATA - Corporate Office

Eco-Station, Suit No 504. BP7, Sector V, Salt Lake, Kolkata 700091. West Bengal. India
Phone • +91 33 2287 8293 / 2367 5588
Email • kolkata@acmesafety.in

BANGALORE - Branch & Warehouse

Plot No: 156/R-26, KSSIDC Industrial Estate,
2nd Stage, Bommasandra, Bangalore 560099. India
Phone • +91 80 2976 1590 / 81234 56364
Email • bangalore@acmesafety.in

GUJARAT - Branch & Warehouse

C-1006, Signature Corporate Park-2, Sarkhej - Sanand
Cross Road, Sarkhej, Ahmedabad 382210. Gujarat. India
Phone • +91 91731 66647
Email • gujarat@acmesafety.in

HYDERABAD - Branch & Warehouse

Plot No. 74, Ground Floor, KR Residency Sancharpuri
Colony, Phase I, New Bowenpally, Hyderabad 500011
Phone • +91 62906 95079
Email • hyderabad@acmesafety.in

CHHATTISGARH - Sales Point

Phone • +91 82407 00103
Email • chhattisgarh@acmesafety.in

MADHYA PRADESH - Sales Point

Phone • +91 82407 00103
Email • madhyapradesh@acmesafety.in

VIZAG - Sales Point

Phone • +91 84200 48036
Email • vizag@acmesafety.in

CHENNAI - Branch & Warehouse

B3. SIDCO Industrial Estate, Villivakkam,
Chennai 600049. Tamil Nadu. India
Phone • +91 44 4356 0956 / 99403 55581
Email • chennai@acmesafety.in

GURGAON - Branch & Warehouse

Plot No.3, Rajeev Colony, NH-8, Delhi-Jaipur Highway,
Gurgaon 122001, Haryana. India
Phone • +91 8700 56989
Email • gurgaon@acmesafety.in

PUNE - Branch & Warehouse

Global Commercial Complex, Kharabwadi, Chakan-
Talegaon Road, Taluka-Khed. Chakan. Pune 410501
Phone • +91 84080 01515
Email • mumbai@acmesafety.in

JHARKHAND - Sales Point

Phone • +91 95340 22444
Email • jharkhand@acmesafety.in

ODISHA - Sales Point

Phone • +91 82407 00103
Email • odisha@acmesafety.in

Customer Care

Phone • +91 84200 47800 (Whatsapp)
Email • enquiry@acmesafety.in



Visit us online at

www.acmesafety.in





Construction & Wood Expo 2023 - Thimphu, Bhutan.



Construction & Wood Expo 2023 - Thimphu, Bhutan.



Annual Seminar 2023 - Chhattisgarh.



Annual Seminar 2023 - Chhattisgarh.



OSH 2023 - Mumbai, Maharashtra.



Sales Meet 2023 - Jim Corbett, Uttarakhand.



Annual Seminar 2022 - Chakan.



Annual Seminar 2022 - Chakan.

Product Index

SYMBOLS

6000 117
6000VR 117
7000R 118
7000V 118
8000R 119
8801 126
8801V 126
9000R 119

A

AFS-96C 88
ALU 702 73
ALU 703 70
ALU 704 21
ALU 706 113
ALU 709 122
ANKLE BOOT 112
AP PV 1301 71
APR 1301 67
APR 1302 67
APR 1303 67
APR 1303P 68
APR 1304 68
APR 1305 69
APR 1306 69
ARC SUIT 8 CAL 80
ARC SUIT 12 CAL 80
ARC SUIT 25 CAL 81
ARC SUIT 40 CAL 81
ASL 1301 60
ASL 1302 60
ASL 1303 60
ASL 1303B 61
ASL 1304 61
ASL 1305 61
ASL 1306 62
ASL 1307 62
ASL 1308 62
ASL 1309 63
ASL 1310 63
ASP 101 86
ASP 102 86
ASP 103 86
ASP 104 87

ASP 105 87
ASP 106 87
AST 301 24
AST 302 25
AST 1101 79
AST 1102 79
AST 1104 123
AST-1106 115
AST 1107 124
AST 1108 124
AST 1110 65
ASTRA-DD 103

B

BALLISTA 112

C

CCG 301 25
CHG 301 24
CHG 302 24
CIRRUS 110
CONQUER-DD 104
CONQUER NITRILE 104
CONQUER OXFORD 104
CORSET 111
CRG 01 23
CT 801 78
CT 802 78
CT 803 77
CT 804 77
CT 805 75

D

DC 01 123
DC 02 123

E

ECOSAFE 120

F

F-5 58
F-NBRS-5 58
FR 902 74
FR 903D 74
FR 905 75
FR 907 124
FR 909/DNM 76

FR 3001 121

G

G 1204 77
GLADIUS 111
GRANITE 105
GRAVEL 109
GT-F-09C 26
GT-R-01 27
GUM BOOT 112

H

HRG 401 19
HRG 402 19
HRG 403 19
HRG 404 20
HRG 405 20
HRG 406 20
HRG 407 21
HRG 409 21
HULK 106

K

KANE 106
KSL 201 63
KSL 201L 64
KURT 108
KY/LT/700 YB 53

L

LANCE 107
LAVA 109
LG 601 30
LG 602 30
LG 603 30
LG 604 31
LG 604/R 31
LG 605 31
LG 606 32
LG 606C 32
LG 606C-TPR 57
LG 607 32
LG 608 33
LG 608/BLK 33
LG 609 34
LG 610 34

LG 611 35
LG 611 DL 35
LG 612 35
LG 613 70
LG-614 113
LG 615 65
LG 615R 65
LG 616 73
LG 617 73
LOADER 120

LT/700-5-BB 51
LT/700 GB-E 37
LT/700 GB-HD 36
LT/700 GB-P-FT 36
LT/700 GR-P 36
LT/700 YO-E-FT 37
LT/713 BB 37
LT/713 BB-F 38
LT/713 RB FT 38
LTS/713 GB 38
LTS/713 GB-HD 38
LTS/714-BLBK/1 39
LTS/714-BLBK/2 39
LTS/714-BLBK/3 39
LTX 501 27
LTX 502 28
LTX 503 28
LTX 504 29

M

M02 126
M03 127
MARBLE 105

N

N95 127
N95V 127
NBR/721 BB 41
NBR/721 BB-F 42
NBR/721/F3 BLBK-FD 45
NBR/721/F3 BLBK-HD 45
NBR/721 WG 41
NBR/721 WG-F 42
NBR/721 WG-FT 43
NBR/721 WG-HD 41



Product Index

NBR/721 WY-FD 42
NBR/722-5-BB 51
NBR/722-5-BB-F 51
NBR/723-5-BB 52
NBR/723-5-BLBK 53
NBR/723-5-GB-F-TPR 55
NBR/720RB/1 40
NBR/720RB/2 40
NBR/720RB/3 40
NBR/721 GB 43
NBR/721 GB-HD 43
NBR/721 RB 43
NBR/722-5-BLBK 52
NBR/723-5-BB 52
NBR/723-5-BB-TPR 56
NBR/723-5-GR-TPR 55
NBR/723-RB-TPR 56
NIMBUS 110
NP-F-07N1 26
NTR 501 29
NTR/701 HHCB 45
NTR/702 HFKB 46
NTR/702-P-TPR 57
NTR/704 LHKY 46
NTR/705 LFKY 46
NTR/706 LHKB 47
NTR/707 LFKB-P 47
NTR/710 HHKB 47
NTR/711 HFCB 48
NTR/711 HFCB-R 48
NTR/711-P-TPR 57
NTR/712 GLT 48

O

ORTON 108

P

PAINTING KIT 100
PFS-96B 88

PFS-96C 88
PGS 501 28
PHG 301 25
PU/700-3-BB 54
PU/700-3-GG 54
PU/700-5-GG 53, 54
PU/700-5-GW-TPR 56
PU/700 BB 49
PU/700 ESD 50
PU/700 ESD-FT 50
PU/700 GG 49
PU/700 WW 49
PU/700 WW-F3 50
PV 801 76
PVC 501 27

R

RESCUE KIT 101
ROCK 108
ROCK LADY 105

S

SBC 01 122
SC-01 114
SC-02 114
SC-03 114
SC-04 115
SC-05 115
SCB 02 72
SCORPIO 103
SEM 100 84
SEM 200 84
SEP 102 83
SEP 102C 83
SEP 103RC 84
SFH-01 90
SFH-02 90
SFH-03 90
SFH-04 90
SFH-05 90
SFH-101 91
SFH-102 91
SFH-103 91
SFH-104 91
SFH-105 92
SFH-106 91
SFH-107 92
SFH-108 93
SFH-109 93
SFL D2150 99
SFL D2150B 99
SFL D2150P 99
SFL D2150W 99
SF-RGFA-B20 97
SF-RGFA-B20E 97
SF-RGFA-B20S 97
SGC 101 12
SGC 102 12
SGCD 101 14
SGCD 102 14
SGK 201 16
SGK 202 16
SGKC 201 17
SGKD 201 16
SGKL 201 18
SGKL 202 18
SGKP 201 17
SGKT 201 17
SGN 101 13
SGP 101 13
SGP101/TS/1 15
SGPC 101 13
SGPCD 101 15
SGPD 101 15
SGPL 101 14
SGT 101 12
SKH-20 95

SKH-21 96
SKH-21A 96
SKH-22A 96
SKH-31 95
SKH-50 95
SLING 106
SPARTA 107
SPL/L/1 22
SPL-L-1-TPR 55
SPL/L/3 23
SPL/L/4 22
SRFA-10 98
SRFA-15 98
SRFA-060W 98
SRJ 02 72
SRL 50D 99
SRL 50D/B 99
SRL 50D/P 99
SRL 50DW 99
SRV 02 72
STARK 103
STONE 109
STP-01 113
STRATUS 110
SWP-01 94
SWP-02 94
SYN/CUT 5 22
SYN/CUT 5/1 23
SYN/ST/CUT-5 64
SYN/STV/CUT-5 64

T

TOXA 111

V

VIN 501 29

Z

ZUHA-DD 107





4543
MADE IN INDIA
EN 388
CE
SIZE : M
PU/700-5-BB
Safewell®

PU/700-5 BB
Details of this
product can be
found on Page 52



 **Safewell**[®]
Protecting you at work...

Visit us at:

www.acmesafety.in
for the entire range of our products.
The one stop solution for all your
industrial safety requirements.



Scan for V-card

ACME SAFETY WEARS LIMITED

Eco-Station, Suit #504, BP7, Sector V,
Salt Lake, Kolkata 700091, WB, India
+91 33 2367 4444 / 5588
Mb • +91 84200 47800
kolkata@acmesafety.in
www.acmesafety.in

SAFEWELL is the registered brand
of Acme Safety Wears Limited.



S a f e w e l l 2 0 2 4