



# Safewell<sup>®</sup>

Protecting you at work...



### Our Brand Philosophy

A safe and secure work environment is what enhances the efficacy of every employee. Knowing that one is well shielded from physical hazards, shields the mind from a sense of insecurity and fear which subsequently enhances one's productivity. Shielding people from the untoward is what we stand for. SAFEWELL as a brand strives to leave a firm footprints of its high quality & innovative product standards on the industrial safety industry.

# Content

## Company Overview

A brief history of the company and the brand

3

## Product Guide

Quality Standards, Material Options & Types

6

## Hand Protection

Wide range of various hand gloves as sub-categorised, helps you find the perfect gloves for the job.

Seamless Knitted Gloves

12

Heat Resistant Gloves

16

Cut Resistant Gloves

22

Cut & Sewn Gloves

24

Rubber Gloves

26

Disposable Gloves

28

Leather Gloves

30

Coated Gloves

35

Impact Resistant Gloves

53

## Arm Protection

Range of various protective arm sleeves suitable for any industrial job.

56

## Body Protection

Range of various industrial work wear suitable for any all kinds of job.

63

## Ear Protection

Ear Plugs & Ear Muffs.

75

## Eye Protection

Goggles, Visors & Face Shields.

78

## Fall Protection

Harness, Fall Arrestors, Lanyards & Kits

82

## Foot Protection

Shoes, Gum Boots, Covers & Guards.

95

## Head Protection

Helmets, Hoods & Caps.

107

## Respiratory Protection

Nose Masks & Covers.

115

## Others Informations

Sales Networks, Contacts & Reach-outs.

118

**TO OUR VALUED CUSTOMERS,**

Safer the work environment, better the efficiency and superior the productivity is what I uphold and my strong belief in this doctrine led to the birth of Acme Safety Wears (Brand Safewell)

Our team has been on a dedicated mission to render a safe and secure work environment since 1995 and I'm proud to state that we've been one of the leading contributors in this direction. With our vision, mission, expertise, and experience, we are a one-stop solution for reliable, innovative, top-of-the line personal protective equipments; thus, preserving the smiles of millions of workers and contributing to their well-being.

We invite you to take a tour into our brand-new catalogue that has a full range of newly updated protective products to perfectly match diverse needs of our valued customer base. Furthermore, our team will be more than glad to share technical expertise and assist you in selecting products aligning to your specific needs.

I also take this opportunity to thank our esteemed clients who have helped us grow, innovate and be inspired to bring world standard safety products within our product manufacturing portfolio. We will always be grateful to you for having the confidence in us.

Best regards. Stay Safe.



S.K.Saraf  
Group President



# About Us

Since its modest inception in 1995, Acme Safety Wears Limited, an ISO 9001: 2005 certified and NSIC registered company, has strived and evolved as one of India's leading PPE company offering high-quality, customized and durable products.

Acme Safety Wears is a group company of Acknit Industries which holds a prestigious reputation as a Public Listed, 100% Export Oriented company in the global market.

Head-quartered in Kolkata with manufacturing units in Kolkata, Chennai & Kanpur, Acme Safety Wears has a capacity and the resources for a monthly production of over a million pairs of gloves and garments. In addition to these, we also manufacture safety goggles, ear-plugs & nose masks in large volumes.

The company has a wide network of sales points across India precisely in 16 states and has major ware-housing hubs in Kolkata, Chennai, Gurgaon and Chakan.

Our team has the best of both worlds - legendary experience as well as innovative ideas and dynamism of young minds. Thus, equipped with a well-established infrastructure, superior manufacturing capabilities, a highly innovative R & D team and extensive experience, we take pride in catering to both industrial and service sectors across India.

With more than 25 years in the industry, the company has set standards in manufacturing the entire gamut of PPE products. You name it, and we assure you get it - all under the roof of "SAFEWELL" - a PPE brand of Acme Safety Wears.

## WHY SAFEWELL?

- Customer-Centric Approach.
- Global standard quality.
- Durable & Cost effective.
- Personalised technical assistance to select the right product for the right job.
- Customization of products to meet specialized needs.
- Pioneer of a range of 100% Made in India, new and innovative PPE.

These services help our clients to use adequate and suitable PPE at workplace which subsequently, reduces the incidence of occupational injuries.



Aditya Saraf (Director): Addressing guests at the company's annual seminar 2021 held at Kolkata



# Our Esteemed Clients

Success of any company lies in the popularity of its brand. However, when it comes to a PPE Safety Company, a client's persistent confidence on the reliability of the products is a testimonial of its success. The growing list of our esteemed client speaks of their trust and confidence in our unflinching and continual commitment in building enduring culture of safety in their work arenas.



*Disclaimer: Logos are used under the fair usage policy and remains the property of the respective owners. Use of logos are not authorised by, sponsored by, or associated with the trademark owner.*



# Quality Standards

The performance of Safewell products are assessed according to the Bureau of Indian Standards & the European Standards directives. They are marked by pictogram as per the certification, sometimes with figures representing their level of performance.



EN388  
MECHANICAL PROTECTION



EN347  
MICRO ORGANISM PROTECTION



EN347  
CHEMICAL PROTECTION



EN407  
HEAT PROTECTION



This Pictogram Indicates That The Product is Approved For Contact With Food



This Pictogram Indicates That The User Has To Consult The Instructions For Use



CATEGORY I SIMPLE DESIGN - FOR MINIMAL RISK ONLY  
CATEGORY II INTERMEDIATE DESIGN - FOR INTERMEDIATE RISK  
CATEGORY III COMPLEX DESIGN - FOR IRREVERSIBLE OR MORTAL RISK



This Pictogram Indicates That The Product Has Been Certified By the BUREAU of INDIAN STANDARDS & Confers To The Safety Standards As Per Their Directive. The Figures Mentioned Besides Represents The Level Of Their Performance.

Quality is an intent and at Acme Safety Wear this intent manifests optimally in the name of our brand-SAFEWELL. At Safewell we not only follow the global safety standard, but we also implement a rigorous self-disciplined and stringent quality assessment in our in-house testing labs equipped with latest equipments. A team of quality-check officers are part of the entire process of manufacturing process right from raw-material check to the final packing of the product, thereby setting exemplary product standards.

To maintain its unbeatable commitment of highest standards of quality, SAFEWELL has further introduced sub-brands that offer a specialised range of cut-resistant, heat-resistant and disposable safety products.



SUB BRAND'S UNDER OUR PARENT BRAND



*"Productivity and efficiency can be achieved only step by step with sustained hard work, relentless attention to details and insistence on the highest standards of quality and performance" ~ J.R.D.Tata*

# Know Your Products

To ensure optimum balance between safety & performance in a given application, each Safewell product is designed with unique characteristics. A wide range of yarns, fabrics, leather, liners, coating rubber, cuff styles, textures & sizes ensure that you get the right product for the job. Here you can quickly acquaint yourself with these characteristics in order to choose the right PPE.

## FIBERS, YARNS & FABRIC MATERIALS

<b>COTTON &amp; POLY-COTTON</b>	Natural fiber or when mixed with some portion of synthetic fiber is high absorbent and comfortable.
<b>NYLON</b>	A synthetic fiber characterised by strength, elasticity, resistance to abrasion and chemicals, low moisture absorbency and quick dry.
<b>POLYESTER</b>	A synthetic fiber that gives low absorbency, resists shrinking and is an effective non-allergenic insulator. When woven well can be almost lint free.
<b>ARAMID</b>	It is strong synthetic fiber with good cut resistance properties and excellent fire and heat resistance.
<b>HPPE</b>	High performance Polyethylene is a light weight fiber with high resistance to cut & abrasion. Flexibility and comfort make it a versatile material.
<b>ELASTANE</b>	A synthetic fiber known for its exceptional elasticity where it is able to revert to its original shape after being stretched.
<b>FIRE RETARDANT</b>	A highly specialized fabric woven of either flame resistant fiber or a cotton fabric coated with chemicals to achieve the fire retardant properties.
<b>GLASS FIBER</b>	Known for its high resistance to heat & fire. This fiber is used in woven fabric or yarn form as liner to enhance the resistance of a product.
<b>NATURAL LEATHER</b>	The natural characteristic make it highly cut, heat & weather resistant. Marginal variation in its texture & thickness is accepted as industry standard.
<b>ALUMINISED FABRIC</b>	A layer of Aluminium alloy on the base fabric of Glass fiber or Aramid. It enhances the heat resistance by deflecting heat when well compounded.
<b>HI-VISIBILITY</b>	A fiber treated with highly reflective compound is used in form of yarn or woven fabric. Its reflective properties make it noticeable from afar.

## GLOVES EXTERIORS FINISHES & TEXTURES



KNITTED FINISH

TERRY FINISH

PVC DOTTED GRIP

WRINKLE FINISH

LIGHTLY COATED

FOAM FINISH

SANDY FINISH

DIAMOND GRIP



# Know Your Products

## COATING / DIPPING MATERIALS

<b>NATURAL RUBBER</b>	Excellent flexibility, resistant to wear & tear, to numerous acids. Avoid contact with, oils, greases. Latex protein may cause allergies.
<b>NITRILE</b>	Very good resistance to abrasion, cut & puncture. Avoid contact with solvents containing oxidising acids and nitrogen organic compounds.
<b>PVC</b>	Good resistance to acids and bases. Avoid contact with solvents containing ketones and aromatic solvents.
<b>POLYURETHANE</b>	Good resistance to abrasion, highly flexible and elastic. Good grip in dry conditions. Low chemical resistance.

## COATING STYLES



FULLY COATED



HALF COATED



PALM COATED



DOUBLE COATED



FINGER TIP COATED

## TYPES OF ARM / HAND PROTECTION

<b>KNITTED</b>	Gloves fitting ensures good dexterity and improved productivity. Seamless construction avoids hand irritations due to seams.
<b>CUT &amp; SEWN</b>	Available with several types of designs, mainly fabric cut & sewn. Sewing process allows manufacturing of thin gloves, enabling flexibility.
<b>COATED/LINED/UNSUPPORTED</b>	Made by dipping a knitted or woven cloth liner into the compound. The base or liner supports the compound & adds strength, durability & comfort.
<b>UNLINED/UNSUPPORTED</b>	A hand form dipped directly in the compound with no supporting knitted or woven liner. Some instances flocked with cotton pile in the inner layer
<b>AMBIDEXTROUS</b>	A glove that can be worn on either hand without any difference in fit and comfort.
<b>SIDE SPECIFIC</b>	A pair of gloves custom designed to fit specific side of the hand left and right comfortably.

## SPECIALISED RANGE OF GLOVES

**Arama**™

HEAT RESISTANT PRODUCTS

**DURAMA**™

CUT RESISTANT PRODUCTS

**SUPER TOUCH**™

DISPOSABLE PRODUCTS

# Chemical Resistant Chart

ACIDS	NR	CR	NBR	PVC
ACRYLIC ACID	N	F	F	N
AMMONIUM NITRATE	E	E	E	E
CARBON DISULFIDE	N	N	F	N
CITRIC ACID	E	E	E	E
CONCENTRATED SULPURIC ACID	F	G	G	G
HYDROCHLORIC ACID 30%	E	E	E	E
LACTIC ACID 85%	G	E	E	E
NITRIC ACID 20%	E	E	G	E
OCTANE	F	G	E	F
PHOSPHORIC ACID 75%	E	E	E	E
POTASSIUM CHLORIDE	E	E	E	E
SHAMPOO	E	E	E	E

OIL/GREASES	NR	CR	NBR	PVC
ANILINE	N	E	N	F
CASTOR OIL	N	E	E	F
CUTTING OIL	N	E	E	E
ETHYLANILINE	F	E	E	F
GLYCERINE	E	E	E	E
LARD OIL	N	E	E	F
LINSEED OIL	N	E	E	F
LUBRICATING OIL	N	F	E	F
MINERALS FATS	N	F	E	F
OIL FOR TURBINES	N	F	E	F
OLIVE OIL	F	E	E	F
PARAFIN OIL	N	F	E	F
PEANUT OIL	N	E	E	F
SOYA BEAN OIL	N	E	E	F

SOLVENTS	NR	CR	NBR	PVC
ACETONE	F	F	N	N
AMMONIUM ACETATE	E	E	E	E
BENZENE	N	N	F	N
BENZOIC ALDEHYDE	N	F	F	N
BUTYL ACETATE	N	G	G	N
CARBON TETRACHLORIDE	N	F	G	F
CHLOROFORM	N	N	F	N
CRESOL	G	E	E	G
HEPTANE	F	G	E	F
HEXANE	N	F	E	F
ISOPROPANOL	G	G	E	G
KEROSENE	N	G	E	G
METHYLANILINE	F	F	E	E
METHYLENE CHLORIDE	N	F	F	N
NAPHTHA	N	G	E	G
TOLUENE	N	F	G	F
TRICHLOROETHYLENE	N	F	F	N
VINYL ACETATE	N	F	F	N

HYDROCARBONS	NR	CR	NBR	PVC
ACETALDEHYDE	G	G	N	N
DIESEL OIL	N	G	E	F
FUELS	N	F	E	G
GAS OIL	N	G	E	G
HYDRAULIC FLUID (PETROL)	N	F	E	F
HYDRAULIC FLUID (ESTERS)	E	E	E	F
NAPHTHALENE	N	F	G	N
PETROL	N	G	E	F
STYRENE	N	F	F	N

ALCOHOLS	NR	CR	NBR	PVC
2-ETHOXYETHANOL	G	E	E	G
2-METHOXYETHANOL	G	E	E	G
BENZOIC ALCOHOL	F	G	F	G
CYCLOHEXANOL	E	E	E	E
DIACETONE ALCOHOL	E	E	G	N
ETHANOL	F	E	E	E
ETHYLENE GLYCOL	E	E	E	E
GLYCOL	E	E	E	E
METHANOL	F	G	G	G

BASES	NR	CR	NBR	PVC
AMMONIUM CARBONATE	E	E	E	E
AMMONIUM CHLORIDE	E	E	E	E
BLEACH	G	E	E	G
CALCIUM CHLORIDE	E	E	E	E
CALCIUM HYDROXIDE	E	E	E	E
CALCIUM HYPOCHLORIDE	E	E	E	E
CALCIUM NITRATE	E	E	E	E
CALCIUM PHOSPHATE	E	E	E	E
CONCENTRATED AMMONIA	E	E	G	E
HOUSEHOLD DETERGENT	E	E	G	E
HYDROGEN PEROXIDE	F	E	E	E
METHYLAMINE	G	E	E	E
POTASSIUM BICARBONATE	E	E	E	E
POTASSIUM CARBONATE	E	E	E	E
POTASSIUM CYANIDE	E	E	E	E
POTASSIUM HYDROXIDE	E	E	E	E
POTASSIUM NITRATE	E	E	E	E
POTASSIUM PHOSPHANE	E	E	E	E
POTASSIUM SULFATE	E	E	E	E
SODIUM BICARBONATE	E	E	E	E
SODIUM CARBONATE	E	E	E	E
SODIUM CHLORIDE	E	E	E	E
SODIUM HYDROCHLORIDE	E	E	E	E
SODIUM NITRATE	E	E	E	E
SODIUM PHOSPHATE	E	E	E	E
SODIUM SULPHATE	E	E	E	E

Excellent	E
Good	G
Fair	F
Not Recommended	N







Natural Rubber	NR
Chlorophene Rubber	CR
Nitrile Rubber	NBR
Vinyl	PVC

**Remarks:** The Above data serves as a guide only. This does not consider every working condition, chemical combinations, temperature, length of time in use and thickness of the gloves, for the specific job. The suitability of any glove for a specific job depends in the actual condition. On-the-job testing of the gloves is recommended.



# Know Your Products






















## PRODUCT STATUS

 Popular Product	 New Product	 Classic Product
 Heavy Duty Cycle	 Medium Duty Cycle	 Light Duty Cycle

## PRODUCT OPTIONS & FEATURES

 Low Cut Option Available	 Double Density Sole	 Available Shoe Sizes
 High Cut Option Available	 Single Density Sole	 Available Glove Sizes
 Cut Resistance Level 5	 Cut Resistance Level 3	 Customisation Option

## RECOMMENDED INDUSTRY USAGE ICONS

 Agriculture & Viticulture	 Automotive & Services	 Building & Construction
 Chemical Processing	 Engineering & Robotics	 Electronic Assembly
 Fire & Rescue Services	 Food Processing	 Garment Manufacturing
 Glass & Ceramics	 General Manufacturing	 Janitorial & Public Service
 Logistics & Warehousing	 Maintenance Services	 Metal Fabrication
 Mining & Excavation	 Oil Processing & Refining	 Pharmaceutical & Medical
 Printing & Packaging	 Recycling & Sorting	 Ship Building

## ANATOMY OF A SAFETY SHOE

1. Toe Cap	7. Fastener/Lace
2. Toe Cap Liner	8. Tongue
3. Vamp Lining	9. Upper Material
4. Inner Lining	10. Collar
5. In Sole	11. In Sock
6. Out Sole	




# Choose the Right Size

## GARMENT SIZING GUIDE

	S	M	L	XL
NECK	37	39	42	44
CHEST	91-98	99-106	107-113	114-121
SLEEVE	84	86.5	89	91.5
WAIST	73-80	81-88	89-96	97-103
HIP	86-93	94-101	102-108	109-116
INSEAM	77.5	79	81	82.5

All in centimetres



### How to measure:

- Neck:** Around the fullest part of the neck, at the base.
- Chest:** Around the chest, just under the arms and across the shoulder blade.
- Sleeve:** From the Neck center to shoulder and down the arm to the wrist
- Waist:** Around the narrowest part of the waist.
- Hip:** Around the widest point of the hips.
- Inseam:** From the crotch to the ankle bone on the inside of the leg.

## FOOTWEAR SIZING GUIDE


If you are unsure which shoe size to purchase, please follow the following steps:

Draw a straight line, longer than your foot on a piece of paper.

- Place the paper on a flat surface. Stand on the line with your heel the longest toe centred in the line.
- Place a mark on the line at the tip of the longest toe and at the back of the heel.
- Repeat steps 1 to 3 for the other foot. Then measure the distance between the marks.
- Take the larger of the two measurements. Use the conversion chart to find your correct shoe size.

SIZE	FOOTLENGTH	SIZE	FOOTLENGTH
6	24.6 - 9.70	9	27.2 - 10.65
7	25.4 - 10.00	10	27.9 - 11.00
8	26.2 - 10.30	11	28.8 - 11.35

Foot Length in cms-inches



## GLOVE SIZING GUIDE

Ordering the right size is the best way to ensure that gloves are comfortable. One way to determine the size needed is to use a dressmaker's cloth tape to measure around the hand. Measure above the thumb and below the fingers. The circumference of the hand is numerically equal to the user's average glove size.

Measuring the hands in this way will not account for all possible variations in hand size. Some users, for example, may have long fingers, while others will have short fingers. Users may find gloves that are one-half or even a full size larger or smaller than the measured hand size fit more comfortably.

XL	L	M	S	XS
11	10	9	8	7
279	254	229	203	178
215	204	192	182	171

in mm



# Safewell®

## MANUFACTURED

@ KOLKATA & FALTA. WB. INDIA



# HAND PROTECTION



# Hand Protection

## Seamless Knitted Gloves

### SGC 101



Basic Seamless Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - Poly-Cotton yarn of various counts depending on the density.
- **KNITTING** - Knitted on a 7 gauge knitting machine. Over-locked & elasticised cuff.
- **DENSITY** - Available in various thickness from 30 to 110 grams a pair.
- **COLOR** - Natural Cotton, Grey, Navy Blue.
- **LENGTH** - 23 cms. Can be customised.



### SGC 102



Flexible Seamless Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - Poly-Cotton yarn of various counts depending on the density.
- **KNITTING** - Knitted on a 10 gauge knitting machine & over-locked & elasticised cuff.
- **DENSITY** - Available in various thickness from 30 to 60 grams a pair.
- **COLOR** - Natural Cotton, Grey, Navy Blue.
- **LENGTH** - 23 cms. Can be customised.



### SGT 101



Special Terry Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - Poly-Cotton yarn of various counts depending on the density.
- **KNITTING** - Knitted on a 7 gauge SPG (Terry) knitting machine, giving it a distinct loop finish. Over-locked & elasticised cuff.
- **DENSITY** - 90 to 120 grams a pair.
- **COLOR** - Natural Cotton, Grey, Blue.
- **LENGTH** - 23 cms. Can be customised.
- **HEAT RESISTANCE** - From 50° to 100°C



# Hand Protection

## Seamless Knitted Gloves


### SGN 101



Premium Lint Free Seamless Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - 100% Nylon yarn of various counts depending on the density.
- **KNITTING** - Knitted on a 10 or 13 gauge knitting machine. With over locked & elasticised cuff.
- **DENSITY** - 30 grams a pair.
- **COLOR** - White.
- **LENGTH** - 23 cms. Can be customised.



### SGP 101



Basic Lint Free Seamless Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - 100% Polyester yarn of various counts depending on the density.
- **KNITTING** - Knitted on a 10 or 13 gauge knitting machine, with over locked & elasticised cuff.
- **DENSITY** - 30 grams a pair.
- **COLOR** - White or Navy Blue.
- **LENGTH** - 23 cms. Can be customised



### SGPC 101



Flexible & Economical Synthetic Seamless Knitted Hand Gloves

#### SPECIFICATIONS

- **YARN** - Outer surface 100% Polyester/ Nylon with inner surface of Cotton.
- **KNITTING** - Knitted on a 10 gauge machine, with over-locked & elasticised cuff.
- **DENSITY** - 40 to 60 grams.
- **COLOR** - Navy Blue or White.
- **LENGTH** - 23 cms. Can be customised.



# Hand Protection

## Seamless Knitted Gloves

### SGPL 101



Super Light & Flexible General Purpose Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - 100% Polyester Seamless Knitted light and skin fit gloves.
- **KNITTING** - Knitted on a 13 or 15 gauge knitting machine, with over-locked cuff.
- **DENSITY** - 15 grams a pair.
- **COLOR** - Grey, Black, White.
- **LENGTH** - 23 cms. Can be customised



### SGCD 101



Knitted Gloves With Palm Side PVC Dotting Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - Liner made of Poly Cotton yarn.
- **KNITTING** - Knitted on a 7 or 10 gauge machine with over-locked, elasticised cuff.
- **FEATURES** - PVC-Dotting on the palm side for grip and protection.
- **DENSITY** - 45 to 125 grams a pair.
- **COLOR** - White, Grey or Blue Liner with Blue or Black PVC Dots.
- **LENGTH** - 23 cms. Can be customised



### SGCD 102



Knitted Gloves With Both Side PVC Dotting Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - Liner made of Poly Cotton yarn.
- **KNITTING** - Knitted on a 7 or 10 gauge machine with over-locked, elasticised cuff.
- **FEATURES** - PVC-Dotting on both Palm & Back side for grip and protection.
- **DENSITY** - 60 to 120 grams a pair.
- **COLOR** - White, Grey or Blue Liner with Blue or Black PVC Dots.
- **LENGTH** - 23 cms. Can be customised



# Hand Protection

## Seamless Knitted Gloves

### SGPCD 101



Heavy Duty & Durable Single Sided PVC Dotted Industrials Safety Gloves

#### SPECIFICATIONS

- **YARN** - Liner Outer Surface 100% Polyester/ Nylon with inner surface of Cotton yarn.
- **KNITTING** - Knitted on a 10 gauge machine with over-locked & elasticised cuff.
- **FEATURES** - PVC-Dotting on the Palm side for grip and protection.
- **DENSITY** - 50 to 100 grams a pair.
- **COLOR** - White or Blue Liner with Blue or, Black PVC Dots.
- **LENGTH** - 23 cms. Can be customised.



### SGPD 101



High Visibility Single Sided PVC Dotted Industrials Safety Gloves

#### SPECIFICATIONS

- **YARN** - Liner 100% Polyester Hi-Viz yarn.
- **KNITTING** - Knitted on a 10 gauge machine with over-locked & elasticised cuff.
- **FEATURES** - PVC-Dotting on the Palm side for grip & Hi-Viz Liner for greater visibility.
- **DENSITY** - 50 to 80 grams a pair.
- **COLOR** - Orange liner with Black PVC Dots
- **LENGTH** - 23 cms. Can be customised



### SGP101/TS/1



Synthetic Gloves With Touch Enabled Index & Thumb Finger Tips

#### SPECIFICATIONS

- **YARN** - Liner 100% Polyester yarn.
- **KNITTING** - Knitted on a 13 or 15 gauge machine with over-locked, elasticised cuff.
- **FEATURES** - Carbonised Index & Thumb Tips enabled to work with touch screens.
- **COLOR** - White.
- **LENGTH** - 23 cms. Can be customised



# Hand Protection

## Heat Resistant Gloves



### SGK 201



Durable, Heat & Cut Resistant Aramid Seamless Knitted Industrial Gloves

#### SPECIFICATIONS

- **YARN** - 100% Aramid Yarn.
- **KNITTING** - Knitted on a 7 gauge machine with over-locked & elasticised cuff.
- **DENSITY** - Available in various thickness from 50 to 100 grams a pair.
- **LENGTH** - 23 cms. Can be customised.
- **HEAT RESISTANCE** - 100°C - 200°C



### SGK 202



Flexible, Durable, Heat & Cut Resistant Aramid Seamless Knitted Industrial Gloves

#### SPECIFICATIONS

- **YARN** - 100% Aramid Yarn.
- **KNITTING** - Knitted on a 10 gauge machine with over-locked & elasticised cuff.
- **DENSITY** - Available in various thickness from 40 to 60 grams/pair.
- **LENGTH** - 23 cms. Can be customised as per requirements.
- **HEAT RESISTANCE** - 100°C - 200°C




### SGKD 201



PVC-Dotted Aramid Knitted Industrial Gloves

#### SPECIFICATIONS

- **YARN** - 100% Aramid Yarn.
- **KNITTING** - Knitted on a 7 gauge machine with over-locked & elasticised cuff.
- **DENSITY** - Available in liner thickness from 60 to 120 grams/pair.
- **FEATURES** - Single or both sides PVC-Dotting for good grip & durability.
- **LENGTH** - 13 cms. Can be customised.
- **HEAT RESISTANCE** - 100°C - 200°C



# Hand Protection

## Heat Resistant Gloves

### SGKT 201



Special Terry Knitted Dual Layered Aramid Heat Resistant Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - 100% Aramid yarn.
- **KNITTING** - Knitted on a 7 gauge SPG (Terry) knitting machine, giving it a distinct loop finish. Over-locked elasticised cuff.
- **FEATURES** - Inner layer of Cotton Liner glove for extra heat resistance & comfort.
- **LENGTH** - 23 cms. Can be customised.
- **HEAT RESISTANCE** - 250°C - 400°C



Arama X™



### SGKC 201



Premium, Dual Layered Heat Resistant Aramid Seamless Knitted Industrial Gloves

#### SPECIFICATIONS

- **YARN** - Outer Shell 100% Aramid Yarn.
- **KNITTING** - Knitted on a 7 Gauge machine with over-locked & elasticised cuff.
- **FEATURES** - Inner layer of Cotton Liner glove for extra heat resistance & comfort.
- **DENSITY** - 140 to 250 grams a pair.
- **LENGTH** - 23 cms. Can be customised.
- **HEAT RESISTANCE** - 100°C - 250°C



Arama X™



### SGKP 201



Premium Pannox® & Aramid Blended Knitted Heat Resistant Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - 100% Pannox® with Aramid blended yarn.
- **KNITTING** - Knitted on a 7 gauge machine with over-locked & elasticised cuff.
- **LENGTH** - 23 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 300°C - 500°C



Arama X™



# Hand Protection

## Heat Resistant Gloves

### SGKL 201



Leather Reinforced Aramid Seamless Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - 100% Aramid Yarn.
- **KNITTING** - Knitted on a 7 gauge machine with over-locked & elasticised cuff.
- **FEATURES** - Split Leather Patch on full palm and grip point.
- **LENGTH** - 23 cms. Can be customised as per requirements.
- **HEAT RESISTANCE** - 100°C - 200°C



### SGKL 202



Leather Reinforced Aramid Seamless Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - 100% Aramid Yarn.
- **KNITTING** - Knitted on a 7 gauge machine with over-locked & elasticised cuff.
- **FEATURES** - Split Leather Patch at grip point stitched with Aramid yarn..
- **LENGTH** - 23 cms. Can be customised as per requirements.
- **HEAT RESISTANCE** - 100°C -200°C



Heat Resistant Gloves with Split Leather Patch - SGKL 206



# Hand Protection

## Heat Resistant Gloves

### HRG 401



Aramid & Chrome Leather Combination Heat Resistant Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - Palm & back made of 100% Aramid fabric
- **FEATURES** - Chrome leather cuff supported with inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 250°C - 400°C



### HRG 402



Aramid & Chrome Leather Combination Heat Resistant Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - Palm made of 100% Aramid.
- **FEATURES** - Chrome leather back & cuff supported with inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 250°C - 400°C



### HRG 403



Aramid With Heat Resistant Leather Combination Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - Palm & back made of 100% Aramid fabric
- **FEATURES** - Specially treated heat resistant Leather cuff supported with inside full woollen lining.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 250°C - 400°C



# Hand Protection

## Heat Resistant Gloves

### HRG 404



Aramid With Heat Resistant Leather Combination Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - Palm made of 100% Aramid.
- **FEATURES** - Specially treated heat resistant Leather Cuff & back supported with inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 250°C - 400°C



Arama X™



### HRG 405



Full Aramid Heat Resistant Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - Fully made of 480/650 GSM Aramid.
- **FEATURES** - Inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 300°C - 500°C



Arama X™



### HRG 406



Full PBI® Heat Resistant Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - Fully made of PBI®, Aramid & Glass-core fabric.
- **FEATURES** - Inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 500°C - 900°C



Arama X™



# Hand Protection

## Heat Resistant Gloves

### HRG 407

**M** NEW ITEM

Heat Resistant Leather with Alumined Aramid Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - Alumined Aramid fabric on full back of the glove.
- **FEATURES** - Full palm & front cuff of treated heat resistant leather. Inside full woollen lining. Stitched with Aramid thread
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 200°C - 400°C



**Arama**™



### HRG 409

**H** ☆

Full Heat Resistant Leather Industrial Safety Gloves

#### SPECIFICATIONS

- **MATERIAL** - Full glove made of specially treated heat resistant leather.
- **FEATURES** - Inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 200°C - 250°C



**Arama**™



### ALU 704

**H** 👑

Full Alumined Aramid or Glass Fiber Heat Resistant Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - Full glove made of Alumined Aramid or Glass Fiber fabric.
- **FEATURES** - Inside full woollen lining. Stitched with Aramid thread.
- **LENGTH** - 35 cms. Can be customised as per the requirement.
- **HEAT RESISTANCE** - 200°C - 400°C



**Arama**™

# Hand Protection

## Cut Resistant Gloves


### SPL/L/1



Knitted Cut Resistant Yarn With Leather Palm Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - A blend of HPPE, Polyester, Glass-Fiber & Steel yarn.
- **KNITTING** - Knitted on 10 gauge Machine.
- **FEATURES** - Split leather palm & grip point reinforcement. Stitched with Aramid thread.
- **COLOR** - Blended Black/Grey with natural leather color palm.
- **LENGTH** - 25 cms. Can be customised.




### SPL/L/4



Knitted Cut Resistant Yarn With Leather Palm & Canvas Cuff Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - A blend of HPPE, Polyester, Glass-Fiber & Steel yarn.
- **KNITTING** - Knitted on 10 gauge machine.
- **FEATURES** - Split leather full palm & grip point reinforcement. Extended Canvas cuff. Stitched with Aramid thread.
- **COLOR** - Blended Black/Grey with natural leather color palm.
- **LENGTH** - 35 cms. Can be customised.



### SYN/CUT 5



Seamless Knitted Cut Resistant Yarn Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - A blend of HPPE, Polyester, Glass-Fiber & Steel yarn.
- **KNITTING** - Knitted on 10 gauge machine, with over-locked & elasticised cuff.
- **COLOR** - Blended Black/Grey.
- **LENGTH** - 23 cms. Can be customised.



# Hand Protection

## Cut Resistant Gloves

### SYN/CUT 5/1 M NEW ITEM

Seamless Knitted Cut Resistant Yarn Industrial Safety Gloves

#### SPECIFICATIONS

- **YARN** - A blend of HPPE, Polyester, Glass-Fiber & Steel yarn.
- **KNITTING** - Knitted on 13 gauge machine, with over-locked & elasticised cuff.
- **FEATURES** - Cut finger tips of index finger & thumb for precise handling.
- **COLOR** - Blended White/Black.
- **LENGTH** - 25 cms. Can be customised.



### CRG 01 H CROWN

Cut Resistant Safety Gloves Made of Seamless Stainless Steel Rings

#### SPECIFICATIONS

- **MATERIAL** - Stainless Steel rings knitted in a seamless form with welded corners.
- **FEATURES** - Ambidextrous Design. User adjustable, buttoned cuff.
- **LENGTH** - 25 cms.
- **COLOR** - Stainless Steel Silver.
- **SIZE** - Small, Medium, Large, & Extra-Large.



Cut Resistant Gloves with Chrome Leather Patch - SPL/L/3



# Hand Protection

## Cut & Sewn Gloves

### CHG 301



Basic Stitched Cotton Hosiery Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - 100% cotton knitted hosiery. Choice of various thickness, in single or double layered.
- **DESIGN** - Ambidextrous design, with or without Folio in the finger seems.
- **COLOR** - Bleached white or natural cotton white color.
- **LENGTH** - 23 cms. Can be customised.



### CHG 302



Basic Stitched Cotton Fabric Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - 100% cotton knitted fabric. Choice of various thickness.
- **DESIGN** - Ambidextrous design, with or without Folio in the finger seems.
- **FEATURE** - Attached knitted cuff.
- **COLOR** - Bleached white or natural cotton white color.
- **LENGTH** - 23 cms. Can be customised.



### AST 301



Anti-Static Lint Free Stitched Synthetic Fabric Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - Synthetic knitted fabric with stripes of carbon for Anti-Static feature.
- **DESIGN** - Ambidextrous design, with or without Folio in the finger seems.
- **FEATURES** - 99.9% lint free design with folded cuff.
- **COLOR** - White with grey stripes.
- **LENGTH** - 23 cms. Can be customised.

MAGNIFIED VIEW



# Hand Protection

## Cut & Sewn Gloves

### AST 302



PVC Micro Dotted Anti-Static Stitched Synthetic Fabric Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - Synthetic knitted fabric with stripes of carbon for Anti-Static feature.
- **DESIGN** - With or without Folio in the finger seams.
- **FEATURES** - Micro PVC-Dotting on the palm for precise handling.
- **COLOR** - White with grey stripes.
- **LENGTH** - 23 cms. Can be customised.




### PHG 301



Lint Free Stitched Polyester Fabric Industrial Safety Gloves

#### SPECIFICATIONS

- **FABRIC** - 100% Polyester knitted fabric of 90 - 100 GSM thickness.
- **DESIGN** - Ambidextrous design, with or without Folio in the finger seams.
- **FEATURES** - 99.9% lint free design with double folded cuff.
- **COLOR** - Bleached white or Navy Blue.
- **LENGTH** - 23 cms. Can be customised.



# Hand Protection

## Rubber Gloves



### GT-F-09C



Unsupported Flocklined Industrial Safety Nitrile Gloves

#### SPECIFICATIONS

- **MATERIAL** - Made of Nitrile rubber.
- **FEATURES** - Flocklined, moisture-absorbent, for enhanced comfort. Diamond shaped palm & finger texture for extra grip.
- **LENGTH** - 330 mm.
- **THICKNESS** - 0.38 mm or 15 MIL.
- **COLOR** - Dark Green.
- **SIZE** - 7, 8, 9, 10 & 11.



### NP-F-07N1



Unsupported Flocklined Industrial Safety Neoprene Gloves


#### SPECIFICATIONS

- **MATERIAL** - Made of Chloroprene (Neoprene) rubber.
- **FEATURES** - Flocklined, moisture-absorbent, for enhanced comfort. Pebble textured palm & finger for non-slip grip.
- **LENGTH** - 330 mm.
- **THICKNESS** - 0.75 mm.
- **COLOR** - Dark Blue.
- **SIZE** - 7, 8, 9, 10 & 11.



Sumirubber Malaysia Sdn. Bhd. is a subsidiary of Sumitomo Rubber Industries, Japan which is well-known for its technological advances in the rubber field since 1909.

Acme Safety Wears is associated with the company for over 15 years and has been the authorised distributor for their Summitech Professional Brand of industrial rubber gloves in India.



# Hand Protection

## Rubber Gloves


### GT-R-01



Flocklined Industrial Safety Nitrile Gloves

#### SPECIFICATIONS

- **MATERIAL** - Made of Nitrile rubber.
- **FEATURES** - Fully Flocklined from inside for comfort. Diamond shaped palm & finger texture for extra grip.
- **LENGTH** - 330 mm to 440 mm.
- **THICKNESS** - 15/18 MIL.
- **COLOR** - Dark Green.
- **SIZE** - 8, 9, 10 & 11.




### PVC 501



Supported & Fully Dipped PVC Rubber Industrial Gloves

#### SPECIFICATIONS

- **MATERIAL** - Made of PVC rubber supported by a cotton liner gloves.
- **FEATURES** - Dual coated textured palm & back for superior grip and non slip handling.
- **LENGTH** - 12 & 14 inches.
- **COLOR** - Blue.
- **SIZE** - 9 & 10.



### LTX 501



Flocklined Latex Rubber Safety Hand Gloves

#### SPECIFICATIONS

- **MATERIAL** - Made of synthetic rubber in an unsupported dipped style.
- **FEATURES** - Textured palm & fingers for grip and non-slip handling.
- **WEIGHT** - 40 to 120 grams a pair.
- **LENGTH** - 300 - 330 mm.
- **COLOR** - Blue, Orange, Yellow.
- **SIZE** - S, M, L & XL.



# Hand Protection

## Disposable Gloves

### LTX 502



Disposable Powder-free Latex Rubber Hand Gloves

#### SPECIFICATIONS

- **MATERIAL** - Natural Latex rubber disposable single-use gloves. Lightly powdered or powder-free available.
- **FEATURES** - Beaded cuff. With or without textured palm.
- **THICKNESS** - 5 Mil.
- **COLOR** - Natural Latex color.
- **SIZE** - S, M, L & XL



**SUPER TOUCH™**



### LTX 503



Disposable Medical Surgical Latex Rubber Hand Gloves

#### SPECIFICATIONS

- **MATERIAL** - Natural Latex rubber surgical single-use gloves. Lightly powdered or powder-free available.
- **FEATURES** - Beaded cuff.
- **OPTIONAL** - Sterilised or Non-Sterilised.
- **THICKNESS** - 5 Mil.
- **COLOR** - Natural Latex color.
- **SIZE** - S, M, L & XL.

**SUPER TOUCH™**



### PGS 501



Single-use Disposable Polypropylene (PP) Hand Gloves

#### SPECIFICATIONS

- **MATERIAL** - Made of Polypropylene (PP).
- **BINDING** - Manufactured by Die-Punched process with heat sealed edges.
- **FEATURES** - Ambidextrous design. Option of with or without textured surface.
- **COLOR** - Translucent.
- **OPTIONAL** - Also available in Ethylene-vinyl acetate (EVA) material. (Ref: EVA 501)



**SUPER TOUCH™**



# Hand Protection

## Disposable Gloves

### NTR 501



Disposable Powder-free Nitrile Rubber Hand Gloves

#### SPECIFICATIONS

- **MATERIAL** - Nitrile rubber disposable single-use powder-free gloves.
- **FEATURES** - Ambidextrous design. Beaded cuff with textured palm.
- **THICKNESS** - 3 Mil.
- **COLOR** - Blue or Black.
- **SIZE** - S, M, L & XL.



**SUPER TOUCH™**



### VIN 501



Disposable Powder-free Vinyl Hand Gloves

#### SPECIFICATIONS

- **MATERIAL** - Vinyl. Disposable single-use powder-free gloves.
- **FEATURES** - Ambidextrous design. Beaded cuff.
- **COLOR** - Translucent.
- **SIZE** - S, M, L & XL.

**SUPER TOUCH™**



### LTX 504



Electrical Industrial Safety Rubber Gloves.

#### SPECIFICATIONS

- **MATERIAL** - Made of Latex Rubber
- **FEATURES** - Electrical use. Available for 5kv, 11kv, 33kv.
- **COLOR** - Natural Latex & Orange.
- **LENGTH** - 14 & 16 inches.
- **SIZE** - Medium, Large & Extra Large.



# Hand Protection

## Leather Gloves



### LG 601

FORMAL REF: L 001

Split Leather Canadian Styled Industrial Safety Hand Gloves

#### SPECIFICATIONS

- **MATERIAL** - Palm, index finger & thumb of split leather. Back of cotton canvas cloth.
- **FEATURES** - Rubberised safety cuff for ease of use. Elasticised back for snug fit.
- **COLOR** - Red, Yellow, Blue.
- **SIZE** - 9 or 10.



### LG 602

FORMAL REF: L 005

Dual Palm Split Leather Canadian Styled Industrial Safety Gloves

#### SPECIFICATIONS

- **MATERIAL** - Palm, index finger & thumb of split leather. Back of cotton canvas cloth.
- **FEATURES** - Reinforced Dual Layered Palm & index finger. Rubberised safety cuff for ease of use. Elasticised back for snug fit.
- **COLOR** - Natural Cotton, Red, Yellow.
- **SIZE** - 9 or 10.



### LG 603

FORMAL REF: L 007

Chrome Leather Canadian Styled Industrial Safety Gloves

#### SPECIFICATIONS

- **MATERIAL** - Palm, index finger & thumb of Chrome leather. Back of cotton canvas.
- **FEATURES** - Canvas safety cuff for ease of use. Elasticised back for snug fit.
- **COLOR** - Natural Cotton, Red, Yellow, Green & Blue
- **SIZE** - 9 or 10.



# Hand Protection

## Leather Gloves

### LG 604

FORMAL REF: L 012

Full Split Leather Welders Industrial Hand Gloves

#### SPECIFICATIONS

- **LEATHER** - Fully made of Split Leather of 1.0 - 1.2 mm thickness.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Natural leather color.
- **LENGTH** - 12, 14, 16 & 18 inches.



413X4X

4133X



### LG 605

Full Split Leather Driving Styled Safety Hand Gloves

#### SPECIFICATIONS

- **LEATHER** - Fully made of 1.0 - 1.2 mm thickness split leather.
- **FEATURES** - Elasticised back for snug fit. Flared over-locked cuff for ease of use.
- **COLOR** - Tan Brown. Natural leather.
- **SIZE** - 9 or 10.




### LG 606

FORMAL REF: NL 032

Split & Chrome Combination Leather Driving Styled Safety Gloves

#### SPECIFICATIONS

- **LEATHER** - Palm & index finger of Chrome with back of split leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Elasticised back for snug fit. Flared over-locked cuff for ease of use.
- **COLOR** - Natural leather.
- **SIZE** - 9 or 10.



2142X



# Hand Protection


## Leather Gloves

### LG 606C FORMAL REF: NL 034

Chrome Leather Driving Styled Safety Hand Gloves

#### SPECIFICATIONS

- **LEATHER** - Fully made of Chrome leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Elasticised back for snug fit. Flared over-locked cuff for ease of use.
- **COLOR** - Natural leather.
- **SIZE** - 9 or 10.



### LG 607 FORMAL REF: NL 025

Full Split Leather Welders Industrial Hand Gloves

#### SPECIFICATIONS

- **LEATHER** - Fully made of Split Leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Inside full cotton lining for durability & added safety.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Yellow with Grey.
- **LENGTH** - 12, 14, 16 & 18 inches.



### LG 608 FORMAL REF: NL 025

Full Split Leather Welders Industrial Hand Gloves

#### SPECIFICATIONS

- **LEATHER** - Fully made of Split Leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Inside full cotton lining for durability & added safety.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Red or Yellow.
- **LENGTH** - 12, 14, 16 & 18 inches.



# Hand Protection

## Leather Gloves

### LG 608/BLK

Dual Palm Split Leather Welder Style Industrial Gloves

#### SPECIFICATIONS

- **LEATHER** - Fully made of split leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Inside full cotton fabric lining. Dual-layered split leather palm.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Black with Yellow.
- **LENGTH** - 12, 14, 16 & 18 inches.



### LG 609

FORMAL REF: L 015

Chrome & Split Combination Leather Welders Industrial Hand Gloves

#### SPECIFICATIONS

- **LEATHER** - Palm & index finger of Chrome with back of split leather of 1.0 - 1.2 mm thickness.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Natural leather color.
- **LENGTH** - 12, 14, 16 & 18 inches.



### LG 610

Special Split Leather Welder Style Industrial Hand Gloves

#### SPECIFICATIONS

- **LEATHER** - Fully made of split leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Inside Aramid fabric lining on the palm and back for added safety.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Blue with Natural leather.
- **LENGTH** - 12, 14, 16 & 18 inches.



INSIDE VIEW



# Hand Protection

## Leather Gloves

### LG 611

Dual Palm Split Leather Welder Style Industrial Gloves

#### SPECIFICATIONS

- **LEATHER** - Fully made of split leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Inside full cotton fabric lining. Split leather palm band reinforcement.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Black with Yellow.
- **LENGTH** - 14, 16 & 18 inches.



### LG 611 DL

Dual Palm Split Leather Welder Style Industrial Gloves

#### SPECIFICATIONS

- **LEATHER** - Fully made of split leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - Inside full cotton fabric lining. Dual-layered split leather palm & thumb.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Black with Yellow.
- **LENGTH** - 14, 16 & 18 inches.



### LG 612

Split Leather With Canvas-General Use Industrial Hand Gloves

#### SPECIFICATIONS

- **MATERIAL** - Palm & back strap of split leather of 1.0 - 1.2 mm thickness. Back & cuff made of cotton Canvas.
- **STITCHING** - Stitched with high endurance thread for durability.
- **COLOR** - Natural cotton & leather.
- **LENGTH** - 12, 14, 16 & 18 inches.



# Hand Protection

## Coated Gloves - Latex

### LT/700 GR-P M ☆

Premium Quality Latex Coating on Cotton Knitted Gloves

#### SPECIFICATIONS

- **LINER** - 5 ply cotton yarn knitted on 7 or 10 gauge machine with over-locked cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **SIZE** - Medium, Large, Extra-Large.
- **COLOR** - Grey, Yellow or Black Liner with Blue, Orange, Green or Black Coating.



EN ISO  
21420  
EN388  
3143X



### LT/700 GB-P-FT NEW ITEM

Premium Quality Latex Coating on Cotton Knitted Gloves

#### SPECIFICATIONS

- **LINER** - 5 ply cotton yarn knitted on 7 or 10 gauge machine with over-locked cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **FEATURES** - Double dipped finger tips.
- **SIZE** - Medium, Large, Extra-Large.
- **COLOR** - Yellow Liner with Green/Orange/Blue Coating. OR Grey Liner with Blue/Black Coating



EN388  
3143X



### LT700GB-HD H NEW ITEM

Economical Quality Latex Coated Cotton Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 2 ply cotton yarn knitted on 7 or 10 gauge machine with over-locked cuff.
- **COATING** - Half dipped Latex coating with wrinkled texture finish for extra grip.
- **SIZE** - Medium, Large, Extra-Large.
- **COLOR** - Grey liner with Blue/Black coating. OR Yellow liner with Green/Blue/Orange Coating



EN388  
2143X



# Hand Protection

## Coated Gloves - Latex

### LT/700 GB-E

Economical Quality Latex Coating on Cotton Knitted Gloves

#### SPECIFICATIONS

- **LINER** - 2 ply cotton yarn knitted on 7 or 10 gauge machine with over locked cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **SIZE** - Medium, Large, Extra-Large.
- **COLOR** - Yellow liner with Green/Blue/Orange coating. OR Grey liner with Blue/Black coating.



EN ISO  
21420

EN388  
2143X



EN388  
2143X

### LT/700 YO-E-FT

Economical Quality Latex Coated Gloves

#### SPECIFICATIONS

- **LINER** - 2 ply cotton yarn knitted on 7 or 10 gauge machine with over locked cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **FEATURES** - Double dipped finger tips.
- **SIZE** - Medium, Large, Extra-Large.
- **COLOR** - Yellow liner with Orange/Green coating. OR Grey liner with Blue/Black coating.



### LT/713 BB

Latex Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black/Red liner with Black coating or Grey liner with Black coating.



EN ISO  
21420

EN388  
3241X



# Hand Protection

## Coated Gloves - Latex

### LT/713 RB FT M NEW ITEM

Latex Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **FEATURES** - Double dipped finger tips.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Red/Black/Grey liner with Black coating.



### LT/713 BB-F M NEW ITEM

Latex Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Latex coating on the palm with Foam finish for absorption & grip
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black liner with Black coating. OR Black liner with Red coating. OR Blue liner with on Grey coating.



### LTS/713 GB-HD NEW ITEM

Latex Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Half dipped Latex coating with sandy finish for superior grip.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with Black coating. OR Black/Red liner with Black coating.
- **OPTIONAL** - Palm Dipped only version.



# Hand Protection

## Coated Gloves - Latex

### LTS/714-BLBK/1

Double Dipped Sandy Finish Latex Coating on Synthetic Knitted Liner Industrial Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Double Latex coating - Half dipped plus palm dipped with sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with Blue & Black coating OR Red & Black coating.



### LTS/714-BLBK/2

Double Dipped Sandy Finish Latex Coating on Synthetic Knitted Liner Industrial Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Double Latex coating - Full dipped plus palm dipped with Sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with Blue & Black coating OR Red & Black coating.



### LTS/714-BLBK/3

Double Dipped Sandy Finish Latex Coating on Synthetic Knitted Liner Industrial Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Double Latex coating - Full dipped plus half dipped with sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with Blue & Black coating OR Red & Black coating.



# Hand Protection

## Coated Gloves - Nitrile

### NBRS/720RB/1

Double Dipped Sandy Finish Nitrile Coating on Synthetic Knitted Liner Industrial Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Double Nitrile coating - Half dipped plus palm dipped with sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey/White liner with Red & Black coating.



NEW ITEM

M



NEW ITEM

M



### NBRS/720RB/2

Double Dipped Sandy Finish Nitrile Coating on Synthetic Knitted Liner Industrial Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Double Nitrile coating - Full dipped plus palm dipped with sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey/White liner with Red & Black coating.



### NBRS/720RB/3

Double Dipped Sandy Finish Nitrile Coating on Synthetic Knitted Liner Industrial Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Double Nitrile coating - Full dipped plus half dipped with sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey/White liner with Red & Black coating

MAGNIFIED VIEW



NEW ITEM

H



# Hand Protection

## Coated Gloves - Nitrile

### NBR/721 BB

Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Nitrile coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black liner with Black coating.  
OR Grey liner with Black coating.



### NBR/721 WG

Palm Dipped Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Nitrile coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with Grey coating.



### NBR/721 WG-HD

Half Dipped Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Half dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with Grey/Yellow coating.



# Hand Protection

## Coated Gloves - Nitrile

### NBR/721 WY-FD

Full Dipped Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Full dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with Yellow coating.



EN420



EN388



4131X



EN420



EN388



4121X



### NBR/721 BB-F

Foam Finish Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Nitrile coating on the palm with foam finish for absorption & grip.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black liner with Black coating. OR Grey liner with Black coating.

### NBR/721 WG-F

Foam Finish Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine in F3 ribbed style with over-locked cuff
- **COATING** - Full Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with Grey coating.



EN420



EN388



4121X



# Hand Protection

## Coated Gloves - Nitrile

### NBR/721 WG-FT

Double Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine in with over locked cuff.
- **COATING** - Dual Nitrile coating on palm & finger tips with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with Grey & Black coating.



EN388  
4121X



EN388  
4121X



### NBR/721 GB-HD

Nitrile Coating on Synthetic Knitted Liner Industrial Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked elasticised cuff
- **COATING** - Half dipped with sandy finish for superior grip & safety.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey/Red/Black liner with Black coating.



### NBR/721 RB

Sandy Finish Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Nitrile coating on the palm with Sandy finish for extra grip.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Red liner with Black coating OR Grey liner with Black coating OR White liner with Black coating.



NBR/721 GB

EN420

EN388  
4121X



# Hand Protection

## Coated Gloves - Nitrile

### NBR/721/F3 BLBK-HD

Half Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine in F3 ribbed style with over-locked cuff
- **COATING** - Half Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Blue liner with Black coating.



### NBR/721/F3 BLBK-FD

Full Nitrile Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine in F3 ribbed style with over-locked cuff
- **COATING** - Full Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with Black coating.



### NTR/701 HHCB

Nitrile Coating on Cotton Jersey Fabric Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with rubberised safety cuff.
- **COATING** - Half dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



4121X



# Hand Protection

## Coated Gloves - Nitrile

### NTR/702 HFKB

Nitrile Coating on Cotton Jersey Fabric Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with knitted cuff.
- **COATING** - Full dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



4121X



4121X



### NTR/704 LHKY

Nitrile Coating on Cotton Interlock Fabric Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Cotton interlocked fabric liner with knitted cuff.
- **COATING** - Half dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Yellow coating.



### NTR/705 LFKY

Nitrile Coating on Cotton Interlock Fabric Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Cotton interlocked fabric liner with knitted cuff.
- **COATING** - Full dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Yellow coating.



4121X



# Hand Protection

## Coated Gloves - Nitrile

### NTR/706 LHKB

Nitrile Coating on Cotton Interlock Fabric Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Cotton interlocked fabric liner with knitted cuff.
- **COATING** - Half dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



### NTR/707 LFKB-P

Premium Quality Nitrile Coating on Cotton Interlock Fabric Liner Safety Gloves

#### SPECIFICATIONS

- **LINER** - Cotton interlocked fabric liner with knitted cuff.
- **COATING** - Full dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



### NTR/710 HHKB

Nitrile Coating on Cotton Jersey Fabric Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with knitted cuff.
- **COATING** - Half dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



# Hand Protection

## Coated Gloves - Nitrile

### NTR/711 HFCEB-R

Nitrile Coating on Cotton Jersey Fabric Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with rubberised safety cuff.
- **COATING** - Full dipped Nitrile coating on the palm & back with Rough finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



EN420  
EN388  
4121X

NEW ITEM



EN420  
EN388  
4121X

### NTR/711 HFCEB

Premium Quality Nitrile Coating on Cotton Jersey Fabric Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with rubberised safety cuff.
- **COATING** - Full dipped Nitrile coating on the palm & back with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Natural cotton color liner with Blue coating.



### NTR/712 GLT

Nitrile Coating on Cotton Interlocked Fabric Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Cotton interlocked fabric liner with gauntlet cuff.
- **COATING** - Fully dipped Nitrile coating on with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Yellow, Green or Blue.
- **LENGTH** - 14 inches, 12, 16 inches length also available.



EN388  
4121X



# Hand Protection

## Coated Gloves - PU

### PU/700 WW

PU Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Palm dipped PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with White coating.



### PU/700 GG

PU Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Palm dipped PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with Grey coating.



### PU/700 BB

PU Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine with over-locked cuff
- **COATING** - Palm dipped PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Black liner with Black coating.



# Hand Protection

## Coated Gloves - PU

### PU/700 WW-F3

PU Coating on Synthetic Knitted Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester yarn knitted on 13 or 15 gauge machine in F3 ribbed style with over-locked cuff
- **COATING** - Palm dipped PU coating on the palm with liner texture finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - White liner with White coating.



M

NEW ITEM



L



### PU/700 ESD

PU Coating on ESD Synthetic Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester blended with carbon fiber yarn knitted on 13 gauge machine with over-locked cuff
- **COATING** - Palm dipped PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with White coating.



### PU/700 ESD-FT

PU Coating on ESD Synthetic Liner Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - 100% Polyester blended with carbon fiber yarn knitted on 13 gauge machine with over-locked cuff
- **COATING** - Finger-Tip dipped PU coating with smooth finish.
- **SIZE** - Small, Medium, Large, Extra Large.
- **COLOR** - Grey liner with White coating.



L



# Hand Protection

## Coated Gloves - Cut Resistant

### LT/700-5-BB

Latex Coating on Cut Resistant Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **SIZE** - Medium. Large. Extra Large
- **COLOR** - Black liner with Black Coating.



EN388  
4544



EN388  
4544



### NBR/722-5-BB-F

Nitrile Coating on Cut Resistant Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - Half dipped Foam Nitrile coating with smooth finish.
- **SIZE** - Medium. Large. Extra Large
- **COLOR** - Black liner with Black Coating.



### NBR/722-5-BB

Nitrile Coating on Cut Resistant Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - Three/Fourth dipped Nitrile coating with smooth finish.
- **SIZE** - Medium. Large. Extra Large
- **COLOR** - Black liner with Black Coating.



EN388  
4544



# Hand Protection

## Coated Gloves - Cut Resistant

### NBRS/722-5-BLBK

Double Dipped Nitrile Coating on Cut Resistant Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - Double dipped Full plus three/ fourth Nitrile coating with sandy finish.
- **SIZE** - Medium. Large. Extra Large
- **COLOR** - Black liner with Blue/Black coating.



### NBRS/723-5-BB

Nitrile Coating on Cut Resistant Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over locked cuff.
- **COATING** - Nitrile coating in the palm with sandy finish.
- **SIZE** - Medium. Large. Extra Large
- **COLOR** - Black liner with Black coating.
- **FEATURES** - Reinforced Grip point.



GRIP POINT REINFORCEMENT



### NBR/723-5-BB

Nitrile Coating on Cut Resistant Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - Nitrile coating in the palm with smooth finish.
- **SIZE** - Medium. Large. Extra Large
- **COLOR** - Black liner with Black coating.
- **FEATURES** - Reinforced Grip point.



MAGNIFIED VIEW

GRIP POINT REINFORCEMENT



# Hand Protection

## Coated Gloves - Cut Resistant

### NBR/723-5-BLBK

Double Dipped Nitrile Coating on Cut Resistant Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - Double dipped Full plus Palm Nitrile coating with sandy finish.
- **SIZE** - Medium. Large. Extra Large
- **COLOR** - White/Grey, liner with Blue/Black coating.



### KY/LT/700 YB

Latex Coating on Aramid Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Knitted Aramid yarn on 10 gauge machine with over-locked cuff.
- **COATING** - Latex coating on the palm with wrinkled texture finish for extra grip.
- **SIZE** - Medium. Large. Extra Large
- **COLOR** - Yellow liner with Blue coating.



Cut Resistant Coated Gloves - LT/700 5 GG

# Hand Protection

## Coated Gloves - Cut Resistant

### PU/700-5-GG NEW ITEM

PU Coating on Cut Resistant Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber & Steel yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - PU coating on the palm with smooth finish.
- **SIZE** - Medium. Large. Extra Large
- **COLOR** - Black liner with Grey coating.
- **FEATURES** - Reinforced Grip point.



### PU/700-3-BB M ★

PU Coating on Cut Resistant Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium. Large. Extra Large.
- **COLOR** - Black liner with Black coating.



### PU/700/3-GG M NEW ITEM

PU Coating on Cut Resistant Knitted Industrial Safety Gloves

#### SPECIFICATIONS

- **LINER** - Blended HPPE, Polyester, Glass Fiber yarn knitted on 13 gauge machine with over-locked cuff.
- **COATING** - PU coating on the palm with smooth finish.
- **SIZE** - Small, Medium. Large. Extra Large.
- **COLOR** - Black liner with Grey coating.
- **FEATURES** - Reinforced Grip point.



# Hand Protection

## Impact Resistant Gloves

### NBR/723-5-GB-F-TPR


CUT-5 Yarn Coated Gloves with Thermo-Plastic Rubber Pads

#### SPECIFICATIONS


- **LINER** - Blended HPPE Yarn Knitted on 13 gauge Machine.
- **COATING** - Nitrile Coated Palm in foam finish for absorption with reinforced Grip Point.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Green Liner / Black coating



GRIP POINT REINFORCEMENT



MAGNIFIED VIEW



### SPL-L-1-TPR

CUT-5 Yarn Coated Gloves with Thermo-Plastic Rubber Pads

#### SPECIFICATIONS

- **LINER** - Blended HPPE Yarn Knitted on 13 gauge Machine.
- **PALM** - Split leather palm with reinforced Grip Point. Stitched with Aramid yarn for durability.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Grey liner.



### NBRS/723-5-GR-TPR


CUT-5 Yarn Coated Gloves with Thermo-Plastic Rubber Pads

#### SPECIFICATIONS

- **LINER** - Blended HPPE Yarn Knitted on 13 gauge Machine.
- **COATING** - Nitrile coated palm with in sandy finish for grip with reinforced Grip Point.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on Palm.
- **COLOR** - Grey Liner / Red coating



GRIP POINT REINFORCEMENT



# Hand Protection

## Impact Resistant Gloves

### NBRS/-723-RB-TPR

CUT-5 Yarn Coated Gloves with Thermo-Plastic Rubber Pads

#### SPECIFICATIONS

- **LINER** - Blended HPPE yarn knitted on 13 gauge machine.
- **COATING** - Nitrile coated palm in sandy finish for grip with reinforced Grip Point.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Red Liner / Black coating

NEW ITEM

H



GRIP POINT REINFORCEMENT

NEW ITEM

M

### PU/700-5-GW-TPR

CUT-5 Yarn Coated Gloves with Thermo-Plastic Rubber Pads

#### SPECIFICATIONS

- **LINER** - Blended HPPE yarn knitted on 13 gauge machine.
- **COATING** - PU coated palm with Reinforced Grip Point.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Green Liner / White coating



### NBRS/723-5-BB-TPR

CUT-5 Yarn Coated Gloves with Thermo-Plastic Rubber Pads

#### SPECIFICATIONS

- **LINER** - Blended HPPE Yarn Knitted on 13 gauge machine.
- **COATING** - Nitrile coated palm in sandy finish for grip with Reinforced Grip Point.
- **FEATURES** - TPR Pads on the Back & Anti-Vibration Pads on palm.
- **COLOR** - Grey/Black Liner with Black coating

NEW ITEM

H



GRIP POINT REINFORCEMENT



# Hand Protection

## Impact Resistant Gloves

### NTR/702-P-TPR

Nitrile Coated Gloves with Thermo-Plastic Rubber Pads

#### SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with knitted cuff.
- **COATING** - Full dipped Nitrile coating.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Blue coating.
- **SIZE** - 9 or 10.



### NTR/711-P-TPR

Nitrile Coated Gloves with Thermo-Plastic Rubber Pads

#### SPECIFICATIONS

- **LINER** - Cotton Jersey fabric liner with rubberised safety cuff.
- **COATING** - Fully dipped Nitrile coating.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Blue coating.
- **SIZE** - 9 or 10.



### LG/606C-TPR

Chrome Leather Driving Styled Glove with Thermo-Plastic Rubber Pads

#### SPECIFICATIONS

- **LEATHER** - Fully made of chrome leather of 1.0 - 1.2 mm thickness.
- **FEATURES** - TPR Pads on the back & Anti-Vibration Pads on palm.
- **COLOR** - Natural leather.
- **SIZE** - 9 or 10.




**Safewell<sup>®</sup>**

**MANUFACTURED**

@ KOLKATA & FALTA. WB. INDIA

**ARM  
PROTECTION**



# Arm Protection

## Arm Sleeve

### ASL 1301 M

Fire Retardant Industrial Safety Arm Sleeve

#### SPECIFICATION

- **FABRIC** - Fire Resistant fabric of 430 GSM. Stitched with high endurance yarn
- **FASTENER** - Heavy duty elastic on both ends
- **COLOR** - Orange. Also available in Navy Blue
- **LENGTH** - 18 inches standard. Can be customised



### ASL 1302 M

Classic Design Industrial Safety Arm Sleeve

#### SPECIFICATION

- **FABRIC** - Cotton Denim Fabric of 300 GSM. Stitched with high quality synthetic yarn.
- **FASTENER** - Heavy duty elastic on both ends
- **COLOR** - Standard Blue
- **LENGTH** - 18 inches standard. Can be customised



### ASL 1303 L

Basic & Economical Industrial Safety Arm Sleeve

#### SPECIFICATION

- **YARN** - Cotton yarn
- **CONSTRUCTION** - Knitted on knitting machine for flexibility, elasticity and dual layer construction
- **FEATURES** - Over edged ends. Optional Thumb Cut
- **COLOR** - Natural Cotton. Also available in Blue or Grey.
- **LENGTH** - 14 inches standard. Can be customised



# Arm Protection

## Arm Sleeve

### ASL 1303B

Dual Layered Industrial Safety Arm Sleeve



#### SPECIFICATION

- **YARN** - Cotton yarn.
- **CONSTRUCTION** - Knitted on knitting machine for flexibility, elasticity and dual layer construction
- **FEATURES** - Thumb Cut for grip and over locked ends
- **COLOR** - Standard Blue. Natural Cotton or Grey also available.
- **LENGTH** - 14 inches standard. Can be customised



### ASL 1304

Classic Design & Economical Safety Arm Sleeve

#### SPECIFICATION

- **FABRIC** - Cotton Drill fabric of 210 GSM
- **FASTENER** - Box stitched heavy duty Velcro on the upper end
- **FEATURES** - Elastic wrist with thumb grip loop for ease of use
- **COLOR** - Navy Blue. Also available in Orange.
- **LENGTH** - 18 inches standard. Can be customised



### ASL 1305

Dual Layered Industrial Safety Arm Sleeve

#### SPECIFICATION

- **YARN** - Dual layered outer Polyester and inner cotton yarn
- **CONSTRUCTION** - Knitted on 10 gauge knitting machine
- **FEATURES** - Elasticized cuff with over edged ends
- **COLOR** - Option of Blue, White, Black
- **LENGTH** - 18 inches standard. Can be customised



# Arm Protection

## Arm Sleeve

### ASL 1306 H ☆

Dual Layered Knitted Cut Resistant Safety Arm Sleeve




#### SPECIFICATION

- **YARN** - Outer 100% polyester with inner layer of cotton. Blended with Lycra® for fit and durability
- **KNITTING** - Knitted on 7 Gauge knitting machine
- **FEATURES** - Thumb Cut for grip and over locked ends
- **COLOR** - White. Also available in Blue & Grey
- **LENGTH** - 18 inches standard. Can be customised

### ASL 1307 H NEW ITEM

Heat Resistant Industrial Safety Arm Sleeve



#### SPECIFICATION

- **YARN** - Cotton yarn
- **KNITTING** - Knitted on Special SPG knitting machine, giving a unique terry loops finish for heat resistance
- **FEATURES** - Elasticized cuff with over edged ends
- **COLOR** - Natural cotton color. Grey or Blue also available.
- **LENGTH** - 18 inches standard. Can be customised

### ASL 1308 M 👑

Quilted Demin Industrial Safety Arm Sleeve



#### SPECIFICATION

- **FABRIC** - Dual layered outer Denim with inner cotton fabric
- **STITCHING** - Foam lining between the two layers with quilted cric-cross stitching for durability
- **FEATURES** - Elasticized cuff with Elbow Cut for flexibility
- **COLOR** - Dark Blue or Black
- **LENGTH** - 18 inches standard. can be customised.

# Arm Protection

## Arm Sleeve

### ASL 1309

Demin Industrial Safety Arm Band

#### SPECIFICATION

- **FABRIC** - Cotton Denim fabric of 300 GSM.
- **STITCHING** - Criss-Cross stitched for durability
- **FEATURES** - Full length horizontal Velcro for ease of wearing
- **COLOR** - Dark Blue or Black
- **LENGTH** - 9 inches standard



### ASL 1310

Hi-Visibility Safety Arm Sleeve with Reflective Tape

#### SPECIFICATION

- **FABRIC** - Synthetic High Visibility Fabric
- **FEATURES** - Standard Dual Horizontal Line of Reflective Tape. Can also be designed vertically
- **COLOR** - Yellow or Orange
- **LENGTH** - 14 inches standard. Can be customised



### KSL 201

Dual Layered Cut & Heat Resistant Safety Arm Sleeve

#### SPECIFICATION

- **YARN** - Cut & Heat Resistant 100% Aramid yarn
- **CONSTRUCTION** - Knitted on knitting machine for flexibility, elasticity and dual layer construction
- **FEATURES** - Thumb Cut for grip. Without thumb cut also available.
- **COLOR** - Standard Aramid yellow
- **LENGTH** - 14 inches standard. Can be customised



# Arm Protection

## Arm Sleeve

### KSL 201L

Cut Resistant Industrial Safety Arm Sleeve

#### SPECIFICATION

- **YARN** - 100% Aramid yarn
- **KNITTING** - Knitted on 13 or 10 gauge knitting machine
- **FEATURES** - Split Leather Patch & Thumb Cut with Over Edged Ends. Without thumb cut also available.
- **COLOR** - Standard Yellow Sleeve with Natural Color Leather
- **LENGTH** - 14 inches standard. Can be customised



Arama X



### SYN/ST/CUT-5

Cut Resistant Industrial Safety Arm Sleeve

#### SPECIFICATION

- **YARN** - Blended HPPE, Polyester & Glass fiber yarn
- **CONSTRUCTION** - Knitted on knitting machine
- **FEATURES** - Thumb Cut or without Thumb Cut
- **COLOR** - Grey with White blended color
- **LENGTH** - 14 inches standard. Can be customised



MAGNIFIED VIEW



EN388  
3542D

CE EN 420:2003  
A1:2009



DURAMA



### SYN/STV/CUT-5

Cut Resistance Industrial Safety Arm Sleeve

#### SPECIFICATION

- **YARN** - Blended HPPE, Polyester & Glass fiber yarn
- **CONSTRUCTION** - Knitted on knitting machine
- **FEATURES** - Upper end Velcro with/without Thumb Cut and Over Edged ends
- **COLOR** - Grey with White blended color
- **LENGTH** - 18 inches standard. Can be customised



EN388  
3542D

CE EN 420:2003  
A1:2009



DURAMA



# Arm Protection

## Arm Sleeve

### LG 615



Industrial Safety Split Leather Arm Sleeve



#### SPECIFICATION

- **LEATHER** - Split leather of 1.0 - 1.2 mm thickness
- **STITCHING** - Made of single piece leather with high quality yarn double stitching
- **FEATURES** - Buckled straps fasteners on the upper end
- **COLOR** - Natural Leather Grey
- **LENGTH** - 18 inches standard. Can be customised



### LG 615R




Industrial Leather Arm Sleeve with Hi-Visibility Tape for added safety



#### SPECIFICATION

- **LEATHER** - Split leather of 1.0 - 1.2 mm thickness
- **STITCHING** - Made of single piece leather with high quality yarn double stitching
- **FEATURES** - Hi-Visibility Tape & Buckled straps fasteners
- **COLOR** - Natural Leather Grey
- **LENGTH** - 18 inches standard. Can be customised



### AST 1107



Industrial Arm Sleeve with Anti-Static Properties

#### SPECIFICATION

- **FABRIC** - Synthetic Fabric with Chequered Anti Static Weaving
- **FEATURES** - Folded elasticised ends for grip and fit
- **COLOR** - Option of Blue, White, Pink.
- **LENGTH** - 14 inches standard. Can be customised



# Safewell®

## MANUFACTURED

@ GANGANAGAR. WB. INDIA



# BODY PROTECTION



# Body Protection

## Aprons

### APR 1301

Premium Cotton Fabric Industrial Apron With or Without Leather Patch

#### SPECIFICATIONS

- **MATERIAL** - Cotton drill fabric of 210 GSM.
- **STITCHING** - Stitched with high endurance yarn with box stitching at high stress points. Dual Utility pockets at waist height.
- **FASTENERS** - Dual adjustable buckles around the neck and waist with straps.
- **SIZE** - Width 24 inches. Length 36 inches. Can be customised.
- **COLOR** - Navy Blue, Orange.
- **OPTIONAL** - Split leather patch in the front for extra protection (**Model APR 1303**).



### APR 1302

Fire Retardant Fabric Industrial Safety Apron

#### SPECIFICATIONS

- **FABRIC** - Fire Retardant fabric of 430 GSM as standard.
- **STITCHING** - Stitched with high endurance yarn with box stitching at high stress points.
- **FASTENERS** - Dual adjustable buckles around the neck and waist with straps.
- **SIZE** - Width 24 inches. Length 36 inches. Can be customised.
- **COLOR** - Navy Blue.
- **EN ISO** - 11612



# Body Protection

## Aprons

### APR 1303P

Cotton With Leather Utility Pocket Industrial Apron

#### SPECIFICATIONS

- **FABRIC** - Cotton drill fabric of 210 GSM as standard.
- **STITCHING** - Stitched with high endurance yarn with box stitching at high stress points.
- **FASTENERS** - Dual adjustable buckles around the neck and waist with straps.
- **FEATURES** - Split leather front utility pocket for tools.
- **SIZE** - Width 24 inches. Length 36 inches. Can be customised.
- **COLOR** - Orange, Navy Blue.



### APR 1304

Heat Resistant Aramid Industrial Safety Apron

#### SPECIFICATIONS

- **FABRIC** - Aramid heat resistant fabric of 480 GSM. With or without woollen back lining.
- **STITCHING** - Stitched with Aramid yarn with box stitching at high stress points.
- **FASTENERS** - Dual adjustable buckles around the neck and waist with straps.
- **SIZE** - Width 24 inches. Length 36 inches. Can be customised.
- **COLOR** - Yellow Aramid color.
- **OPTIONAL** - 700 GSM fabric also available.

**Arama** 



# Body Protection

## Aprons

### APR 1305



Fire Retardant Fabric Industrial Apron with Sleeve

#### SPECIFICATIONS

- **MATERIAL** - Fire Retardant Fabric of 430 GSM as standard.
- **STITCHING** - Stitched with high endurance yarn for durability.
- **STYLE** - Open back front slip-on type. With elasticised cuff.
- **FASTENERS** - Dual adjustable tie type straps at the back.
- **SIZE** - Length 50 inches. Can be customised.
- **COLOR** - Navy Blue.
- **EN ISO** - 11612



### APR 1306



Chemical Protection PVC Industrial Safety Apron

#### SPECIFICATIONS

- **MATERIAL** - PVC Non-Toxic cloth material.
- **STITCHING** - Double folded heat sealed ends.
- **FASTENERS** - Dual adjustable PVC straps around the neck and around the waist with buckles.
- **SIZE** - Width 24, Length 36 inches OR Width 24, Length 48 inches.
- **COLOR** - Yellow.



# Body Protection

## Aprons

### LG 613



Premium Split Leather Industrial Safety Apron

#### SPECIFICATIONS

- **MATERIAL** - Single piece split leather of 1.0 to 1.2 mm thickness.
- **STITCHING** - Stitched with high endurance yarn. With box stitching at high stress points.
- **FASTENERS** - Dual tie type cotton straps around the neck and around the waist.
- **SIZE** - Width 24 inches. Length 36 inches standard. Can be customised.
- **COLOR** - Natural leather grey.
- **OPTIONAL** - Utility pockets.



### ALU 703



Aluminised Heat Resistant Industrial Apron

#### SPECIFICATIONS

- **FABRIC** - Aluminised Aramid or Glass Fiber woven fabric with or without woollen back lining.
- **STITCHING** - Stitched with Aramid yarn with box stitching at high stress points.
- **FASTENERS** - Dual adjustable straps around the neck and around the waist with buckles.
- **SIZE** - Width 24 inches. Length 36 inches. Can be customised.
- **COLOR** - Aluminium finish.



# Body Protection

## Reflective Vests

### SCB 02



High Visibility Safety Cross Belt

#### SPECIFICATIONS

- **FABRIC** - Made of synthetic fabric in highly reflective colors.
- **FEATURES** - High-Visibility prismatic tapes stitched over the fabric.
- **FASTENERS** - Velcro at the waist and chest straps.
- **COLOR** - Green, Orange.
- **SIZE** - S, M, L, XL, XXL.



### SRV 02



High Visibility 3 Side Open, Safety Vest

#### SPECIFICATIONS

- **FABRIC** - Made of synthetic net fabric in highly reflective colors.
- **FEATURES** - Reflective 2 inches width prismatic tapes stitched over the fabric.
- **FASTENERS** - Velcro at waist level.
- **COLOR** - Green or Orange.
- **SIZE** - S, M, L, XL, XXL.
- **OPTION** - Reflective Tape of 1 inches width also available (SRV 01).



### SRJ 02



High Visibility Sleeveless Safety Vest

#### SPECIFICATIONS

- **FABRIC** - Made of synthetic fabric in highly reflective colors.
- **FEATURES** - Reflective 2 inches width prismatic tapes stitched over the fabric.
- **FASTENERS** - Velcro at front opening.
- **COLOR** - Green or Orange.
- **SIZE** - S, M, L, XL, XXL.
- **OPTION** - Net Fabric or Zipped front style also available. With 1 inches tape (SRJ 01)



# Body Protection

## Heat Resistant & Leather Garment

### ALU 702



Aluminised Fire & Heat Resistant Industrial Jacket & Pant Set.

#### SPECIFICATIONS

- **FABRIC** - Aluminised Aramid or Glass Fiber fabric.
- **STITCHING** - Multi layered woollen & cotton lining. Stitched with Aramid yarn for durability. Adjustable cuffs. Flapped front buttoned opening.
- **ALTERNATE DESIGN** - Single suit cover-all style also available.
- **OPTIONAL** - inner pouch for carrying breathing apparatus.
- **SIZE** - Medium, Large, Extra Large.
- **HEAT RESISTANCE** - can withstand radiant heat of over 1000°C



AramaX™



### LG 616 & LG 617

Full Split Leather Industrial Safety Jacket & Pant Set.

#### SPECIFICATIONS

- **MATERIAL** - Made of high grade split leather for heat and spatter resistance, ideal for welding purposes. Leather thickness of 1.2 mm
- **STITCHING** - Front open style with flapped metal buttons. Stitched with Aramid yarn for durability.
- **ALTERNATE DESIGN** - Also available in long coat style.
- **SIZE** - Medium, Large, Extra Large.
- **COLOR** - Natural Leather, Yellow, Red.



# Body Protection

## Fire Retardant Garment

### FR 902



Industrial Jacket and Pant Made of Fire Retardant Cotton Fabric.

#### SPECIFICATIONS

- **FABRIC** - Made of 430 GSM Fire Retardant fabric. Can withstand 100 wash cycle.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **STYLE** - Jacket & Pant style with flapped front pockets. Buttoned or Zipped opening optional. Can be customised as required.
- **ALTERNATE DESIGN** - Full single piece cover-all style also available.
- **FEATURES** - 2 inches High visibility reflective tape for added safety.
- **COLOR** - Navy Blue.
- **SIZE** - S, M, L, XL, XXL.
- **EN STANDARD** - ISO 11612



FR 901

### FR 903 & 904



Industrial Jacket and Pant Made of Fire Retardant Cotton Fabric.

#### SPECIFICATIONS

- **FABRIC** - Made of 430 GSM Fire Retardant fabric. Can withstand 100 wash cycle.
- **STYLE** - Jacket & Pant style with flapped front pockets. Buttoned or Zipped opening optional. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **ALTERNATE DESIGN** - Full single piece cover-all style also available.
- **COLOR** - Navy Blue, Orange
- **SIZE** - S, M, L, XL, XXL.
- **EN STANDARD** - ISO 11612



# Body Protection

## Cotton & Fire Retardant Lab Coat

### FR 905



Long Coat Made Of Fire Retardant Cotton Fabric

#### SPECIFICATIONS

- **FABRIC** - Made of 430 GSM Fire Retardant fabric. Can withstand 100 wash cycle.
- **STYLE** - Coat collar style with front open pockets. Front buttoned opening. Closed collar style optional. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **COLOR** - Navy Blue.
- **SIZE** - S, M, L, XL, XXL.
- **EN STANDARD** - ISO 11612



### CT 805



Lab Coat Made Of Cotton Fabric

#### SPECIFICATIONS

- **FABRIC** - Made of 210 GSM cotton drill fabric.
- **STYLE** - Coat collar style with front open pockets. Front buttoned opening.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **OPTIONAL DESIGN** - Closed collar style. Pen & Tool Pockets. Ventilated back slits. Can be fully customised as required.
- **COLOR** - Navy Blue. Orange, White
- **SIZE** - S, M, L, XL, XXL.



# Body Protection

## Cotton Garment

### CT 801



Industrial Single Piece Cover-All Made of Cotton Fabric.

#### SPECIFICATIONS

- **FABRIC** - Made of 210 GSM cotton drill fabric.
- **STYLE** - Jacket & Pant style with flapped front pockets. Buttoned or Zipped opening optional. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **FEATURES** - 2 inches High visibility reflective tape for added safety.
- **COLOR** - Navy Blue or Orange.
- **SIZE** - S, M, L, XL, XXL.



### CT 802



Industrial Jacket and Pant Made of Cotton Fabric.

#### SPECIFICATIONS

- **FABRIC** - Made of 210 GSM cotton drill fabric.
- **STYLE** - Jacket & Pant style with flapped front pockets. Buttoned or Zipped opening optional. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **ALTERNATE DESIGN** - Full single piece cover-all style also available.
- **FEATURES** - 2 inches High visibility reflective tape for added safety.
- **COLOR** - Navy Blue, Orange or in combination.
- **SIZE** - S, M, L, XL, XXL.



# Body Protection

## Cotton & Synthetic Garment

### CT 803 & 804 M

Industrial Jacket and Pant Made of Cotton Fabric.

#### SPECIFICATIONS

- **FABRIC** - Made of 210 GSM cotton drill fabric.
- **STYLE** - Jacket & Pant style with flapped front pockets. Buttoned or Zipped opening optional. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points.
- **ALTERNATE DESIGN** - Full single piece cover-all style also available.
- **COLOR** - Navy Blue or Orange.
- **SIZE** - S, M, L, XL, XXL.



### G 1204



Industrial Jacket and Pant Made of Synthetic Lint Free Fabric.

#### SPECIFICATIONS

- **FABRIC** - Made of Polyester lint free fabric.
- **STYLE** - Jacket & Pant style with flapped front pockets. Buttoned or Zipped opening optional. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points. Double folded ends for 100% lint free use.
- **ALTERNATE DESIGN** - Full single piece cover-all style also available.
- **OPTIONAL** - With ventilated back slits.
- **COLOR** - Sky Blue, White.
- **SIZE** - S, M, L, XL, XXL.



# Body Protection

## Anti-Static Garment


### AST 1101



Industrial Single Piece Cover-All Made of Synthetic Anti-Static Lint Free Fabric.

#### SPECIFICATIONS

- **FABRIC** - Made of Synthetic fabric with carbon checks lines for anti-static feature.
- **STYLE** - Single piece cover-all with flapped pockets. built-in attached hood & zipped front opening. Elasticised waist band. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points. Double folded ends for 100% lint free use.
- **OPTIONAL** - With ventilated back slits.
- **COLOR** - Sky Blue, Pink, White.
- **SIZE** - S, M, L, XL, XXL.



### AST 1102



Industrial Jacket and Pant Made of Synthetic Anti-Static Lint Free Fabric.

#### SPECIFICATIONS

- **FABRIC** - Made of Synthetic fabric with carbon checks lines for anti-static feature.
- **STYLE** - Jacket & Pant style with open pockets. Buttoned or Zipped opening optional. Elasticised waist band & trouser ends. Can be customised as required.
- **STITCHING** - Stitched with high endurance yarn. Lock & double stitched at high stress points. Double folded ends for 100% lint free use.
- **OPTIONAL** - With ventilated back slits.
- **COLOR** - Sky Blue, Pink, White.
- **SIZE** - S, M, L, XL, XXL.



# Safewell®

MANUFACTURED

AS OEM • IMPORTED

# EAR PROTECTION



# Ear Protection

## Ear Plugs

### SEP 102C



Disposable Corded Foam Type Safety Ear Plugs.

#### SPECIFICATIONS

- **MATERIAL** - PU-Foam based. With optimum density for quick release and sound isolation.
- **STYLE** - Machine corded, around the neck style.
- **COLOR** - Orange with Orange cord.
- **PACKING** - Individual pouch packing in a carton of 250 Pairs.



### SEP 102



Disposable Non-Corded Foam Type Safety Ear Plugs.

#### SPECIFICATIONS

- **MATERIAL** - PU-Foam based. With optimum density for quick release and sound isolation.
- **STYLE** - Non-Corded, individual pieces.
- **COLOR** - Orange.
- **PACKING** - Individual pouch packing in a carton of 250 Pairs.



Safewell disposable ear plugs come packed in a dispenser carton. Pre-cut opening for easy access to individual ear plug packs.



# Ear Protection

## Ear Plugs & Muffs

### SEP 103RC M ☆

Reusable Corded Safety Ear Plugs.

#### SPECIFICATIONS

- **MATERIAL** - TPR based.
- **STYLE** - Machine corded, around the neck style.
- **FEATURES** - Ribbed style for perfect fit in the ear canal for noise isolation.
- **COLOR** - Orange with Blue cord.
- **PACKING** - Individual box packed.



### SEM 112FL H ☆

Over-the-Ear Styled Industrial Safety Ear Muffs.

#### SPECIFICATIONS

- **STYLE** - Over the ear style ear cups with foam padding for comfort and superior noise isolation.
- **FEATURES** - Over the head style band with dual point manually adjustable attachment.
- **COLOR** - Red/Black.



### SEM 100B M ☆

Over-the-Ear Styled Industrial Safety Ear Muffs.

#### SPECIFICATIONS

- **STYLE** - Over the ear style ear cups with foam padding for comfort and superior noise isolation.
- **FEATURES** - Over the head style band with single point adjustable attachment.
- **COLOR** - Red/Black.



# Safewell®

MANUFACTURED

AS OEM • IMPORTED & INDIA

# EYE PROTECTION



# Eye Protection

## Safety Goggles


### ASP-101



Frame-less Stylish Safety Goggles with wrap around Design.

#### SPECIFICATIONS

- Dual Hard Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I
- **IMPACT RESISTANCE** - Level F
- Anti Scratch / Anti Fog Coating.



CLEAR LENS

SMOKED LENS


### ASP-102



Frame-less Stylish Safety Goggles with wrap around Design.

#### SPECIFICATIONS

- Dual Hard Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I
- **IMPACT RESISTANCE** - Level F
- Anti Scratch / Anti Fog Coating.



CLEAR LENS

SMOKED LENS


### ASP-103



Half Frame Stylish Safety Goggles with wrap around Design.

#### SPECIFICATIONS

- Dual Hard Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I
- **IMPACT RESISTANCE** - Level F
- Anti Scratch / Anti Fog Coating.



CLEAR LENS

SMOKED LENS

# Eye Protection

## Safety Goggles


### ASP-104



Half Frame Stylish Safety Goggles with Wrap around Design.

#### SPECIFICATIONS

- Dual Hard Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I
- **IMPACT RESISTANCE** - Level F
- Anti Scratch / Anti Fog Coating.




### ASP-105



Frame-less Stylish Safety Goggles with Wrap around Design.

#### SPECIFICATIONS

- Dual Hard Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I
- **IMPACT RESISTANCE** - Level F
- Anti Scratch / Anti Fog Coating.




### ASP-106



Frame-less Stylish Safety Goggles with Wrap around Design.

#### SPECIFICATIONS

- Dual Hard Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I
- **IMPACT RESISTANCE** -Level F
- Elastic adjustable tie band
- Anti Scratch / Anti Fog Coating.



# Eye Protection

## Safety Goggles & Shields


### ASP-107



Frame-less Stylish Safety Goggles with wrap around Design.

#### SPECIFICATIONS

- Dual Coated Polycarbonate Lens.
- **OPTICAL** - CLASS I
- **IMPACT RESISTANCE** - Level F
- Elastic adjustable tie band
- Ventilation for extended use comfort
- Anti Scratch / Anti Fog Coating.




### PFS-96C



Half Frame Face Shield with Wrap Around Design.

#### SPECIFICATIONS

- Dual Hard Coated Polycarbonate Transparent Shield.
- **OPTICAL** - CLASS I
- **IMPACT RESISTANCE** - Level F
- Anti Scratch / Anti Fog Coating.




### PFS-96B



Half Frame Face Shield with Wrap Around Design.

#### SPECIFICATIONS

- Dual Hard Coated Polycarbonate Colored Shield.
- **OPTICAL** - CLASS I
- **IMPACT RESISTANCE** - Level F
- Anti Scratch / Anti Fog Coating.



# Safewell®

## MANUFACTURED

@ MADHYAMGRAM. WB. INDIA



# FALL PROTECTION



# Fall Protection

## Body Harness


### SFH-01



Basic range of Full Body Harness Perfect for Suspension Work with Light & Medium Risk Use. Light Weight Economical & Certified.

#### FEATURES

- Dorsal D-Rings for Attachments
- Adjustable Thigh & Chest Straps
- Ideally Positioned Pelvic Strap for Extended use Comfort
- **COLOR** - Orange/Black

 IS 3521:1999. CLASS A.  
BIS LIC NO. CM/L 5100090478

 EN 361:2002







WEBBING	D-RINGS	BUCKLES	STITCHING	LOOPS & PLATES
Synthetic Fiber. 44mm Width.	8mm Forged Zinc Plated	Set of Big & Small. 4mm. Zinc Plated.	High Tenacity Nylon Thread.	Made of LDPE Material.

Webbing, D-Rings & Buckles - Breaking Strength >25KN

For Flexibility, Strength & Durability.

Common Specifications For The Series

### PRODUCT SERIES OPTIONS

MODEL NO	OPTION	FEATURE DIFFERENCES	APPROVALS
SFH-02		D-Rings At Sternal Point. Recommended over SFH-01 For Controlled Descend.	IS 3521:1999. CLASS D.
SFH-03		Two D-Rings At Shoulder Strap. Ideal For Entry & Exit Control into Confined Spaces & Rescue.	IS 3521:1999. CLASS E.
SFH-04		Dorsal D-Ring. Adjustable Shoulder Straps With Dual Webbing Loops At Chest Level For Attachments.	IS 3521:1999. CLASS L.
SFH-05		Two D-Rings At Shoulder Strap. Ideal For Entry & Exit Control into Confined Spaces & Rescue.	IS 3521:1999. CLASS P.

# Fall Protection

## Body Harness


### SFH-103




Premium Range of Full Body Harness Perfect For Suspension Work of Light & Medium Risk Use. Light Weight & Certified.

#### FEATURES

- Dorsal D-Rings for Attachments
- Dual D-Rings at Chest Level
- Ideally Positioned Pelvic Strap for Extended use Comfort
- **COLOR** - Hi-Vis Green/Blue

 IS 3521:1999. CLASS L.  
BIS LIC NO. CM/L 5100090478

 EN 361:2002







FRONT VIEW

REAR VIEW

WEBBING	D-RINGS	BUCKLES	STITCHING	LOOPS & PLATES
Synthetic Fiber. 44mm Width.	8mm Forged Zinc Plated	Set of Big & Small. 4mm. Zinc Plated.	High Tenacity Nylon Thread.	Made of LDPE Material.
Webbing, D-Rings & Buckles - Breaking Strength >25KN			For Flexibility, Strength & Durability.	
Common Specifications For The Series				

### PRODUCT SERIES OPTIONS

MODEL NO	OPTION	FEATURE DIFFERENCES	APPROVALS
SFH-101		Dorsal D-Rings For Fall Arrester Compatibility. Fully Adjustable Chest & Shoulder Straps for Perfect Fit.	IS 3521:1999. CLASS A.
SFH-102		Dual D-Rings At Chest Point For Optimal Control During Descend. Compatible with Fall Arrester Systems.	IS 3521:1999. CLASS L.
SFH-104		Dorsal D-Rings For Fall Arrester Compatibility. Dual Webbing Loops At Chest Point For Attachment.	IS 3521:1999. CLASS L.
SFH-106		Integrated With Positioning Waist Belt When With 2 Lateral D-Rings. Ideal for Tower & Pole Jobs With Fall Arrester.	IS 3521:1999. CLASS E.

# Fall Protection


## Body Harness

### SFH-105 M


Premium Range of Full Body Harness Perfect For Suspension Work of Light & Medium Risk Use. Light Weight & Certified.

#### FEATURES

- Dorsal D-Rings for Attachments
- One D-Ring At Sternal Point
- Ideally Positioned Pelvic Strap for Extended use Comfort
- **COLOR** - Hi-Vis Yellow/Black

 IS 3521:1999. CLASS D.  
BIS LIC NO. CM/L 5100090478

 EN 361:2002



FRONT VIEW

REAR VIEW


WEBBING	D-RINGS	BUCKLES	STITCHING	LOOPS & PLATES
Synthetic Fiber. 44mm Width.	8mm Forged Zinc Plated	Set of Big & Small. 4mm. Zinc Plated.	High Tenacity Nylon Thread.	Made of LDPE Material.
Webbing, D-Rings & Buckles - Breaking Strength >25KN			For Flexibility, Strength & Durability.	
Common Specifications For Both Products				


### SFH-107 M


Premium Specialised Full Body Harness.

#### FEATURES

- Dorsal D-Ring & Dual D-Rings at Waist Band for Fall Arresters
- Adjustable Thigh & Chest Strap.
- Dual Color Straps for Rapid Identification of Upper & Lower
- Waist Pad Of Air Mesh Fabric & EVA For Comfort
- **COLOR** - Hi-Vis Yellow/Black

 IS 3521:1999. CLASS P.  
BIS LIC NO. CM/L 5100090478

 EN 361:2002  
EN 358:1999



FRONT VIEW

REAR VIEW

# Fall Protection

## Body Harness

### SFH-108



Premium Anatomically Designed Full Body Harness. Light Weight & Certified.

#### FEATURES

- Dorsal D-Ring For Attachments.
- Adjustable Thigh & Chest Straps.
- Waist Pad With Two Lateral D-Rings & Tool Loops.
- D-Rings At Front & Ventral Point for Fall Arrester & Rope Access.
- **COLOR** - Hi-Viz Yellow/Black

IS 3521:1999. CLASS L.  
BIS LIC NO. CM/L 5100090478

EN 361:2002  
EN 358:1999 & EN 813:2008



FRONT VIEW

REAR VIEW

WEBBING	D-RINGS	BUCKLES	STITCHING	LOOPS & PLATES
Synthetic Fiber. 44mm Width.	8mm Forged Zinc Plated	Set of Big & Small. 4mm. Zinc Plated.	High Tenacity Nylon Thread.	Made of LDPE Material.
Webbing, D-Rings & Buckles - Breaking Strength >25KN			For Flexibility, Strength & Durability.	
Waist/Thigh/Shoulder Pads Made of Air Mesh Fabric & EVA . Comfort & Support During Extended Use				

Common Specifications For Both Products

### SFH-109




Premium Light Weight & Versatile Full Body Harness.

#### FEATURES

- Dorsal D-Ring & Dual D-Rings at Waist Band for Fall Arresters.
- Adjustable Thigh & Chest Strap.
- Dual Color Straps for Rapid Identification of Upper & Lower.
- Fray Proof Polyester Webbing.
- **COLOR** - Hi-Vis Yellow/Black

IS 3521:1999.  
BIS LIC NO. CM/L 5100090478

EN 361:2002  
EN 358:1999



FRONT VIEW

REAR VIEW

# Fall Protection

## Work Positioning Belts

### SWP-01



Premium Work Positioning Belt With Thigh Support.

#### FEATURES

- Anchor Point Dual Lateral D-Rings for Positioning.
- D-Ring At Ventral Point For Rope Access Work..
- Soft Padded Waist & Thigh Pads, With Adjustable Straps.
- **COLOR** - Hi-Viz Yellow/Black

IS 3521:1999.  
BIS LIC NO. CM/L 5100090478

CE EN 813:2008  
EN 358:1999



FRONT VIEW

REAR VIEW



WEBBING	D-RINGS	BUCKLES	STITCHING	LOOPS & PLATES
Synthetic Fiber. 44mm Width.	8mm Forged Zinc Plated	Set of Big & Small. 4mm. Zinc Plated.	High Tenacity Nylon Thread.	Made of LDPE Material.
Webbing, D-Rings & Buckles - Breaking Strength >25KN			For Flexibility, Strength & Durability.	

Common Specifications For Both Products

### SWP-02



Basic Work Positioning Waist Belt. Economical Yet Certified.

#### FEATURES

- Superior Strength Fray Proof Webbing With Tool Loops.
- D-Ring At Waist Points For Precise Positioning.
- Soft Padded Waist Pads, With Adjustable Straps.
- **COLOR** - Hi-Vis Yellow/Black

IS 3521:1999.  
BIS LIC NO. CM/L 5100090478

CE EN 813:2008  
EN 358:1999



FRONT VIEW

D-RINGS

ADJUSTABLE STRAPS

D-RINGS

TOOL HOLDER LOOP

BACK VIEW



# Fall Protection

## Hooks & Connectors

### SKH-50



Premium Quality Steel Alloy  
Scaffolding Hook

#### SPECIFICATIONS

- MATERIAL - Steel Alloy
- GATE OPENING - 55 mm
- MIN BREAKAGE STRENGTH - 25kN
- PLATING - Chrome / Zinc
- WEIGHT - 500 grams
- COLOR - Silver / Golden Yellow




### SKH-31



Premium Quality Steel Alloy  
Snap Hook

#### SPECIFICATIONS

- MATERIAL - Steel Alloy
- GATE OPENING - 16 mm
- MIN BREAKAGE STRENGTH - 22kN
- PLATING - Chrome / Zinc
- WEIGHT - 190 grams
- COLOR - Silver / Golden Yellow




### SKH-20



Premium Quality Steel Alloy  
Karabiner

#### SPECIFICATIONS

- MATERIAL - Steel Alloy
- GATE OPENING - 25 mm
- MIN BREAKAGE STRENGTH - 25kN
- PLATING - Chrome / Zinc
- WEIGHT - 245 grams
- COLOR - Silver / Golden Yellow



The Hooks & Connectors are an essential link in any vertical safety equipment kit. It is designed to be loaded in its major axis, with the gates closed and the sleeve locked. The rating of its breaking strength is determined when loaded at its major axis and closed properly. Understanding the strength & weaknesses of this essential link allows the user to choose the most appropriate type to use for a particular usage, thus avoiding any misuse that could be dangerous.



# Fall Protection

## Hooks & Connectors



### SKH-21



Premium Quality Steel Alloy Karabiner

#### SPECIFICATIONS

- MATERIAL - Steel Alloy
- GATE OPENING - 16 mm
- MIN BREAKAGE STRENGTH - 23kN
- PLATING - Chrome / Zinc
- WEIGHT - 160 grams
- COLOR - Silver / Golden Yellow




### SKH-21A

Superior Quality Aluminium Alloy Karabiner

#### SPECIFICATIONS

- MATERIAL - Aluminium Alloy
- GATE OPENING - 18 mm
- MIN BREAKAGE STRENGTH - 23kN
- PLATING - Anodised Aluminium
- WEIGHT - 80 grams
- COLOR - Silver



### SKH-22A



Superior Quality Aluminium Alloy Karabiner

#### SPECIFICATIONS

- MATERIAL - Aluminium Alloy
- GATE OPENING - 25 mm
- MIN BREAKAGE STRENGTH - 22kN
- PLATING - Anodised Aluminium
- WEIGHT - 90 grams
- COLOR - Silver



# Fall Protection


## Rope Grab & Fall Arrester

### SF-RGFA-B20

Premium Guided type Rope Grab Fall Arrester.

#### FEATURES & SPECIFICATIONS

- Designed for use with 2/14 mm diameter flexible twisted rope.
- Made of Alloy Steel.
- Double locking security system design, prevents accidental opening.
- Built in gravity locking mechanism, which prevent incorrect usage.
- Includes SKH21 Karabiner.



CE EN 353-2:2002



### SF-RGFA-B20S

Premium Guided type Rope Grab Fall Arrester with Spacing Strap.

#### FEATURES & SPECIFICATIONS

- Designed for use with 2/14 mm diameter flexible twisted rope.
- Made of Alloy Steel.
- Double locking security system design, prevents accidental opening.
- In-built gravity locking mechanism, prevents misuse.
- Includes SKH21 Karabiner.
- Spacing Strap for manoeuvring easily during ladder work.



CE EN 353-2:2002



### SF-RGFA-B20E

Guided type Rope Grab Fall Arrester with Energy Absorber.

#### FEATURES & SPECIFICATIONS

- Designed for use with 2/14 mm diameter flexible twisted rope.
- Made of Alloy Steel.
- Dual safety locking system design, prevents accidental opening.
- In-built gravity locking mechanism, prevents misuse.
- Attached Energy Absorber with SKH21 Karabiner.



In the unlikely event of a fall the energy absorber reduces the energy exerted on the user in order to keep impact forces around 900 lb

CE EN 353-2:2002



# Fall Protection

## Retractable Fall Arrester

### SRFA-060W



Steel Cable Type Retractable Fall Arrester.

#### FEATURES & SPECIFICATIONS

- Compact & Light Weight.
- Durable & Corrosion Resistant PP Housing & Drum.
- **ANCHORAGE** - Swivel Type Steel Snap Hook, Includes Conduit Rope.
- **CABLE** - Length 6 mtrs / Width 4 mm
- **MAXIMUM LOAD CAPACITY** - 100 Kgs
- **MINIMUM BREAKING STRENGTH** - 20 kN



CE EN 360:2002



### SRFA-10



Steel Cable Type Retractable Fall Arrester.

#### FEATURES & SPECIFICATIONS

- Compact Design For Ease Of Use.
- ABS Housing For Durability, Sturdiness & Rough Usage.
- **ANCHORAGE** - Swivel Type Steel Snap Hook, Includes Conduit Rope.
- **CABLE** - Length 10 mtrs / Thickness 4 mm
- **MAXIMUM LOAD CAPACITY** - 100 Kgs
- **MINIMUM BREAKING STRENGTH** - 20 kN



CE EN 360:2002



### SRFA-15



Steel Cable Type Retractable Fall Arrester.

#### FEATURES & SPECIFICATIONS

- Compact Design For Ease Of Use.
- ABS Housing For Durability, Sturdiness & Rough Usage.
- **ANCHORAGE** - Swivel Type Steel Snap Hook, Includes Conduit Rope.
- **CABLE** - Length 15 mtrs / Thickness 4 mm
- **MAXIMUM LOAD CAPACITY** - 100 Kgs
- **MINIMUM BREAKING STRENGTH** - 25 kN



CE EN 360:2002



# Fall Protection

## Lanyards

### SRL-50DW



Harness Attachment. Webbing Type Lanyard with Dual Hooks. Without Shock Absorber.

#### SPECIFICATIONS

- **LIFELINE** - Dual 44 mm Webbing Type.
- **LIFELINE LENGTH** - 1.8 Meters
- **HOOKS** - Dual Scaffolding Hooks

#### AVAILABLE LIFELINE OPTION

SRL 50D - 12 mm Polymide Rope

SRL 50D/P - 12 mm Poly Propene Rope

SRL 50D/B - 10.5 mm Braided Rope



### SFL-D2150P



Harness Attachment. Webbing Type Lanyard with Dual Hooks. With Shock Absorber.

#### SPECIFICATIONS



- **LIFELINE** - Dual 12 mm Poly Propene Rope.
- **LIFELINE LENGTH** - 1.8 Meters
- **HOOKS** - Dual Scaffolding Hooks

#### AVAILABLE LIFELINE OPTION

SFL D2150 - 12 mm Polymide Rope



SFL D2150W - 44 mm Webbing

SFL D2150B - 10.5 mm Braided Rope



# Fall Protection

## Painting & Maintenance Kit



The kit consists of selection of products deemed fit for carrying out painting and maintenance jobs in an elevated area.

Everything comes packed in a KIT BAG.

- |                              |                           |
|------------------------------|---------------------------|
| 1. Harness                   | 6. Parapet Anchor (2 nos) |
| 2. Kernmantel Rope (50 mtrs) | 7. Karabiner (3 nos)      |
| 3. Webbing Sling (2 nos)     | 8. Descender              |
| 4. Polyaide Rope (50 mtrs)   | 9. Rock Chair             |
| 5. Fall Arrestor             |                           |

# Fall Protection

## Rescue Kit



The kit consists of selection of products deemed fit for rescue operations in common scenarios. Everything comes packed in a KIT BAG.

- |                            |                              |
|----------------------------|------------------------------|
| 1. Harness                 | 6. Karabiner (3 nos)         |
| 2. Cows Tail Lanyard       | 7. Double Lanyard (Braided)  |
| 3. Fall Arrestor           | 8. Bladeless Cutter          |
| 4. Descender               | 9. Kernmantel Rope (50 mtrs) |
| 5. Polyaide Rope (50 mtrs) | 10. Webbing Sling (2 nos)    |



# Safewell®

## MANUFACTURED

@ KOLKATA & KANPUR. INDIA



# FOOT PROTECTION



# Foot Protection

## Safety Shoes

### PIKE



Stylish & Durable Industrial Shoes

#### SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Leather. Thickness 1.8 - 2.0 mm
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets as Lace Anchors.

DOUBLE DENSITY OPTION



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



### SLING



Economical & Classic Safety Shoes

#### SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Grain Leather. Thickness 1.8 - 2 mm
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 100 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets as Lace Anchors.



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



### CONQUER OXFORD



Stylish & Easy Wear Safety Shoes



#### SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Grain Brown Leather. 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets as Lace Anchors.

HIGH CUT OPTIONAL



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



# Foot Protection

## Safety Shoes

### CONQUER-DD

Stylish & Easy Wear Safety Shoes



#### SPECIFICATIONS

- **UPPER** - Tanned Apollo Printed Grain Leather. Thickness 1.8 - 2 mm
- **SOLE** - Moulded Double Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets as Lace Anchors.



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



### ASTRA-DD



Premium & Classic Safety Shoes

#### SPECIFICATIONS

- **UPPER** - Barton Printed Fine Grain Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Double Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole
- **FASTENERS** - Nylon Lace with D-Ring & Leather Loop Lace Anchor.

SINGLE  
DENSITY  
OPTION



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



### ROBUST



Premium & Classic Safety Shoes

#### SPECIFICATIONS

- **UPPER** - Barton Printed Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Double Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole
- **FASTENERS** - Nylon Lace with D-Ring & Leather Loop Lace Anchor.

DOUBLE  
DENSITY  
OPTION



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



# Foot Protection

## Safety Shoes

### ROCK LADY **M** ☆

Stylish & Easy Wear Safety Shoes

#### SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Leather. Thickness 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Slip-On Style with Velcro Supported Leather Strap.

DOUBLE DENSITY OPTION

5 12



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



DOUBLE DENSITY OPTION

5 12

### GRANITE **H** NEH ITEM

Classic & Elegant Industrial Shoes

#### SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Leather. Thickness 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Inner Elastic Band Supported Slip-On Style.



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



### ZUHA-DD **H** 👑

Classic & Elegant Industrial Shoes

#### SPECIFICATIONS

- **UPPER** - Tanned Alabama Printed Grain Leather. Thickness 1.8 - 2 mm.
- **SOLE** - Moulded Double Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal D-Rings Lace Anchors.

SINGLE DENSITY OPTION

5 12



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



# Foot Protection

## Safety Shoes


### TUFF



Stylish & Sporty Industrial Shoes

#### SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Grain Leather. Thickness 1.8 - 2 mm
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Inner Elastic Band Supported Slip-On Style.



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



### MARBLE



Premium & Classic Safety Shoes

#### SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Grain Leather. Thickness 1.8 - 2 mm
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Inner Elastic Band Supported Slip-On Style.

### STARK



Sporty & Stylish Industrial Shoes

#### SPECIFICATIONS

- **UPPER** - Fine Grain Waterproof Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Air Mesh Laminated with PU Foam InSock. Anti-Static InSole
- **FASTENERS** - Nylon Lace with Gun Metal Camel Hook Lace Anchors.



# Foot Protection

## Safety Shoes

### CONQUER NITRILE

Durable Nitrile Sole Safety Shoes



#### SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Grain Leather. Thickness 1.8 - 2 mm
- **SOLE** - Nitrile Rubber Sole with upto 300°C Heat Resistance.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal D-Rings as Lace Anchors.



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



### JUNO



Sporty & Stylish Industrial Shoes

#### SPECIFICATIONS

- **UPPER** - Crome Tanned Suede Leather. Thickness 1.8 - 2.0 mm
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh Laminated with PU Foam InSock. Anti-Static InSole.
- **FASTENERS** - Dual Color Nylon Lace with Gun Metal D-Ring Anchors.



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



### FLINT



Classic & Elegant Industrial Shoes

#### SPECIFICATIONS

- **UPPER** - Tanned Crazy Horse Grain Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Inner Elastic Band Supported Slip-on Style.



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



# Foot Protection

## Safety Shoes

### FLAMMA



Stylish & Elegant Industrial Shoes

#### SPECIFICATIONS

- **UPPER** - Tanned Crazy Horse Grain Leather. Thickness of 1.8 - 2.0 mm
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh Laminated with PU Foam InSock. Anti-Static InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Camel Hook Lace Anchor.

DOUBLE DENSITY OPTION



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



DOUBLE DENSITY OPTION



### SPARTA



Premium & Stylish Industrial Shoes

#### SPECIFICATIONS

- **UPPER** - Tanned Nubuck Fine Grain Leather. Thickness of 1.8 - 2.0 mm
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Mesh Laminated with PU Foam InSock. Anti-Static InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Camel Hook Lace Anchor.



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



### GLADIUS



Stylish & Sporty Industrial Shoes

#### SPECIFICATIONS

- **UPPER** - Tanned Crazy Horse Grain Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel Toe Cap.
- **LININGS** - Air Mesh Laminated with PU Foam InSock. Anti-Static InSole
- **FASTENERS** - Nylon Lace with Gun Metal Camel Hook Lace Anchors.

DOUBLE DENSITY OPTION



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



# Foot Protection

## Safety Shoes

### FORTUNA H NEW ITEM

Stylish & Premium Industrial Shoes

#### SPECIFICATIONS

- **UPPER** - Fine Grain Waterproof Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Moulded Single Density PU Sole with Shock Absorber.
- **TOE CAP** - 200 joules EN Certified Steel or Composite Toe Cap.
- **LININGS** - Air Mesh Laminated with PU Foam InSock. Anti-Static InSole.
- **FASTENERS** - Nylon Lace in D-Ring & Leather Loop Lace Anchors.

DOUBLE DENSITY OPTION  
5/12



IS 15298 : PART 2 : 2016  
CM/L 9300051510



EN ISO 20345:2011



PVC

5/11

### ROCK M ☆

Economical & Tough Safety Shoes

#### SPECIFICATIONS

- **UPPER** - Tanned Barton Printed Leather. Thickness of 1.8 - 2.0 mm.
- **SOLE** - Directly Injected PVC Sole with Shock Absorbers.
- **TOE CAP** - 100 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Mesh with Laminated EVA InSock. Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets Lace Anchors.



### GRAVEL M ☆

Economical & Stylish Safety Shoes

#### SPECIFICATIONS

- **UPPER** - Synthetic Artificially Printed Leather. Thickness 1.8-2 mm
- **SOLE** - Directly Injected PVC Sole with Shock Absorber.
- **TOE CAP** - 100 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole
- **FASTENERS** - Nylon Lace with Gun Metal D-Rings Lace Anchors.

PVC

5/11



# Foot Protection

## Safety Shoes & Boot

### STONE



Economical Industrial Safety Shoe

#### SPECIFICATIONS

- **UPPER** - Synthetic Artificially Printed Leather. Thickness 1.8-2 mm
- **SOLE** - Directly Injected PVC Sole with Shock Absorber.
- **TOE CAP** - 100 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Mesh with Laminated EVA InSock & Laminated Canvas InSole.
- **FASTENERS** - Nylon Lace with Gun Metal Eyelets as Lace Anchors.



PVC

5/11



### AST-1105



Anti-Static Slip-on Shoe

#### SPECIFICATIONS

- **UPPER** - Synthetic woven fabric with elastic grip for better fit.
- **SOLE** - Flat rubber sole with cleated design for grip and anti-slip.
- **IN-SOLE** - Full Anti-Static fabric insole for absorbing static charge.
- **OTHERS** - Over edged corners and stitched upper and sole for extended product life.
- **SIZE** - Available in S, M, L sizes.



CE

### GUM BOOT



Classic Industrial Safety Boot

#### SPECIFICATIONS

- **UPPER** - Soft Ploy-Vinyl Chloride with Heavy Duty Cotton Lining.
- **SOLE** - Directly Injected PVC Sole with Shock Absorber.
- **TOE CAP** - 100 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Heavy Duty Cotton Fully Lined Inner.
- **LENGTHS** - Available in 11, 13 & 15 Inches Total Height.

PVC

5/11



IS 15298 : PART 2 : 2016  
CM/L 9300051510



# Foot Protection

## Safety Leg & Toe Guard

### STP-01



Backless Steel Toe Cap

#### SPECIFICATIONS

- **UPPER** - Synthetic Artificially Printed Leather. Thickness 1.8-2 mm
- **SOLE** - PVC sole with cleated design for grip and anti-slip.
- **TOE CAP** - 100 joules Steel Toe Cap with Wide & Comfortable Fit.
- **LININGS** - Full inside fabric lining for comfort.
- **FASTENERS** - Elastic with synthetic leather patch for easy of use.

PVC



### LG-614



Split Leather Industrial Leg Guard

#### SPECIFICATIONS

- **LEATHER** - Split leather of 1.0 to 1.2 mm thickness.
- **STITCHING** - Stitched with high endurance yarn for durability. Dual or box stitched in high stress points
- **FASTENER** - Leather strap across the foot bed. Vertical Velcro for the leg fitting.
- **COLOR** - Natural leather color. Can be customised.



### ALU-706



Aluminised Heat Resistant Industrial Safety Leg Guard

#### SPECIFICATIONS

- **FABRIC** - Aluminised Aramid with woollen lining on the inside.
- **STITCHING** - Stitched with Aramid yarn for durability and strength.
- **FASTENERS** - Aramid straps across the foot bed. Straps with Velcro around the leg.
- **OPTIONAL** - Customer specific design customisable.



AramaX™



# Foot Protection

## Safety Shoes Covers

### SC-01



Disposable Non Woven Fabric Safety Shoe Cover

#### SPECIFICATIONS

- **MATERIAL** - Made of single layer non-woven fabric.
- **STYLE** - Individual shoes covers with elasticised mouth, stitched construction for durability.
- **COLOR** - Blue, Green or White.
- **PACKING** - Box of 100 pieces packed in a mother carton of 10 boxes.



**SUPER TOUCH™**



**SUPER TOUCH™**

### SC-02



Disposable Plastic Safety Shoe Cover for Domestic & Industrial use

#### SPECIFICATIONS

- **MATERIAL** - Made of Poly Propylene (PP) material.
- **STYLE** - Individual shoes covers with elasticised mouth, heat pressed construction.
- **COLOR** - Blue, Green or White.
- **PACKING** - Box of 100 pieces packed in a mother carton of 10 boxes.



### SC-03

Re-usable Anti-Static Industrial Safety Shoe Cover

#### SPECIFICATIONS

- **FABRIC** - Synthetic 110 GMS fabric woven with chequered or striped Carbon Fiber for Anti-Static properties.
- **STYLE** - Individual shoe covers with elasticised mouth.
- **COLOR** - Blue, White, Pink & Dark Blue.
- **OPTIONAL** - Design customisable.



# Foot Protection

## Socks & Slippers

### SC-04

Re-useable Anti-Static Boot Style Industrial Shoe Cover.

#### SPECIFICATIONS

- **FABRIC** - Synthetic 110 GMS fabric woven with chequered or chequered Carbon Fiber for Anti-Static properties.
- **STYLE** - Slip on type, individual shoe covers with elasticised mouth and padded foot bed.
- **COLOR** - Blue, White, & Dark Blue.
- **OPTIONAL** - Design customisable.



### AST-1106



Anti-Static Slipper

#### SPECIFICATIONS

- **UPPER** - Synthetic foam with mesh fabric lining.
- **SOLE** - Flat Anti-Static rubber sole with cleated design for anti-slipping grip.
- **OTHERS** - Over edged corners for extended product life.
- **SIZE** - Available in M, L sizes.



### SC-05



100% Fine Cotton Blended Multi Purpose Socks.

#### SPECIFICATIONS

- **YARN** - 100% Cotton blended with Lycra® for exceptional comfort, fit and durability.
- **STYLE** - Knitted socks with ribbed design and fully elasticised upper.
- **COLOR** - Black, Blue, Brown, White & Grey
- **SIZE** - Universal size, fits men & women due to Lycra® based knitting.




# Safewell®

## MANUFACTURED

MADHYAMGRAM. WB. INDIA



# HEAD PROTECTION



# Head Protection

## Safety Helmet

### 6000 SERIES **M** ☆

Executive Safety Helmets. Tough & Durable. Stylish & Comfortable.

#### SPECIFICATIONS

- **SHELL** - Made of Virgin HDPE or ABS for Superior Impact Resistance.
- **CRADLE** - 6 Points Height Adjustable Suspension Cradle System.
- **LOCKING** - Ratchet / Pin-Lock Suspension adjustable Between 52-60 cms.
- **WEIGHT** - 350 gms (6000) & 380 gms (6000VR)

**CE** EN 397:2012  
EN A1:2012

**IS** IS 2925:1984  
BIS LIC NO. CM/L 5100097088



MODEL# 6000



MODEL# 6000VR



#### SPECIAL FEATURES

- Reduced Peak Design for Improved Upwards Visibility.
- Extended Nape Enables Added Neck Protection.
- Brushed Fabric High Absorbent Sweatband.
- Unique Crown & Rear Ventilation Design for Extra Air Circulation. (For 6000V Model)
- Universal Slots for Fitting Face & Hearing Safety Equipments.
- Compatible with Electrical ARC System.
- Chin Strap Included.

#### OPTIONAL / REPLACEABLE

- **USER REPLACEABLE** - Inner Cradle, Sweatband, Chin Strap
- **ABS SHELL** - Model Available.
- **OPTIONAL** - High-Viz Tape.

#### AVAILABLE COLORS



# Head Protection


## Safety Helmet


### 7000 SERIES

Premium Executive Safety Helmet with High-Visibility Tape.

#### SPECIFICATIONS

- **SHELL** - Made of Virgin HDPE for Superior Impact Resistance.
- **CRADLE** - 6 Points Height Adjustable Suspension Cradle System.
- **LOCKING** - Ratchet / Pin-Lock Slider Adjustable Between 52-60 cms.
- **WEIGHT** - 370 gms (7000VR) & 390 gms (7000R)
- **OTHERS** - Optional High-Visibility Tape Integrated in the Design for Added Safety & Visibility

 EN 397:2012  
EN A1:2012

 IS 2925:1984  
BIS LIC NO. CM/L 5100097088



MODEL# 7000V



MODEL# 7000R



#### SPECIAL FEATURES

- Reduced Peak Design for Improved Upwards Visibility.
- Extended Nape Enables Added Neck Protection.
- Brushed Fabric with High Absorbent Sweatband.
- Unique Crown & Rear Ventilation Design for Extra Air Circulation. (For 7000VR Model)
- Universal Slots for Fitting Face & Hearing Safety Equipments.
- Compatible with Electrical ARC System.
- Supplied with standard Chin Strap

#### OPTIONAL / REPLACEABLE

- **USER REPLACEABLE** - Inner Cradle, Sweatband, Chin Strap
- **ABS SHELL** - Model Available.

#### AVAILABLE COLORS



# Head Protection

## Safety Helmet

### 8000R



Premium Safety Helmets. Stylish & Robust.

#### SPECIFICATIONS

- **SHELL** - made of Virgin HDPE for Superior Impact Resistance.
- **CRADLE** - 8 Points Height Adjustable Suspension Cradle System.
- **LOCKING** - Ratchet Slider Adjustable Between 52-60 cms.
- **WEIGHT** - 470 gms
- **SPECIAL** - Added Corrugation on the Crown for Extra Impact Resistance



EN 397:2012  
EN A1:2012



IS 2925:1984  
BIS LIC NO. CM/L 5100097088



### 9000R



Premium Safety Helmets. Robust & Unique Design.

#### SPECIFICATIONS

- **SHELL** - made of Virgin HDPE for Superior Impact Resistance.
- **CRADLE** - 8 Points Height Adjustable Suspension Cradle System.
- **LOCKING** - Ratchet Slider Adjustable Between 52-60 cms.
- **WEIGHT** - 360 gms
- **SPECIAL** - Added Corrugation on the Crown for Extra Impact Resistance.
- **OTHERS** - Enlarged All Around Peak for Extra Safety.



EN 397:2012  
EN A1:2012



IS 2925:1984  
BIS LIC NO. CM/L 5100097088

#### COMMON FEATURES

- Brushed Fabric Sweatband for High Absorption & Comfort.
- Universal Slots for Fitting Face and Hearing Safety Equipments.
- Chin Strap Included as Standard Fitments.

#### OPTIONAL / REPLACEABLE

- **USER REPLACEABLE** - Inner Cradle, Sweatband, Chin Strap
- **ABS SHELL** - Model Available.

#### AVAILABLE COLORS



# Head Protection


## Safety Helmet

### ECOSAFE

Economical Range of Safety Helmet for General Use.

#### SPECIFICATIONS

- **SHELL** - made of Virgin HDPE for Optimal Impact Resistance.
- **CRADLE** - 6 Points LDPE Height Adjustable Suspension Cradle System.
- **LOCKING** - Pin Lock Slider Adjustable Between 52-60 cms.
- **OTHERS** - Light Weight for Extended Use.
- **FEATURES** - Brushed Fabric Sweatband for High Absorption & Comfort.
- User Replaceable Inner Cradle.
- **WEIGHT** - 290 gms

 IS 2925:1984  
BIS LIC NO. CM/L 5100097088

#### AVAILABLE COLORS



### LOADER

Load Carrying Helmet with Unique Crown Ring.

#### SPECIFICATIONS

- **SHELL** - made of Virgin HDPE for Impact Resistance.
- **CRADLE** - 6 Points Textile Inner Cradle System.
- **SPECIAL** - Added Ring on the Crown for Easy & Stable Load Carrying.
- **WEIGHT** - 240 gms.
- Included Standard Chin Strap.

#### AVAILABLE COLORS



# Head Protection

## Safety Cap & Hood

### SBC 01



Perfect Blend of Style & Safety for Protection Against Head Bumps.

#### SPECIFICATIONS

- **INNER SHELL** - Made of Virgin HDPE for Optimal Impact Resistance.
- **OUTER COVER** - User Replaceable made of Cotton / Poly-Cotton.
- Light Weight for Extended Use.
- **OPTIONAL** - Customisable Logo Design on the Outer Cover.



#### AVAILABLE COLORS



### ALU 709



Aluminised Fire & Heat Resistant Safety Hood.

#### SPECIFICATIONS

- **FABRIC** - Outer layer of Aluminised Aramid or Glass Fiber with inner layers of Wool & Cotton.
- **STYLE** - Full head cover upto shoulders with anchor straps for fastening to the body suit.
- **STITCHING** - Double line stitching with high endurance Aramid yarn. Box stitched at high stress points.
- **FEATURES** - Dual layered visor made of inner Polycarbonate and outer Mica for superior heat deflection. User replaceable design.
- **OTHERS** - Anchored Helmet inside for optimum fit and long usage comfort.



# Head Protection

## Safety Cap & Hood

### AST 1104



Safety Head Cap with Anti-Static Properties.

#### SPECIFICATIONS

- **FABRIC** - Synthetic 110 GMS fabric woven with chequered Carbon Fiber for Anti-Static properties
- **STYLE** - Short visor for optimal visibility. Ventilated Sides for breathability & comfort.
- **STITCHING** - Stitched with high endurance yarn and elasticized grip band for perfect fit.
- **COLORS** - Blue, Pink, White.



### DC 01



Disposable Non-Woven Fabric Surgeons Head Cap.

#### SPECIFICATIONS

- **FABRIC** - 10 to 12 GSM Non-Woven Disposable Fabric.
- **BINDING** - Fully machine made heat sealed binding.
- **FEATURES** - Wrap around elastic for firm fit. Fold flat design.
- **COLORS** - Blue, Green, White.



### DC 02



Disposable Non-Woven Fabric Bouffant Head Cap.

#### SPECIFICATIONS

- **FABRIC** - 10 - 12 GSM Non-Woven Disposable Fabric.
- **BINDING** - Fully machine made heat sealed binding.
- **FEATURES** - Wrap around elastic for firm fit. Shrunk tubular packing.
- **COLORS** - Green, Blue, White.



# Head Protection

## Safety Cap & Hood

### AST 1107



Anti-Static Industrial Safety Hood.

#### SPECIFICATIONS

- **FABRIC** - Synthetic 110 GSM fabric woven with chequered Carbon Fiber for Anti-Static properties
- **STYLE** - Full head, forehead cover & shoulder cover, front open able.
- **STITCHING** - Stitched with high endurance yarn, with Velcro fastener.
- **COLORS** - Blue, Pink, White.



### AST 1108



Anti-Static Industrial Safety Hood.

#### SPECIFICATIONS

- **FABRIC** - Synthetic 110 GSM fabric woven with chequered Carbon Fiber for Anti-Static properties
- **STYLE** - Head cover & shoulder cover, front openable.
- **STITCHING** - Stitched with high endurance yarn, with Velcro fastener.
- **COLORS** - Blue, Pink, White.



### FR 902



Fire Retardant Industrial Safety Full Face Hood.

#### SPECIFICATIONS

- **FABRIC** - Fire retardant fabric of 240 GSM
- **STYLE** - Full face & neck covering with eye opening. Slide over the head style.
- **STITCHING** - Stitched with high endurance yarn.
- **COLORS** - Blue or Orange.



**Safewell<sup>®</sup>**

**MANUFACTURED**

**AS OEM. INDIA & IMPORTED**

# RESPIRATORY PROTECTION



# Respiratory Protection

## Nose Masks

### 8801



Reusable Triple Layered Nose Mask

#### SPECIFICATIONS

- **MATERIAL** - Triple layered, Class FFP1 certified.
- **BINDING** - Die-punched hot pressed.
- **TYPE** - Reusable fold flat design.
- **FEATURES** - Nose clip enables adjustable snug fit.
- **FASTENERS** - Dual around the head elastic band with adjustable loops.
- **COLOR** - Yellow.



### 8801V



Reusable Valved Nose Mask

#### SPECIFICATIONS

- **MATERIAL** - Triple layered, Class FFP1 certified.
- **BINDING** - Die-punched hot pressed.
- **TYPE** - Reusable fold flat design.
- **FEATURES** - Exhalation valve reduces heat build-up. Nose clip enables adjustable snug fit.
- **FASTENERS** - Dual around the head elastic band with adjustable loops.
- **COLOR** - Yellow.



### M02



Disposable Single-use. 2 Layer Nose Mask

#### SPECIFICATIONS

- **MATERIAL** - Non woven dual layered.
- **BINDING** - Die-punched hot pressed.
- **FEATURES** - Embedded nose clip enables adjustable snug fit.
- **FASTENERS** - Elasticised ear loops.
- **COLOR** - Blue.



**SUPER TOUCH™**



# Respiratory Protection

## Nose Masks

### M03



Disposable Single-use. 3 Layer Nose Mask

#### SPECIFICATIONS

- **MATERIAL** - Non woven triple layered for superior protection against dust particles.
- **BINDING** - Die-punched hot pressed.
- **FEATURES** - Embedded nose clip enables adjustable snug fit.
- **FASTENERS** - Elasticised ear loops.
- **COLOR** - Green.



### N95V



Reusable Valved N95 Nose Mask

#### SPECIFICATIONS

- **MATERIAL** - Triple layered, N95, Class FFP2 approved.
- **BINDING** - Die-punched hot pressed.
- **TYPE** - Reusable fold flat design.
- **FEATURES** - Exhalation valve reduces heat build-up. Nose clip enables adjustable snug fit.
- **FASTENERS** - Dual around the head elastic band with adjustable loops.
- **COLOR** - White.



### N95



Reusable N95 Nose Mask

#### SPECIFICATIONS

- **MATERIAL** - Triple layered, N95, Class FFP2 approved.
- **BINDING** - Die-punched hot pressed.
- **TYPE** - Reusable fold flat design.
- **FEATURES** - Nose clip enables adjustable snug fit.
- **FASTENERS** - Dual around the head elastic band with adjustable loops.
- **COLOR** - White.



# Our Contacts

## KOLKATA - Corporate Office

Eco-Station, Suit No 504. BP7, Sector V, Salt Lake, Kolkata 700091. West Bengal. India  
Phone • +91 33 2287 8293 / 2367 5588  
Email • kolkata@acmesafety.in

## BANGALORE - Branch & Warehouse

Plot No-134/B, Jigani Industrial Area, Bandenallasandra  
Jigani Road, Anekal Taluk, Bangalore 560105  
Phone • +91 80 29761590  
Email • bangalore@acmesafety.in

## GUJARAT - Branch & Warehouse

C-1006, Signature Corporate Park-2, Sarkhej - Sanand  
Cross Road, Sarkhej, Ahmedabad 382210. Gujarat. India  
Phone • +91 91731 66647  
Email • gujarat@acmesafety.in

## HYDERABAD - Branch & Warehouse

Plot No. 74, Ground Floor, KR Residency Sancharpuri  
Colony, Phase I, New Bowenpally, Hyderabad 500011  
Phone • +91 83093 78960  
Email • hyderabad@acmesafety.in

## ANKLESHWAR - Sales Point

Phone • +91 91731 66647  
Email • gujarat@acmesafety.in

## MADHYA PRADESH - Sales Point

Phone • +91 84200 90947  
Email • chhattisgarh@acmesafety.in

## VIZAG - Sales Point

Phone • +91 84200 48036  
Email • vizag@acmesafety.in

## CHENNAI - Sales & Warehouse

B3. SIDCO Industrial Estate, Villivakkam, Chennai  
600049. Tamil Nadu. India  
Phone • +91 44 4356 0956 / 99403 55581  
Email • chennai@acmesafety.in

## GURGAON - Branch & Warehouse

Plot No.3, Rajeev Colony, NH-8, Delhi-Jaipur Highway,  
Gurgaon 122001, Haryana.  
Phone • +91 8700 56989  
Email • gurgaon@acmesafety.in

## PUNE - Branch & Warehouse

Global Commercial Complex, Kharabwadi, Chakan-  
Talegaon Road, Taluka-Khed. Chakan. Pune 410501  
Phone • +91 8408 001515  
Email • mumbai@acmesafety.in

## JHARKHAND - Sales Point

Phone • +91 95340 22444  
Email • jharkhand@acmesafety.in

## ODISHA - Sales Point

Phone • +91 82407 00103  
Email • odisha@acmesafety.in

## Customer Care

Phone • +91 84200 47800 (Business Whatsapp)  
Email • enquiry@acmesafety.in

Visit us at

[www.acmesafety.in](http://www.acmesafety.in)





Annual Seminar 2021 - Kolkata. West Bengal



Annual Seminar 2021 - Kolkata. West Bengal



Annual Seminar 2021 - Haldia. West Bengal



Annual Seminar 2021 - Haldia. West Bengal



A+A Germany 2021 (Group Company Acknit Industries)



A+A Germany 2021 (Group Company Acknit Industries)



Product Display 2018 - Cochin Naval Base. Kerala



OSH India Trade Fair 2021 - Mumbai. India





PU/700-5 BB  
Details of this  
product can be  
found on Page 52



 **Safewell**<sup>®</sup>  
Protecting you at work...

Visit us at:

**[www.acmesafety.in](http://www.acmesafety.in)**  
for the entire range of our products.  
The one stop solution for all your  
industrial safety requirements.



**ACME SAFETY WEARS LIMITED**

Eco-Station, Suit #504. BP7, Sector V,  
Salt Lake. Kolkata 700091. WB, India  
+91 33 2367 4444 / 5588  
Mb • +91 84200 47800  
kolkata@acmesafety.in  
www.acmesafety.in



Scan for v-card

SAFEWELL is the registered brand  
of Acme Safety Wears Limited.



Safewell 2022